# ISO 21082:2016-07 (E)

## Mission operations - MAL space packet transport binding and binary encoding

## Contents

Page


**1 INTRODUCTION ..... 1-1**

1.1 PURPOSE ..... 1-1
1.2 SCOPE ..... 1-1
1.3 APPLICABILITY ..... 1-1
1.4 RATIONALE ..... 1-2
1.5 DOCUMENT STRUCTURE ..... 1-2
1.6 DEFINITIONS ..... 1-2
1.7 NOMENCLATURE ..... 1-3
1.8 BIT NUMBERING CONVENTION ..... 1-3
1.9 REFERENCES ..... 1-4

**2 OVERVIEW ..... 2-1**

2.1 GENERAL ..... 2-1
2.2 MO SERVICE FRAMEWORK OVER SPACE PACKET PROTOCOL ..... 2-2
2.3 TYPICAL USE ..... 2-5
2.4 MAL MESSAGE MAPPING ..... 2-7
2.5 MAL TRANSPORT INTERFACE MAPPING ..... 2-11

**3 MAL MESSAGE MAPPING ..... 3-1**

3.1 OVERVIEW ..... 3-1
3.2 URI FORMAT ..... 3-5
3.3 MAL HEADER MAPPING ..... 3-6
3.4 SPACE PACKET SPECIFIC FIELDS ..... 3-12
3.5 MAL MESSAGE BODY MAPPING ..... 3-14

**4 MAL TRANSPORT INTERFACE MAPPING ..... 4-1**

4.1 OVERVIEW ..... 4-1
4.2 SUPPORTEDQOS REQUEST ..... 4-3
4.3 SUPPORTEDIP REQUEST ..... 4-3
4.4 TRANSMIT REQUEST ..... 4-3
4.5 TRANSMITMULTIPLE REQUEST ..... 4-6
4.6 RECEIVE INDICATION ..... 4-6
4.7 RECEIVEMULTIPLE INDICATION ..... 4-7

Section Page

**5 MAL DATA ENCODING ..... 5-1**

5.1 OVERVIEW ..... 5-1
5.2 ELEMENT ..... 5-2
5.3 ENUMERATION ..... 5-3
5.4 COMPOSITE ..... 5-4
5.5 LIST ..... 5-4
5.6 NULLABLE ELEMENT ..... 5-4
5.7 BLOB ..... 5-5
5.8 BOOLEAN ..... 5-5
5.9 DURATION ..... 5-5
5.10 FLOAT ..... 5-5
5.11 DOUBLE ..... 5-6
5.12 IDENTIFIER ..... 5-6
5.13 OCTET ..... 5-6
5.14 UOCTET ..... 5-6
5.15 SHORT ..... 5-6
5.16 USHORT ..... 5-6
5.17 INTEGER ..... 5-6
5.18 UINTEGER ..... 5-7
5.19 LONG ..... 5-7
5.20 ULONG ..... 5-7
5.21 STRING ..... 5-7
5.22 TIME ..... 5-8
5.23 FINETIME ..... 5-8
5.24 URI ..... 5-8
5.25 UNSIGNED N-BIT INTEGER ..... 5-8
5.26 SIGNED N-BIT INTEGER ..... 5-8
5.27 UNSIGNED VARINT ..... 5-8
5.28 SIGNED VARINT ..... 5-10

**ANNEX A PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT PROFORMA (NORMATIVE) ..... A-1**
**ANNEX B MAPPING CONFIGURATION PARAMETERS (NORMATIVE) ..... B-1**
**ANNEX C QOS PROPERTIES (NORMATIVE) ..... C-1**
**ANNEX D SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) ..... D-1**
**ANNEX E ENCODING EFFICIENCY (INFORMATIVE) ..... E-1**
**ANNEX F ACRONYMS (INFORMATIVE) ..... F-1**
**ANNEX G INFORMATIVE REFERENCES (INFORMATIVE) ..... G-1**

Figure Page

1-1 Bit Numbering Convention ..... 1-3
1-2 Octet Convention ..... 1-4
2-1 Mission Operations Services Concept Document Set ..... 2-2
2-2 Overview of the MO Service Framework ..... 2-3
2-3 MO Service Framework above Space Packet Protocol ..... 2-5
2-4 Typical Deployment of the MAL Space Packet Transport Binding ..... 2-6
2-5 MAL Message Mapping to Space Packet ..... 2-9

Table

3-1 MAL Message Header Fields ..... 3-1
3-2 Space Packet Primary Header Format ..... 3-2
3-3 Space Packet Secondary Header Format ..... 3-4
3-4 QoSlevel Field Encoding ..... 3-8
3-5 Session Field Encoding ..... 3-10
3-6 Interaction Type and Stage Mapping ..... 3-11
4-1 MAL Transport Interface Primitives ..... 4-2
4-2 Packet Interface Primitives ..... 4-2
5-1 Unsigned Integer 7-Bit Groups ..... 5-9
5-2 Signed Integer Bit Shifting ..... 5-10
B-2 Mapping Configuration Parameters ..... B-2
C-2 QoS Properties ..... C-1
D-1 Mission Operations MAL Space Packet Transport Binding Version Number Initial Values ..... D-3
D-2 MAL Transport Binding URI Scheme Name Initial Values ..... D-3
E-2 Secondary Header Additional Overheads ..... E-1