DIN EN 16602-70-26:2019-07 (E)

Space product assurance - Crimping of high-reliability electrical connections; English version EN 16602-70-26:2019

Inhalt

Seite

European Foreword 5

1 Scope 7

2 Normative references 9

3 Terms, definitions and abbreviated terms 11

3.1 Terms defined in other standards 11

3.2 Terms specific to the present standard 11

3.3 Abbreviated terms 12

3.4 Nomenclature 13

4 Principles 14

5 Requirements 15

5.1 Preparatory conditions 15

5.1.1 Facilities 15

5.1.2 Tools and equipment 16

5.2 Crimping operations for different types of interconnections 18

5.2.1 General 18

5.2.2 Material selection 19

5.2.3 Process review and documentation 20

5.2.4 Contact barrel and single wire crimping 20

5.2.5 Contact barrel and multiple wire crimping 21

5.2.6 Ferrule shield crimping 23

5.2.7 Lug and splice wire crimping 23

5.3 Requirements for crimp configuration qualification 26

5.3.1 General 26

5.3.2 Qualification process test procedure 27

5.3.3 Sealing and marking 29

5.3.4 Batch to batch variation 29

5.4 Test methods 29

5.4.1 General 29

5.4.2 <<deleted>> 29

5.4.3 Tensile strength 30
5.4.4 Metallography 31
5.5 Quality assurance 32
5.5.1 General 32
5.5.2 Personnel training and certification 32
5.5.3 Workmanship 35
5.5.4 Visual inspection 37
5.5.5 Shift performance inspection and test for harness manufacturing 39
5.5.6 Calibration of crimping tools 40
5.5.7 Records 41
5.5.8 Nonconformance 42
5.5.9 Special crimping activities at spacecraft level, modifications and repairs 42
5.6 Document requirements 45
Annex A (informative) Crimp configurations and tools 46
Annex B (informative) Examples of typical ultimate axial strength 53
Bibliography 55

Figures

Figure 1-1: Example of interconnections described in this Standard 8
Figure 5-1: Example of crimping tools 17
Figure 5-2: Example of a typical connector barrel and single wire crimping 21
Figure 5-3: Example of a typical connector barrel and multi-wire crimping 22
Figure 5-4: Example of a typical ferrule shield crimping 23
Figure 5-5: Examples of typical lug and splice wire crimping (1 of 2) 25
Figure 5-6: Examples of typical lug and splice wire crimping (2 of 2) 26
Figure 5-7: Qualification process test procedure flow chart 28
Figure 5-8: Quality control during crimping operation 34
Figure 5-9: Visible workmanship standards 36
Figure 5-10: Workmanship examples and crimp micro-sections 37
Figure 5-11: Shift performance test flowchart 44

Tables

Table 5-1: Equipment for verification process 18
Table A-1 : Guideline for selector setting - Four-indent crimp (dispersive) - Single wire 48

Table A-2 : Guideline for selector setting - Four-indent crimp (dispersive) - Two wires 49
Table A-3 : Guideline for selector setting – Four-indent crimp (dispersive) – Two different wires 50
Table A-4 : Guideline for selector setting – Four-indent crimp (dispersive) – Single wire 50
Table A-5 : Guideline for selector setting – Four-indent crimp (dispersive) – Two identical wires 50
Table A-6 : Guideline for die selection – Regular hexagon (compactive) – Ferrule coaxial shield crimp 51
Table B-1 : Typical ultimate axial strength for compactive and dispersive crimped joints manufactured using qualified ESCC wires 53