DIN EN 16603-10-04:2022-08 (E)

Space engineering - Space environment; English version EN 16603-10-04:2021

Contents

Page

European Foreword 13

Introduction 14

1 Scope 15

2 Normative references 16

3 Terms, definitions and abbreviated terms 19

3.1 Terms defined in other standards 19

3.2 Terms specific to the present standard 19

3.3 Abbreviated terms 27

4 Gravity 29

4.1 Introduction and description 29

4.1.1 Introduction 29

4.1.2 Gravity model formulation 29

4.1.3 Third body gravitation 31

4.1.4 Tidal effects 31

4.2 Requirements for model selection and application 31

4.2.1 General requirements for gravity models 31

4.2.2 Selection and application of gravity models 32

5 Geomagnetic fields 33

5.1 Introduction and description 33

5.1.1 The geomagnetic field and its sources 33

5.1.2 The internal field 33

5.1.3 External field: ionospheric components 33

5.1.4 External magnetic field: magnetospheric components 34

5.1.5 Models of the internal and external geomagnetic fields 34

5.2 Requirements for model selection and application 35

5.2.1 The internal field 35

5.2.2 The external field 36

5.3 Tailoring guidelines 37

6 Natural electromagnetic radiation and indices 38
6.1 Introduction and description 38
6.1.1 Introduction 38
6.1.2 Electromagnetic radiation and indices 38
6.2 Requirements 41
6.2.1 Electromagnetic radiation 41
6.2.2 Reference index values 41
6.2.3 Tailoring guidelines 42
6.3 Tables 42

7 Neutral atmospheres 44
7.1 Introduction and description 44
7.1.1 Introduction 44
7.1.2 Structure of the Earth's atmosphere 44
7.1.3 Models of the Earth's atmosphere 44
7.1.4 Wind model of the Earth's homosphere and heterosphere 45
7.2 Requirements for atmosphere and wind model selection 45
7.2.1 Earth atmosphere 45
7.2.2 Earth wind model 47
7.2.3 Models of the atmospheres of the planets and their satellites 47

8 Plasmas 48
8.1 Introduction and description 48
8.1.1 Introduction 48
8.1.2 Ionosphere 48
8.1.3 Plasmasphere 49
8.1.4 Outer magnetosphere 49
8.1.5 Solar wind 50
8.1.6 Magnetosheath 50
8.1.7 Magnetotail and L2 50
8.1.8 Planetary environments 51
8.1.9 Induced environments 51
8.2 Requirements for model selection and application 51
8.2.1 General 51
8.2.2 Ionosphere 52
8.2.3 Auroral charging environment 52
8.2.4 Plasmasphere 53
8.2.5 Outer magnetosphere 54
8.2.6 The solar wind (interplanetary environment) 54

8.2.7 Other plasma environments 54
8.2.8 Tables 55

9 Energetic particle radiation 56

9.1 Introduction and description 56
9.1.1 Introduction 56
9.1.2 Overview of energetic particle radiation environment and effects 56
9.2 Requirements for energetic particle radiation environments 59
9.2.1 Trapped radiation belt fluxes 59
9.2.2 Solar particle event models 61
9.2.3 Cosmic ray models 63
9.2.4 Geomagnetic shielding 63
9.2.5 Neutrons 63
9.2.6 <<deleted>> 63
9.2.7 L2 and the Deep Magnetotail Environment 63
9.3 Preparation of a radiation environment specification 63
9.4 Tables 65

10 Space debris and meteoroids 66

10.1 Introduction and description 66
10.1.1 The particulate environment in near Earth space 66
10.1.2 Space debris 66
10.1.3 Meteoroids 67
10.2 Requirements for impact risk assessment and model selection 67
10.2.1 General requirements for meteoroids and space debris 67
10.2.2 Model selection and application 67
10.2.3 <<deleted>> 70
10.2.4 The meteoroid model 71
10.2.5 Impact risk assessment 71
10.2.6 Margins 72

11 Contamination 73

11.1 Introduction and description 73
11.1.1 Introduction 73
11.1.2 Description of molecular contamination 73
11.1.3 Transport mechanisms 74
11.1.4 Description of particulate contamination 74
11.1.5 Transport mechanisms 74
11.2 Requirements for on-orbit contamination assessment 75

Annex A (normative) Natural electromagnetic radiation and indices 76
A.1 Solar activity values for complete solar cycle 76
A.2 Tables 77
Annex B (normative) Energetic particle radiation 81
B.1 Historical dates of solar maximum and minimum 81
B.2 GEO model (IGE-2006) 81
B.3 ONERA MEOv2 model 81
B.4 FLUMIC model 82
B.4.1 Overview 82
B.4.2 Outer belt (L>2,5 Re) 82
B.4.3 Inner belt (L<2,5 Re) 83
B.5 NASA worst case GEO spectrum 83
B.6 ESP solar proton model specification 84
B.7 Solar ions model 84
B.8 Geomagnetic shielding (Størmer theory) 85
B.9 MOBE-DIC 85
B.9.1 Overview 85
B.9.2 Spectral form 85
B.9.3 L-shell profile 86
B.9.4 Magnetic latitude profile 87
B.10 Tables 88
Annex C (normative) Space debris and meteoroids 100
C.1 Flux models 100
C.1.1 <<deleted>> 100
C.1.2 <<deleted>> 100
C.1.3 <<deleted>> 100
C.1.4 Meteoroid streams 100
C.1.5 Grün meteoroid model 102
C.2 Tables 105
Annex D (informative) Gravitation 109
D.1 Gravity models: background 109
D.2 Guidelines for use 110
D.3 Availability of models 112
D.4 Tables 112
D.5 Figures 113
Annex E (informative) Geomagnetic fields 114

E.1 Overview of the effects of the geomagnetic field 114
E.2 Models of the internal geomagnetic field 114
E.3 Models of the external geomagnetic field 115
E.4 Magnetopause boundary 115
E.5 Geomagnetic coordinate system – *B* and *L* 116
E.6 Tables 118
E.7 Figures 120

Annex F (informative) Natural electromagnetic radiation and indices 122

F.1 Solar spectrum 122
F.2 Solar and geomagnetic indices – additional information 122
F.2.1 E10.7 122
F.2.2 F10.7 122
F.2.3 S10.7 122
F.2.4 M10.7 123
F.3 Additional information on short-term variation 123
F.4 Useful internet references for indices 124
F.5 Earth electromagnetic radiation 124
F.5.1 Earth albedo 124
F.5.2 Earth infrared 125
F.6 Electromagnetic radiation from other planets 126
F.6.1 Planetary albedo 126
F.6.2 Planetary infrared 126
F.7 Activity indices information 126
F.8 Tables 126
F.9 Figures 127

Annex G (informative) Neutral atmospheres 130

G.1 Structure of the Earth's atmosphere 130
G.2 Development of models of the Earth's atmosphere 130
G.3 NRLMSISE-00 and JB-2006 - additional information 131
G.4 The GRAM series of atmosphere models. 132
G.5 Atmosphere model uncertainties and limitations 132
G.6 HMW07 additional information 132
G.7 Planetary atmospheres models 133
G.7.1 Jupiter 133
G.7.2 Venus 133
G.7.3 Mars 134
G.7.4 Saturn 134

G.7.5 Titan....134
G.7.6 Neptune....134
G.7.7 Mercury....134
G.8 Reference data....135
G.9 Tables....136
G.10 Figures....140

Annex H (informative) Plasmas....144

H.1 Identification of plasma regions....144
H.2 Plasma effects on spacecraft....144
H.3 Reference data....144
H.3.1 Introduction....144
H.3.2 Ionosphere....145
H.3.3 Plasmasphere....145
H.3.4 Outer magnetosphere....146
H.3.5 Magnetosheath....147
H.3.6 Magnetotail and distant magnetosheath....147
H.3.7 Planetary environments....147
H.3.8 Induced environments....148
H.4 Tables....149
H.5 Figures....152

Annex I (informative) Energetic particle radiation....153

I.1 Trapped radiation belts....153
I.1.1 Basic data....153
I.1.2 Tailoring guidelines: orbital and mission regimes....153
I.1.3 Existing trapped radiation models....154
I.1.4 The South Atlantic Anomaly....156
I.1.5 Dynamics of the outer radiation belt....157
I.1.6 Internal charging....157
I.2 Solar particle event models....158
I.2.1 Overview....158
I.2.2 ESP model....158
I.2.3 JPL models....158
I.2.4 Spectrum of individual events....159
I.2.5 Event probabilities....160
I.2.6 Other SEP models....161
I.3 Cosmic ray environment and effects models....161
I.4 Geomagnetic shielding....161

I.5 <<deleted>> 162
I.6 Planetary environments 162
I.6.1 Overview 162
I.6.2 Existing models 162
I.7 Atmospheric albedo neutron models 163
I.8 Interplanetary environments 164
I.9 Tables 165
I.10 Figures 167

Annex J (informative) Space debris and meteoroids 173

J.1 Reference data 173
J.1.1 Trackable space debris 173
J.1.2 Reference flux data for space debris and meteoroids 173
J.2 Additional information on flux models 174
J.2.1 Meteoroids 174
J.2.2 Space debris flux models 175
J.2.3 Model uncertainties 177
J.3 Impact risk assessment 177
J.3.1 Impact risk analysis procedure 177
J.3.2 <<deleted>> 178
J.3.3 Damage assessment 178
J.4 Analysis tools 180
J.4.1 General 180
J.4.2 Deterministic analysis 180
J.4.3 Statistical analysis 181
J.5 Tables 182
J.6 Figures 188

Annex K (informative) <<deleted>> 190

Figures

Figure D-1 : Graphical representation of the EIGEN-GLO4C geoid (note: geoid heights are exaggerated by a factor 10 000) 113

Figure E-1 : The IGRF-12 field strength (nT, at 2015) and predicted change in intensity between 2015 and 2020 at the mean Earth radius. (Mercator projection from [RN.38]) 120

Figure E-2 : The general morphology of model magnetospheric field lines, according to the Tsyganenko 1989 model, showing the seasonal variation, dependent on rotation axis tilt 121

Figure F-1 : Solar spectral irradiance (in red, AM0 (Air Mass 0) is the radiation level outside of the Earth's atmosphere (extraterrestrial), in blue, AM1,5 is the radiation level after passing through the atmosphere 1,5 times, which is about the level at solar zenith angle 48,19°s, an average level at the Earth's surface (terrestrial)). 127

Figure F-2 : Daily solar and geomagnetic activity indices over the last two solar cycles 128

Figure F-3 : Monthly (27-day) mean solar and geomagnetic activity indices over the last two solar cycles 129

Figure G-1 : Temperature profile of the Earth's atmosphere 140

Figure G-2 : Variation of the JB-2006 mean air density with altitude for low, moderate, high long and high short term solar and geomagnetic activities 141

Figure G-3 : Variation of the NRLMSISE-00 mean atomic oxygen with altitude for low, moderate and high long solar and geomagnetic activities 142

Figure G-4 : Variation of the NRLMSISE-00 mean concentration profile of the atmosphere constituents N_2, O, O_2, *He*, *Ar*, *H*, *N* and anomalous O with altitude for moderate solar and geomagnetic activities ($F10.7 = F10.7_{avg}$ = 140, A_p = 15) 143

Figure H-1 : Profile of electron density for solar magnetic local time = 18 hr, solar magnetic latitude=0, Kp =0 and 9 from the GCPM for 1/1/1999. 152

Figure I-1 : Contour plots of the proton and electron radiation belts 167

Figure I-2 : Electron (a) and proton (b) omnidirectional fluxes, integral in energy, on the geomagnetic equator for various energy thresholds 168

Figure I-3 : Integral omnidirectional fluxes of protons (>10 MeV) and electrons (>10 MeV) at 400 km altitude showing the inner radiation belt's "South Atlantic anomaly" and, in the case of electrons, the outer radiation belt encountered at high latitudes 169

Figure I-4 : Comparison of POLE with AE8 (flux vs. Energy) for 15 year mission (with worst case and best case included) 170

Figure I-5 : Comparison of ONERA/GNSS model from 0,28 MeV up to 1,12 MeV (best case, mean case and worst case) with AE8 (flux vs. Energy) for 15 yr mission (with worst case & best case) 170

Figure I-6 : Albedo neutron spectra at 100 km altitude at solar maximum 171

Figure I-7 : Albedo neutron spectra at 100 km altitude at solar minimum 171

Figure I-8 : Jupiter environment model (proton & electron versions) 172

Figure J-1 : Time evolution of the number of trackable objects in orbit (as of May 2018). Regular updates available online: https://discosweb.esoc.esa.int/web/guest/statistics 188

Figure J-2 : Semi-major axis distribution of trackable objects in LEO orbits (as of May 2018) 188

Figure J-3 : Distribution of trackable objects as function of their inclination (as of May 2018) 189

Figure J-4 : The HRMP velocity distribution for different altitudes from the Earth surface 189

Tables

Table 6-1: Conversion from K_p to a_p 42
Table 6-2: Electromagnetic radiation values 43
Table 6-3: Reference fixed index values 43
Table 6-4: Reference index values for variations of a_p 43
Table 8-1: Worst-case bi-Maxwellian environment 55
Table 8-2: Solar wind parameters 55
Table 9-1: Standard field models to be used with AE8 and AP8 65
Table 11-1: Contamination levels - interaction with the space environment components 75

Table A-1 : Solar cycle 23 solar activity indices averaged over 30-day (1 month) intervals 77
Table B-1 : A and E_0 for three confidence levels 86
Table B-2 : Minima and maxima of sunspot number cycles 88
Table B-3 : IGE-2006 GEO average model – electron flux ($kev^{-1}cm^{-2}s^{-1}sr^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. 89
Table B-4 : IGE-2006 GEO upper case model - maximum electron flux ($kev^{-1}cm^{-2}s^{-1}sr^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. 90
Table B-5 : MEOv2 average case model - average electron flux ($Mev^{-1}cm^{-2}s^{-1}sr^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. 92
Table B-6 : MEOv2 upper case model - maximum electron flux ($Mev^{-1}cm^{-2}s^{-1}sr^{-1}$) according to year in the solar cycle (referred to solar min: 0) and for different energies for a mission duration of 1 year. 92
Table B-7 : Worst case spectrum for geostationary orbits 93
Table B-8 : Values of the parameters for the ESP model 93
Table B-9 : Values to scale fluence from >100 MeV to >300 MeV 94
Table B-10 : CREME-96 solar ion worst 5-minute fluxes in an interplanetary environment 94
Table B-11 : CREME-96 solar ion worst day fluxes in an interplanetary environment 96
Table B-12 : CREME-96 solar ion worst week fluxes in an interplanetary environment 98
Table C-1 : Normalized meteoroid velocity distribution 105
Table C-2 : The annual meteor streams 107
Table D-1 : Degree power attenuation for an orbit at 25 000 km altitude 112
Table D-2 : Coefficients of the EIGEN-GL04C model up to degree and order 8 × 8 113
Table E-1 : Magnetic pole positions since 1900 as determined from IGRF-12 in WGS84 geodetic latitude (taken from [RN.38]) 118

Table E-2 : Sibeck et al. Magnetopause model 119

Table F-1 : Reference values for average planetary albedo and infra-red radiation ...126

Table G-1 : Altitude profiles of the atmosphere constituents N_2, O, O_2, He, Ar, H, N and anomalous O for low solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 65$, $A_p = 0$).....136

Table G-2 : Altitude profiles of the atmosphere constituents N_2, O, O_2, He, Ar, H, N and anomalous O for mean solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 140$, $A_p = 15$).....137

Table G-3 : Altitude profiles of the atmosphere constituents N_2, O, O_2, He, Ar, H, N and anomalous O for high long term solar and geomagnetic activities (NRLMSISE-00 model - $F10.7 = F10.7_{avg} = 250$, $A_p = 45$) 138

Table G-4 : Altitude profiles of total density ρ [kg m^{-3}] for low, moderate, high long and high short term solar and geomagnetic activities (JB-2006 model).....139

Table H-1 : Worst-case 3-Maxwellian environment.....146

Table H-2 : Regions encountered by different mission types 149

Table H-3 : Main engineering concerns due to space plasmas.....149

Table H-4 : Ionospheric electron density profiles derived from IRI-2016 for date 01/01/2016, lat=0, long=0.....150

Table H-5 : Profile of densities for solar magnetic local time = 18 hr, solar magnetic latitude=0, Kp = 5,0 from the GCPM for 1/1/1999.....150

Table H-6 : Typical plasma parameters at geostationary orbit 151

Table H-7 : Typical magnetosheath plasma parameters.....151

Table H-8 : Typical plasma parameters around L2 151

Table H-9 : Worst-case environments for eclipse charging near Jupiter and Saturn ..151

Table H-10 : Photoelectron sheath parameters 152

Table H-11 : Some solar UV photoionization rates at 1 AU 152

Table I-1 : Example albedo neutron environment at 450 km altitude [RD.151].....164

Table I-2 : Characteristics of typical radiation belt particles 165

Table I-3 : Recommended updated values of the parameters of the JPL model 165

Table I-4 : Proton fluence levels for energy, mission duration and confidence levels from the ESP model with the NASA parameters from Table B-8. 166

Table I-5 : Parameters for the fit to the peak fluxes from the October 1989 events. ...166

Table J-1 : Approximate flux ratios for meteoroids for 400 km and 800 km altitudes..182

Table J-2 : Cumulative number of impacts, *N*, to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0)....183

Table J-3 : Cumulative number of impacts, N, to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0)....184

Table J-4 : Cumulative number of impacts, N, to a randomly tumbling plate for a range of minimum particle sizes using the MASTER-8 model (version 8.0.0)....185

Table J-5 : Cumulative number of impacts, N, to a randomly tumbling plate for a range of minimum particle masses.....186

Table J-6 : Parameters (appearing in Eq.) to account for modified meteoroid fluxes encountered by spacecraft in circular Earth orbits at various altitudes.....187