

**Table of contents**

---

- European foreword ..... 12**
- Introduction ..... 13**
- 1 Scope ..... 14**
- 2 Normative references..... 15**
- 3 Terms, definitions and abbreviated terms ..... 17**
  - 3.1 Terms from other standards ..... 17
  - 3.2 Terms specific to the present standard..... 17
  - 3.3 Abbreviated terms ..... 22
  - 3.4 Nomenclature..... 25
- 4 General..... 26**
  - 4.1 Overview ..... 26
    - 4.1.1 Objective and organization ..... 26
    - 4.1.2 Interfaces with other areas..... 28
  - 4.2 Physical properties ..... 29
  - 4.3 Test and storage ..... 29
    - 4.3.1 Test environment..... 29
    - 4.3.2 Test tolerances and accuracies ..... 30
    - 4.3.3 <<deleted>> ..... 31
  - 4.4 Critical materials..... 31
- 5 Photovoltaic assemblies ..... 32**
  - 5.1 Overview ..... 32
    - 5.1.1 Description..... 32
    - 5.1.2 Purpose and objective ..... 32
  - 5.2 Conditions and method of test..... 33
  - 5.3 Photovoltaic assembly design ..... 34
    - 5.3.1 Overview ..... 34
    - 5.3.2 Parameters related to parts, materials and processes (PMP) ..... 34
    - 5.3.3 Parameters related to design..... 35

5.4	PVA manufacturing .....	39
5.4.1	Process validation.....	39
5.4.2	Defect acceptability.....	39
5.4.3	In-process testing .....	39
5.4.4	Identification and traceability.....	41
5.4.5	Recording .....	41
5.5	PVA tests .....	41
5.5.1	Qualification tests .....	41
5.5.2	Acceptance tests for qualification coupons .....	50
5.5.3	Definition of tests and checks .....	51
5.6	Failure definition .....	62
5.6.1	Failure criteria.....	62
5.6.2	Failed qualification coupons.....	63
5.7	Data documentation .....	63
5.8	Delivery .....	63
5.9	Packaging, packing, handling and storage .....	63
<b>6</b>	<b>Solar cell assemblies .....</b>	<b>64</b>
6.1	General .....	64
6.1.1	Testing.....	64
6.1.2	Conditions and methods of test.....	64
6.1.3	Deliverable components .....	64
6.1.4	Identification and traceability.....	64
6.2	Production control (process identification document).....	65
6.3	Acceptance tests .....	65
6.3.1	General.....	65
6.3.2	Test methods and conditions .....	65
6.3.3	Electrical performance acceptance test (EPA).....	66
6.4	Qualification tests .....	66
6.4.1	General.....	66
6.4.2	Qualification.....	68
6.4.3	Test methods, conditions and measurements.....	69
6.5	Failure definition .....	85
6.5.1	Failure criteria.....	85
6.5.2	Failed SCAs.....	85
6.6	Data documentation .....	85
6.7	Delivery .....	85
6.8	Packing, dispatching, handling and storage.....	86

6.8.1	Overview .....	86
6.8.2	ESD Sensitivity .....	86
<b>7</b>	<b>Bare solar cells.....</b>	<b>87</b>
7.1	Testing, deliverable components and marking.....	87
7.1.1	Testing.....	87
7.1.2	Deliverable components .....	88
7.1.3	Marking.....	88
7.2	Production control (process identification document).....	88
7.3	Acceptance tests .....	89
7.3.1	General.....	89
7.3.2	Test methods and conditions .....	89
7.3.3	Documentation .....	90
7.4	Qualification tests .....	90
7.4.1	General.....	90
7.4.2	Qualification.....	92
7.5	Test methods, conditions and measurements .....	93
7.5.1	Visual inspection including ELM (VI).....	93
7.5.2	Dimensions and weight (DW).....	95
7.5.3	Electrical performance (EP).....	96
7.5.4	Temperature coefficients (TC) .....	96
7.5.5	Spectral response (SR).....	97
7.5.6	Optical properties (OP) .....	98
7.5.7	Humidity and temperature (HT).....	98
7.5.8	Coating adherence (CA) .....	100
7.5.9	Contact uniformity (CU) .....	100
7.5.10	Contact thickness (CT) .....	101
7.5.11	Surface finish (SF).....	101
7.5.12	Pull test (PT).....	101
7.5.13	Electron irradiation (EI) .....	102
7.5.14	Proton irradiation (PI).....	103
7.5.15	Photon irradiation and temperature annealing (PH) .....	105
7.5.16	Solar cell reverse bias test (RB).....	105
7.5.17	Thermal cycling (CY) .....	106
7.5.18	Active-passive interface evaluation test (IF).....	106
7.5.19	Flatness test (FT).....	106
7.6	Failure definition .....	107
7.6.1	Failure criteria.....	107

7.6.2	Failed components .....	107
7.7	Data documentation .....	107
7.8	Delivery .....	108
7.9	Packing, dispatching, handling and storage.....	108
7.9.1	Overview .....	108
7.9.2	ESD Sensitivity .....	108
<b>8</b>	<b>Coverglasses .....</b>	<b>109</b>
8.1	Overview .....	109
8.1.1	Purpose .....	109
8.1.2	Description.....	109
8.2	Interfaces .....	109
8.3	Testing, deliverable components and marking.....	109
8.3.1	Testing.....	109
8.3.2	Deliverable components .....	110
8.3.3	Marking (coating orientation) .....	110
8.4	Production control (Process identification document) .....	111
8.5	Acceptance test.....	111
8.5.1	Acceptance test samples .....	111
8.5.2	Acceptance test sequence .....	111
8.5.3	Test methods and conditions .....	112
8.5.4	Documentation .....	112
8.6	Qualification tests .....	112
8.6.1	General.....	112
8.6.2	Qualification.....	113
8.7	Test methods, conditions and measurements .....	115
8.7.1	Visual inspection (VI).....	115
8.7.2	Transmission into air (TA).....	116
8.7.3	Electro-optical properties (EO).....	117
8.7.4	Mechanical properties (MP) .....	117
8.7.5	Reflectance properties (OP) .....	118
8.7.6	Normal emittance (NE) .....	119
8.7.7	Surface resistivity (SC) .....	119
8.7.8	Flatness or bow (FT).....	120
8.7.9	Transmission into adhesive (TH) .....	120
8.7.10	Boiling water test (BW) .....	121
8.7.11	Humidity and temperature.....	121
8.7.12	UV exposure (UV).....	122

8.7.13	Electron irradiation (EI)	122
8.7.14	Proton irradiation (PI)	123
8.7.15	Breaking strength (BS)	123
8.7.16	Thermal cycling (CY)	123
8.7.17	Abrasion resistance (coated surface) (AE)	124
8.7.18	Coating adhesion (TD)	124
8.8	Failure definition	124
8.8.1	Failure criteria	124
8.8.2	Failed components	124
8.9	Data documentation	125
8.10	Delivery	125
8.11	Packing, dispatching, handling and storage	125
<b>9</b>	<b>Solar cell protection diodes</b>	<b>126</b>
9.1	Overview	126
9.2	Testing, deliverable components and marking	126
9.2.1	Testing	126
9.2.2	Deliverable components	127
9.2.3	Marking	128
9.3	Production control (process identification document)	128
9.3.1	Integral protection diodes	128
9.3.2	External protection diodes	128
9.4	Acceptance tests	128
9.4.1	General	128
9.4.2	Integral protection diodes	129
9.4.3	External protection diodes	129
9.4.4	External and integral diodes	129
9.4.5	Test methods and conditions	130
9.4.6	Documentation	130
9.5	Qualification tests	131
9.5.1	General	131
9.5.2	Integral protection diodes	131
9.5.3	External protection diodes	132
9.5.4	Integral and external protection diodes	134
9.6	Test methods, conditions and measurements	135
9.6.1	General	135
9.6.2	Visual inspection (VI)	135
9.6.3	Dimensions and weight (DW)	136

9.6.4	Thermal cycling (CY) .....	137
9.6.5	Burn in (BI) .....	137
9.6.6	Humidity and temperature.....	138
9.6.7	Contact uniformity (CU) .....	139
9.6.8	Contact thickness (CT) .....	139
9.6.9	Surface Finish (SF).....	139
9.6.10	Contact adherence (CA) .....	140
9.6.11	Pull test (PT).....	141
9.6.12	Electron irradiation (EI) .....	142
9.6.13	Temperature annealing (TA).....	142
9.6.14	Temperature behaviour (TB).....	143
9.6.15	Diode characterization (DC).....	143
9.6.16	Human body ESD (DE).....	144
9.6.17	Switching test (DS) .....	145
9.6.18	Long Duration – Life test (LT) .....	147
9.7	Failure definition .....	149
9.7.1	Failure criteria .....	149
9.7.2	Failed components .....	150
9.8	Data documentation .....	150
9.9	Delivery .....	150
9.10	Packing, despatching, handling and storage .....	150
9.10.1	Overview .....	150
9.10.2	ESD sensitivity.....	150
<b>10</b>	<b>Solar simulators and calibration procedures .....</b>	<b>151</b>
10.1	Solar simulators.....	151
10.1.1	Spectral distribution .....	151
10.1.2	Irradiance uniformity .....	153
10.1.3	Irradiance stability.....	154
10.2	Standard cell and Solar simulator calibration.....	155
10.2.1	Primary standards.....	155
10.2.2	Secondary working standards (SWS) .....	155
10.2.3	Standards cells documentation .....	157
10.2.4	Maintenance of standards.....	157
10.2.5	Recalibration and intercomparison.....	157
10.2.6	Solar simulator calibration and maintenance.....	157
<b>11</b>	<b>Capacitance measurement methods .....</b>	<b>159</b>

11.1	Single junction solar cell capacitance measurement.....	159
11.1.1	Overview .....	159
11.1.2	Signal measurement method .....	159
11.1.3	Measurement procedure.....	160
11.1.4	Measurement analysis .....	163
11.1.5	Measurement of the capacitance of a multi-junction cell .....	166
11.2	Time domain capacitance measurement .....	167
11.2.1	Overview .....	167
11.2.2	Measurement procedure.....	168
<b>12</b>	<b>Planar Blocking Diodes .....</b>	<b>170</b>
12.1	Overview .....	170
12.2	Testing, deliverable components and Marking.....	170
12.2.1	Testing.....	170
12.2.2	Deliverable components .....	171
12.2.3	Marking.....	171
12.3	Production control (process identification document).....	172
12.4	Acceptance test.....	172
12.4.1	General.....	172
12.4.2	Planar blocking diodes.....	172
12.5	Qualification tests .....	173
12.5.1	General.....	173
12.5.2	Blocking diodes .....	173
12.5.3	Production and test schedule.....	173
12.5.4	Qualification test samples .....	173
12.5.5	Qualification testing .....	174
12.6	Test methods, conditions and measurements .....	177
12.6.1	Visual inspection (VI) .....	177
12.6.2	Dimensions and weight (DW).....	177
12.6.3	Diode characterization (DC).....	178
12.6.4	Humidity and Temperature .....	178
12.6.5	Temperature Cycling (CY) .....	180
12.6.6	Contact Adherence (CA).....	180
12.6.7	Burn-in (BI) .....	181
12.6.8	Long duration-Life Test (LT) .....	182
12.6.9	Temperature behaviour test (TB) .....	182
12.6.10	Temperature robustness test (TR) .....	183
12.6.11	Total Dose Radiation Testing (RT).....	183

12.6.12	Temperature Annealing (TA)	185
12.6.13	Contact uniformity test (CU)	185
12.6.14	Surface Finish test (SF)	186
12.6.15	Human Body ESD test (ESD)	186
12.6.16	Pull test (PT) / Interconnector adherence test (IA)	187
12.6.17	Surge test (ST)	187
12.6.18	Thermo-optical data (TO)	188
12.7	Failure definition	188
12.7.1	Failure criteria	188
12.7.2	Failed Blocking Diodes	188
12.8	Data documentation	189
12.9	Delivery	189
12.10	Packing, despatching, handling and storage	189
12.10.1	Overview	189
12.10.2	ESD sensitivity	189
<b>Annex A (normative) Source control drawing for photovoltaic assembly (SCD-PVA) - DRD</b>		<b>190</b>
<b>Annex B (normative) Source control drawing for solar cell assembly (SCD-SCA) - DRD</b>		<b>196</b>
<b>Annex C (normative) Source control drawing for bare solar cell (SCD-BSC) - DRD</b>		<b>201</b>
<b>Annex D (normative) Source control drawing for coverglass (SCD-CVG) - DRD</b>		<b>209</b>
<b>Annex E (normative) Source control drawing for External Protection Diodes (SCD-EPD) - DRD</b>		<b>215</b>
<b>Annex F (normative) Process identification document (PID) - DRD</b>		<b>219</b>
<b>Annex G (normative) Data documentation package (DDP) - DRD</b>		<b>221</b>
<b>Annex H (normative) Source control drawing for Planar Blocking Diodes (SCD-PBD) - DRD</b>		<b>224</b>
<b>Bibliography</b>		<b>229</b>
<b>Figures</b>		
Figure 4-1:	Specification hierarchy	28
Figure 6-1:	Definition of cell defects	70
Figure 6-2:	Test points for electrical performance measurement	72

Figure 7-1: Definition of bare solar cell defects.....	94
Figure 8-1: Methods of defining coverglass orientation .....	111
Figure 8-2: Edge chip parameters.....	116
Figure 8-3: Corner chip parameters .....	116
Figure 8-4: Coverglass manufacturing tolerance limits .....	117
Figure 8-5: Schematic for calculating surface resistivity .....	120
Figure 8-6: Definition of coverglass flatness.....	120
Figure 9-1: Diode forward and reverse test profile.....	147
Figure 9-2: Diode switching test profile .....	147
Figure 11-1: Solar cell impedance measurement equipment.....	161
Figure 11-2: Channel balancing and reduction of the parasitic inductances .....	162
Figure 11-3: Measurement of the resistance value of the shunt in the measuring conditions (shunt in parallel with the input of the network analyser) .....	162
Figure 11-4: Small signal electrical schema biased with a DC voltage associated impedance .....	165
Figure C-1 : BSC front side .....	203
Figure C-2 : BSC rear side .....	203
Figure C-3 : BSC contact .....	203

**Tables**

Table 4-1: Test tolerances on temperature.....	30
Table 5-1: Qualification test plan for PVA.....	42
Table 5-2: Acceptance test plan .....	51
Table 6-1: Qualification test plan for SCA.....	67
Table 6-2: Maximum dimensions of corner chips, edge chips and surface nicks .....	70
Table 7-1: Acceptance test matrix.....	89
Table 7-2: Qualification test plan for bare solar cells .....	91
Table 7-3: Maximum dimensions of corner chips, edge chips and surface nicks .....	94
Table 8-1: Qualification test plan for coverglasses .....	114
Table 9-1: Acceptance test matrix IPD .....	129
Table 9-2: Acceptance test matrix EPD.....	129
Table 9-3: Qualification test plan for integral protection diode .....	132
Table 9-4: Qualification test plan for bare protection diodes.....	133
Table 9-5: Diode long duration-life test parameters.....	149
Table 10-1: <<deleted>> .....	152
Table 10-2: Classes of single and multi-source solar simulators (informative).....	152
Table 10-3: Classes of solar simulators with respect to nonconformity of irradiance uniformity (informative) .....	154

Table 10-4: Classes of solar simulators with respect to temporal instability of irradiance.....	155
Table 12-1: Acceptance test matrix planar blocking diodes .....	172
Table 12-2: Qualification test plan for bare blocking diodes .....	175
Table 12-3: Qualification test plan for connector integrated blocking diodes .....	176
Table 12-4: Diode Irradiation and bias conditions.....	184
Table B-1 : Minimum current requirement for solar assemblies (25 °C or operating temperature) .....	198
Table C-1 : Electrical performance pass-fail criteria .....	205
Table D-1 : Average transmission into air before test (%) .....	211
Table D-2 : Maximum average deviation of transmission into air after test (%).....	212