

DIN EN 16605:2025-06 (E)

Space - Galileo Timing Receiver - Functional and Performance Requirements and associated Tests

| Contents | | Page |
|-------------------------|---|-------------|
| European foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 8 |
| 3 | Terms, definitions and abbreviated terms | 8 |
| 3.1 | Terms and definitions | 8 |
| 3.2 | Abbreviated terms | 14 |
| 4 | Galileo Timing Service | 17 |
| 4.1 | Introduction to timing receivers and timing references | 17 |
| 4.2 | Galileo Timing Service - Accuracy and Availability | 19 |
| 4.3 | Galileo Timing Service -Integrity capability | 19 |
| 4.3.1 | General | 19 |
| 4.3.2 | Definition of a Fault-Free Timing solution | 19 |
| 4.3.3 | Definition of a faulty timing solution | 20 |
| 4.3.4 | High-Level Architecture of Galileo Timing Service | 20 |
| 4.3.5 | Timing Flags processing | 21 |
| 4.3.6 | Galileo timing receiver Decision Logic | 22 |
| 4.3.7 | Time To Alert and Time To Notify | 26 |
| 4.3.8 | T-RAIM Processing | 26 |
| 5 | Requirements for Galileo timing receivers | 26 |
| 5.1 | Definitions | 26 |
| 5.2 | Minimum Equipment Characteristics | 26 |
| 5.3 | Functional Requirements | 29 |
| 5.3.1 | Constellations Processed | 29 |
| 5.3.2 | Frequencies Processed | 29 |
| 5.3.3 | Back-up Modes | 29 |
| 5.3.4 | Dynamics of the User | 29 |
| 5.3.5 | Time Scales | 30 |
| 5.3.6 | Processing of Timing Flags and Integrity Requirements | 30 |
| 5.3.7 | T-RAIM Functional Requirements and Consistency Checks | 35 |
| 5.3.8 | Anti-Jamming Capabilities | 35 |
| 5.3.9 | Galileo OS-NMA Processing | 37 |
| 5.3.10 | Holdover Capabilities | 37 |
| 5.3.11 | Multipath mitigation | 38 |
| 5.3.12 | Special Configuration and Output Requirements | 38 |
| 5.4 | Performance Requirements | 38 |
| 5.4.1 | General | 38 |
| 5.4.2 | Accuracy Requirements | 39 |
| 5.4.3 | Availability Requirements | 39 |
| 5.4.4 | Integrity Requirements | 40 |
| 5.4.5 | T-RAIM Performances and thresholds | 42 |
| 5.4.6 | Holdover Timeout | 42 |
| 6 | Verification of Galileo timing receivers | 43 |
| 6.1 | General | 43 |

| | | |
|---|---|-----|
| 6.2 | Galileo timing receiver Test Policy | 43 |
| 6.3 | Strategy for Galileo timing receivers Verification | 44 |
| 6.3.1 | Verification Methods | 44 |
| 6.3.2 | Galileo timing receivers Verification Strategy | 44 |
| 6.3.3 | Galileo timing receiver Test Suite | 45 |
| 6.4 | Test Environment | 50 |
| 6.4.1 | General | 50 |
| 6.4.2 | Record and Replay Test Environment | 50 |
| 6.5 | Antenna conditions definition | 54 |
| 6.5.1 | Open sky | 54 |
| 6.5.2 | Obstructed open sky | 54 |
| 6.5.3 | Light indoor | 56 |
| 6.6 | Error Budgets for the Tests | 56 |
| 6.7 | Traceability Matrix: Requirements vs Verification Method | 57 |
| 6.7.1 | Traceability | 57 |
| 6.7.2 | Receiver functionalities Verified by Review Method | 59 |
| 6.8 | Galileo timing receiver tests | 59 |
| 6.8.1 | Record and Replay test configuration | 59 |
| 6.8.2 | Calibration of time delays | 65 |
| 6.8.3 | For the Verification of Galileo timing receiver Functions (TC-01) | 65 |
| 6.8.4 | GST Service Level 1 (TC-02) | 67 |
| 6.8.5 | GST Service Level 2 (TC-03) | 68 |
| 6.8.6 | GST Service Level 3 (TC-04) | 69 |
| 6.8.7 | UTC Service Level 1 (TC-05) | 69 |
| 6.8.8 | UTC Service Level 2 (TC-06) | 70 |
| 6.8.9 | UTC Service Level 3 (TC-07) | 71 |
| 6.8.10 | Performances in obstructed environment (TC-08) | 72 |
| 6.8.11 | Performances in light indoor environment (TC-09) | 73 |
| 6.8.12 | Test on Robustness to Interferences: Nominal Conditions (TC-10) | 73 |
| 6.8.13 | Test on Robustness to Interferences: Degraded Conditions (TC-11) | 74 |
| 6.8.14 | Test on T-RAIM Performances (TC-12) | 76 |
| 6.8.15 | Test on Receiver Noise (TC-13) | 80 |
| Annex A (informative) GNSS Timing Equations | | 82 |
| Annex B (informative) Guidelines for Installation and Maintenance | | 85 |
| B.1 | Antenna, Cabling and Receiver Installation | 85 |
| B.1.1 | General | 85 |
| B.1.2 | Selecting a GNSS Antenna | 85 |
| B.1.3 | Locating and Installing the GNSS Antenna | 86 |
| B.1.4 | Connecting to the Antenna: Cabling | 87 |
| B.1.5 | Antenna Installation Verification | 87 |
| B.1.6 | Using Ancillary Products | 87 |
| B.1.7 | Evaluating Signal Attenuation to validate cable length | 87 |
| B.1.8 | Multipath Mitigation | 89 |
| B.1.9 | Other Recommendations | 89 |
| B.2 | Precise computation of the antenna position | 90 |
| B.2.1 | General | 90 |
| B.2.2 | Needed inputs for conducting a PPP to precisely compute the antenna position of the Galileo timing receiver | 90 |
| B.2.3 | Available online PPP Services | 90 |
| B.3 | Initial Calibration of the 1PPS receiver chain time delays | 91 |
| B.4 | Periodic re-calibration | 94 |
| Annex C (informative) Record and Replay additional information | | 95 |
| C.1 | Clock reference sources | 95 |
| Annex D (informative) Timing Flags Definition | | 98 |
| Annex E (normative) Provision of Record and Replay files | | 101 |

| | | |
|---|---|------------|
| E.1 | Requirements for collecting data for the R&R | 101 |
| E.1.1 | Technical documentation | 101 |
| E.1.2 | Human resources | 102 |
| E.1.3 | GNSS signals digitalization | 102 |
| E.1.4 | GNSS constellations simulator | 103 |
| E.2 | Requirements for validating R&R data | 104 |
| E.2.1 | Validation of the field test | 104 |
| E.2.2 | Validation of the digitized GNSS signals | 104 |
| Annex F (informative) Justification of Nominal RFI Environment | | 106 |
| Annex G (informative) Validation of Test on Receiver Noise (TC-13) | | 107 |
| Bibliography | | 108 |