

ISO 21100:2025-08 (E)

Air cargo unit load devices - Performance requirements and test parameters

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Classification	3
4.1	Types	3
4.2	Sizes	3
4.3	Configurations	3
4.4	Forms	4
4.5	Classification identifier	4
5	Performance requirements	4
5.1	Materials	4
5.2	Fabrication methods and workmanship	4
5.3	Protection	4
5.4	Construction	4
5.5	Marking	5
5.6	Inspection provisions	5
5.7	Fire protection	5
5.8	Rapid decompression	5
5.9	Dimensions and tolerances	5
5.10	Strength	5
5.10.1	Ultimate load criteria	5
5.10.2	Restraint criteria	6
5.10.3	Pallets and nets	6
5.10.4	Base performance	6
5.11	Environmental degradation	7
6	Tests	7
6.1	Test requirements	7
6.2	Test parameters	7
6.3	Test methods	7
6.4	Test results	7
7	Additional information	7
7.1	Intended use	7
7.2	Unit load device capacities	7
7.3	Container contours	8
7.4	Pallet configurations	8
8	Unitloaddeviceconfigurations	8
8.1	General	8
8.2	ULD configuration A7	9
8.3	ULD configuration A8	10
8.4	ULD configuration B7	11
8.5	ULD configuration B8	12

8.6	ULD configuration G1	14
8.7	ULD configuration K4	16
8.8	ULD configuration L5	17
8.9	ULD configuration L6	18
8.10	ULD configuration M4	19
8.11	ULD configuration M5	20
8.12	ULD configuration N1	22
8.13	ULD configuration P1	23
8.14	ULD configuration Q1	23
8.15	ULD configuration R1	24
8.16	ULD configuration S1	26
8.17	ULD configuration T1	27
8.18	ULD configuration U1	28
9	Testing restraint conditions	29
9.1	General	29
9.2	Restraint condition (RC) A1	30
9.3	Restraint condition (RC) A2	32
9.4	Restraint condition (RC) G	33
9.5	Restraint condition (RC) K	35
9.6	Restraint condition (RC) L	37
9.7	Restraint condition (RC) N	39
9.8	Restraint condition (RC) P	41
9.9	Restraint condition (RC) Q	42
9.10	Restraint condition (RC) R	44
9.11	Restraint condition (RC) T	46
9.12	Restraint condition (RC) U	47
	Bibliography	50