

# DIN EN 14824:2005-10 (E)

Space engineering - Testing; English version EN 14824:2003

---

## Contents

	Page
Foreword.....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms .....	12
4 General requirements.....	15
4.1 Testing philosophy.....	15
4.2 Model philosophy .....	16
4.3 Development testing.....	17
4.4 Qualification testing .....	17
4.5 Acceptance testing.....	18
4.6 Protoflight testing.....	18
4.7 Retesting.....	19
4.8 Test conditions and tolerances.....	20
4.9 Operations validation testing .....	25
4.10 Test data .....	30
4.11 Test documentation.....	30
5 Qualification testing .....	32
5.1 Equipment test requirements .....	32
5.2 Subsystem test requirements .....	72
5.3 Element test requirements.....	73
5.4 System qualification test.....	91
6 Acceptance testing.....	91
6.1 Equipment test requirements .....	91
6.2 Subsystem test requirements .....	102
6.3 Element test requirements.....	103
6.4 System test requirements .....	108
7 Protoflight testing .....	108
7.1 Equipment test requirements .....	108
7.2 Subsystem test requirements .....	109
7.3 Element test requirements.....	109
7.4 System test requirements .....	110
8 Pre-launch testing.....	110
8.1 General.....	110
8.2 Functional tests .....	111
8.3 Propulsion tests.....	111
8.4 Integrated launch system test.....	111
8.5 Manned related tests .....	111
9 In-orbit testing.....	112
10 Post-landing testing .....	113
Annex A (informative) Mechanical and vibration testing for space equipment.....	114
A.1 Derivation of qualification test levels for units from mechanical test data analysis.....	114
A.1.1 Introduction .....	114
A.1.2 Unit level random testing .....	116
A.1.3 Unit level sinusoidal testing .....	117
A.1.4 References.....	117
A.2 Vibration test philosophy.....	117

<b>A.3</b>	<b>Technical information on mechanical test factors</b>	<b>119</b>
<b>A.3.1</b>	<b>Introduction</b>	<b>119</b>
<b>A.3.2</b>	<b>References</b>	<b>119</b>
<b>A.3.3</b>	<b>Loads</b>	<b>120</b>
<b>A.3.4</b>	<b>Margin of safety</b>	<b>120</b>
<b>A.4</b>	<b>Microgravity environment compatibility (MEC)</b>	<b>120</b>
<b>A.4.1</b>	<b>Introduction</b>	<b>120</b>
<b>A.4.2</b>	<b>Disturbance source definition</b>	<b>121</b>
<b>A.4.3</b>	<b>MEC control approach</b>	<b>121</b>
<b>Annex B (informative)</b>	<b>Temperature limits and test levels for space equipment</b>	<b>124</b>
<b>B.1</b>	<b>Introduction</b>	<b>124</b>
<b>B.2</b>	<b>References</b>	<b>124</b>
<b>B.3</b>	<b>Influence of equipment temperature limits on thermal design</b>	<b>124</b>
<b>B.4</b>	<b>Verification by analysis concerning accuracy and level of confidence</b>	<b>125</b>
<b>B.4.1</b>	<b>General philosophy of uncertainty application</b>	<b>125</b>
<b>B.4.2</b>	<b>Temperature uncertainty determination</b>	<b>127</b>
<b>B.4.3</b>	<b>Quantification of uncertainty values</b>	<b>129</b>
<b>B.4.4</b>	<b>Test correlation criteria</b>	<b>130</b>
<b>B.5</b>	<b>Standardization of equipment temperature limits</b>	<b>131</b>
<b>B.5.1</b>	<b>Evaluation and classification of equipment data</b>	<b>131</b>
<b>B.5.2</b>	<b>Standardization approach</b>	<b>131</b>
<b>B.6</b>	<b>Standardization of thermal vacuum and cycling test conditions</b>	<b>132</b>
<b>B.6.1</b>	<b>Evaluation of test requirements</b>	<b>132</b>
<b>B.6.2</b>	<b>Standardization approach</b>	<b>132</b>
<b>B.7</b>	<b>Conclusions</b>	<b>136</b>
<b>Annex C (normative)</b>	<b>Test requirement specification - DRD</b>	<b>138</b>
<b>C.1</b>	<b>Introduction</b>	<b>138</b>
<b>C.2</b>	<b>Scope and applicability</b>	<b>138</b>
<b>C.2.1</b>	<b>Scope</b>	<b>138</b>
<b>C.2.2</b>	<b>Applicability</b>	<b>138</b>
<b>C.3</b>	<b>References</b>	<b>138</b>
<b>C.3.1</b>	<b>Glossary and dictionary</b>	<b>138</b>
<b>C.3.2</b>	<b>Source document</b>	<b>138</b>
<b>C.4</b>	<b>Terms and definitions and abbreviations</b>	<b>138</b>
<b>C.4.1</b>	<b>Terms and definitions</b>	<b>138</b>
<b>C.4.2</b>	<b>Abbreviations</b>	<b>138</b>
<b>C.5</b>	<b>Description and purpose</b>	<b>139</b>
<b>C.6</b>	<b>Application and interrelationship</b>	<b>139</b>
<b>C.7</b>	<b>Test requirement specification preliminary elements</b>	<b>139</b>
<b>C.7.1</b>	<b>Title</b>	<b>139</b>
<b>C.7.2</b>	<b>Title page</b>	<b>139</b>
<b>C.7.3</b>	<b>Contents list</b>	<b>139</b>
<b>C.7.4</b>	<b>Foreword</b>	<b>139</b>
<b>C.7.5</b>	<b>Introduction</b>	<b>140</b>
<b>C.8</b>	<b>Content</b>	<b>140</b>
<b>C.8.1</b>	<b>Scope and applicability</b>	<b>140</b>
<b>C.8.2</b>	<b>References</b>	<b>140</b>
<b>C.8.3</b>	<b>Definitions and abbreviations</b>	<b>141</b>
<b>C.8.4</b>	<b>General test conditions and requirements</b>	<b>141</b>
<b>C.8.5</b>	<b>Qualification testing</b>	<b>141</b>
<b>C.8.6</b>	<b>Acceptance testing</b>	<b>142</b>
<b>C.8.7</b>	<b>Protoflight testing</b>	<b>142</b>
<b>C.8.8</b>	<b>Re-testing methodology</b>	<b>142</b>
<b>C.8.9</b>	<b>GSE testing</b>	<b>142</b>
<b>Bibliography</b>		<b>143</b>

## Figures

Figure 1 — Equipment qualification test sequence	36
--	----

Figure 2 — Shock spectrum equipment qualification ..... 53

Figure 3 — Equipment thermal vacuum test arrangement ..... 55

Figure 4 — Equipment thermal vacuum test sequence ..... 57

Figure 5 — Equipment thermal test arrangement with surface temperature control ..... 60

Figure 6 — Equipment thermal test arrangement with direct temperature control ..... 61

Figure 7 — Equipment thermal test arrangement for forced air cooling (internal or surface cooled unit method).... 62

Figure 8 — Accelerated thermal cycling test set-up ..... 64

Figure 9 — Equipment thermal cycling test sequence ..... 65

Figure 10 — Equipment thermal vacuum cycling test sequence ..... 67

Figure 11 — Example of schematic vacuum temperature cycling test sequence ..... 84

Figure 12 — Equipment acceptance test sequence ..... 95

Figure A.1 — Data processing arrangement ..... 115

Figure A.2 — Qualification and acceptance vibration test curves (QAVT/AVT) ..... 118

Figure A.3 — Example of a calculated test level for zone “pallet hardpoints” plus QAVT (Spacelab) ..... 119

Figure B.1 — Temperature limits and margins definitions ..... 125

Figure B.2 — Typical progression of uncertainty in spacecraft programmes ..... 128

Figure B.3 — Example of a typical temperature profile for unit level thermal cycling ..... 135

Figure B.4 — Percent fall-out vs. number of cycles increased for unit level screening ..... 136

**Tables**

Table 1 — Qualification test levels and durations ..... 21

Table 2 — Acceptance test levels and durations ..... 22

Table 3 — Maximum allowable test tolerances ..... 23

Table 4 — Maximum allowable test tolerances (*continued*) ..... 24

Table 5 — Examples of ground segment validation tests ..... 28

Table 6 — Equipment qualification test baseline ..... 34

Table 7 — Resonance search test levels ..... 45

Table 8 — Sinusoidal qualification test levels for equipment with first frequency > 100 Hz and mass ≤ 50 kg ..... 45

Table 9 — Sinusoidal qualification test levels for equipment with first frequency > 100 Hz and mass > 50 kg ..... 45

Table 10 — Random vibration test levels ..... 47

Table 11 — Random vibration test levels and duration for equipment with mass M ≤ 50kg ..... 48

Table 12 — Random vibration test levels and duration for equipment with mass M >50kg ..... 48

Table 13 — Additional random vibration for AVM .....	49
Table 14 — Acoustic qualification test level and duration .....	51
Table 15 — Key and symbols for figures 4,9 and 10.....	58
Table 16 — Thermal vacuum test parameters (qualification).....	59
Table 17 — Thermal cycling test parameters (qualification) .....	65
Table 18 — Space vehicle qualification test baseline .....	75
Table 19 — Tolerances for physical properties .....	83
Table 20 — Equipment acceptance test baseline .....	93
Table 21 — AVT spectrum .....	97
Table 22 — Acoustic acceptance test level and duration.....	98
Table 23 — Thermal cycling test parameters (acceptance).....	101
Table 24 — Space vehicle acceptance test baseline .....	103
Table A.1 — QAVT and AVT levels.....	118
Table B.1 — Example of typical parameter uncertainties for 1,6 s (90 %) value .....	130
Table B.2 — Nominal temp. limits for various space vehicle equipment.....	133
Table B.3 — Equipment thermal test matrix.....	134