

# DIN EN 14777:2005-10 (E)

## Space engineering - Multipaction design and test; English version EN 14777:2004

---

Inhalt	Seite
Foreword .....	5
Introduction.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and abbreviated terms .....	8
3.1 Terms and definitions .....	8
3.2 Abbreviated terms .....	10
4 Verification .....	10
4.1 Verification process .....	10
4.2 Verification levels .....	11
4.3 Verification plan.....	11
4.3.1 Introduction.....	11
4.3.2 Generation and updating.....	11
4.3.3 Description .....	11
4.4 Verification routes .....	12
4.5 Classification of component type.....	12
4.6 Single carrier.....	13
4.6.1 General .....	13
4.6.2 Margins.....	13
4.6.3 Route to demonstrate conformance.....	14
4.7 Multi-carrier.....	16
4.7.1 General .....	16
4.7.2 Threshold above equivalent CW peak power .....	16
4.7.3 Threshold below equivalent CW peak power .....	16
4.7.4 Route to demonstrate conformance.....	17
5 Design analyses .....	19
5.1 General .....	19
5.2 Field analysis .....	19
5.3 Critical region identification .....	19
5.4 Multipaction sensitivity analysis .....	20
5.5 Venting analysis .....	21
5.6 Inspection.....	21
6 Test conditions .....	21
6.1 Cleanliness.....	21
6.2 Pressure .....	21
6.3 Temperature.....	21
6.4 Frequencies .....	22
6.5 Pulse duration.....	22
6.5.1 General .....	22
6.5.2 CW units .....	22
6.5.3 Pulse units .....	23
6.6 Electron seeding.....	23
6.6.1 CW test .....	23
6.6.2 Pulsed test .....	23
6.6.3 Multi-carrier test .....	23
6.6.4 Seeding sources.....	23
7 Methods of detection .....	24
7.1 General .....	24

7.2	Detection methods.....	24
7.3	Detection method parameters.....	24
7.3.1	Sensitivity.....	24
7.3.2	Rise time.....	25
8	Test procedures.....	25
8.1	Test configurations.....	25
8.2	Test facility validation.....	25
8.3	Test execution.....	26
8.3.1	General.....	26
8.3.2	Test procedure.....	26
8.4	Acceptance criteria.....	27
8.4.1	General.....	27
8.4.2	Multi-carrier test.....	27
Annex A (informative)	Multipaction background.....	28
A.1	Physics of multipaction.....	28
A.2	Other physical processes.....	29
A.3	RF operating environment.....	29
A.4	Parallel plate multipaction.....	35
A.5	Coaxial line multipaction.....	40
Annex B (informative)	Component venting.....	43
B.1	Introduction.....	43
B.2	Discharge dependence on pressure.....	43
B.3	Test example.....	43
B.4	Venting dimensions.....	44
B.5	Venting hole calculations.....	44
B.6	Payload vacuum.....	44
B.7	Venting model used.....	44
B.8	Pumping conductance of a venting hole.....	45
B.9	Ultimate pressure.....	46
B.10	Venting experiment.....	48
B.11	Venting guidelines.....	48
Annex C (normative)	Cleaning, handling, storage and contamination.....	50
C.1	Generic processes.....	50
C.2	Cleaning, handling and storage.....	50
C.3	Contaminants.....	52
Annex D (normative)	Electron seeding.....	55
D.1	Introduction.....	55
D.2	CW test.....	55
D.3	Pulsed test.....	55
D.4	Multi-carrier test.....	55
D.5	Types of seeding source.....	57
Annex E (informative)	Test methods.....	58
E.1	Introduction.....	58
E.2	General test methods.....	58
E.3	Transient tests methods.....	62
E.4	Test facility validation.....	69
Bibliography	.....	70

## Figures

Figure 1	— Routes to conformance for single carrier.....	15
Figure 2	— Routes to conformance for multi-carrier case.....	18
Figure 3	— The susceptibility zone boundaries for aluminium, copper, silver, gold and alodine 1200.....	20

Figure A.1 — Total secondary electron emission as a function of energy of the incident electron .....	36
Figure A.2 — Multipaction susceptibility zones for parallel plates of aluminum.....	37
Figure A.3 — Multipaction thresholds for all materials studied, plotted in a single graph as labeled .....	42
Figure B.1 — The basic venting model .....	45
Figure E.1 — Generic close to carrier noise multipaction test site .....	59
Figure E.2 — Principal multipaction test set-up for nulling detection method.....	61
Figure E.3 — Test configuration (mode 1) .....	63
Figure E.4 — Test configuration (mode 2) .....	64
Figure E.5 — Detected envelope of a five carrier waveform.....	66
Figure E.6 — Charge probe .....	68

**Tables**

Table A.1 — Worst case mode order for susceptible gaps for gold.....	31
Table A.2 — Worst case mode order for susceptible gaps for silver .....	32
Table A.3 — Worst case mode order for susceptible gaps for aluminium .....	33
Table A.4 — Worst case mode order for susceptible gaps for alodine.....	34
Table A.5 — Worst case mode order for susceptible gaps for copper .....	35
Table A.6 — Constants for the most used materials.....	40
Table A.7 — Critical voltages for multipaction in 50 $\Omega$ coaxial lines .....	41
Table B.1 — Outgassing rate for space components used in space applications.....	46