

# ISO 22672 :2006-6 (E)

Space data and information transfer systems\_ - Space link extension (SLE)\_ - Forward space packet service

---

## CONTENTS

| <u>Section</u>  | <u>Page</u> |
|---|-------------|
| <b>1 INTRODUCTION.....</b>  | <b>1-1</b>  |
| 1.1 PURPOSE OF THIS RECOMMENDATION.....   | 1-1         |
| 1.2 SCOPE.....  | 1-1         |
| 1.3 APPLICABILITY.....  | 1-1         |
| 1.4 RATIONALE.....  | 1-2         |
| 1.5 DOCUMENT STRUCTURE.....   | 1-2         |
| 1.6 DEFINITIONS, NOMENCLATURE, AND CONVENTIONS.....                                 | 1-4         |
| 1.7 REFERENCES.....   | 1-12        |
| <br>  |             |
| <b>2 DESCRIPTION OF THE FORWARD SPACE PACKET SERVICE .....</b>                      | <b>2-1</b>  |
| 2.1 OVERVIEW.....   | 2-1         |
| 2.2 SPACE LINK EXTENSION REFERENCE MODEL.....                                       | 2-2         |
| 2.3 SERVICE MANAGEMENT.....   | 2-3         |
| 2.4 ARCHITECTURE MODEL—FUNCTIONAL VIEW.....   | 2-4         |
| 2.5 ARCHITECTURE MODEL—CROSS SUPPORT VIEW.....                                      | 2-6         |
| 2.6 FUNCTIONAL DESCRIPTION.....   | 2-7         |
| 2.7 OPERATIONAL SCENARIO.....   | 2-15        |
| 2.8 SECURITY ASPECTS OF THE SLE FORWARD SPACE PACKET (FSP)<br>TRANSFER SERVICE..... | 2-16        |
| <br>  |             |
| <b>3 FSP SERVICE OPERATIONS .....</b>   | <b>3-1</b>  |
| 3.1 GENERAL CONSIDERATIONS.....   | 3-1         |
| 3.2 FSP-BIND.....   | 3-10        |
| 3.3 FSP-UNBIND.....   | 3-16        |
| 3.4 FSP-START.....  | 3-19        |
| 3.5 FSP-STOP.....   | 3-23        |
| 3.6 FSP-TRANSFER-DATA.....  | 3-26        |
| 3.7 FSP-ASYNC-NOTIFY.....   | 3-36        |
| 3.8 FSP-SCHEDULE-STATUS-REPORT.....   | 3-50        |
| 3.9 FSP-STATUS-REPORT.....  | 3-54        |
| 3.10 FSP-GET-PARAMETER.....   | 3-61        |
| 3.11 FSP-THROW-EVENT.....   | 3-66        |
| 3.12 FSP-INVOKE-DIRECTIVE.....  | 3-71        |
| 3.13 FSP-PEER-ABORT.....  | 3-76        |

|   |            |
|---|------------|
| <b>4 FSP PROTOCOL.....</b>  | <b>4-1</b> |
| 4.1 GENERIC PROTOCOL CHARACTERISTICS.....                             | 4-1        |
| 4.2 FSP SERVICE PROVIDER BEHAVIOR.....                                | 4-4        |
| <b>ANNEX A Data Type Definitions.....</b>                             | <b>A-1</b> |
| <b>ANNEX B FSP Queues and Multiplexing Behaviour Definition .....</b> | <b>B-1</b> |
| <b>ANNEX C Production Status.....</b>                                 | <b>C-1</b> |
| <b>ANNEX D Index to Definitions.....</b>                              | <b>D-1</b> |
| <b>ANNEX E Acronyms .....</b>   | <b>E-1</b> |
| <b>ANNEX F Conformance Matrix.....</b>                                | <b>F-1</b> |
| <b>ANNEX G Informative References .....</b>                           | <b>G-1</b> |
| <b>ANNEX H Throw Event Definitions .....</b>                          | <b>H-1</b> |

Figure

|   |      |
|---|------|
| 1-1: Space Link Extension (SLE) Services Documentation.....         | 1-4  |
| 2-1: Forward TC VC Data Insertion SLE-FG .....                      | 2-4  |
| 2-2: FSP Service Production and Provision.....                      | 2-6  |
| 2-3: Example of the Management and Provision of FSP Service.....    | 2-7  |
| 2-4: Simplified FSP Service Provider State Transition Diagram ..... | 2-10 |
| 2-5: Communications Realization of FSP Service .....                | 2-13 |
| B-1: FSP MAP and TC Frame Multiplexing .....                        | B-1  |
| B-2: MAP and VC Multiplexing .....                                  | B-2  |
| B-3: FSP Queues.....  | B-5  |
| C-1: FSP Production Status Diagram .....                            | C-1  |

Table

|  |      |
|--|------|
| 2-1: FSP Service Operations.....                       | 2-8  |
| 3-1: Setting of FSP Service Operation Parameters ..... | 3-6  |
| 3-2: FSP-BIND Parameters.....                          | 3-11 |
| 3-3: FSP-UNBIND Parameters.....                        | 3-17 |
| 3-4: FSP-START Parameters.....                         | 3-19 |
| 3-5: FSP-STOP Parameters.....                          | 3-23 |
| 3-6: FSP-TRANSFER-DATA Parameters .....                | 3-27 |
| 3-7: FSP-ASYNC-NOTIFY Parameters.....                  | 3-36 |
| 3-8: FSP-SCHEDULE-STATUS-REPORT Parameters .....       | 3-50 |
| 3-9: FSP-STATUS-REPORT Parameters.....                 | 3-54 |
| 3-10: FSP-GET-PARAMETER Parameters .....               | 3-61 |

## CONTENTS (CONTINUED)

|   |      |
|---|------|
| 3-11: FSP Service Parameters.....                                 | 3-62 |
| 3-12: FSP-THROW-EVENT Parameters .....                            | 3-67 |
| 3-13: FSP-INVOKE-DIRECTIVE Parameters.....                        | 3-71 |
| 3-14: FSP-PEER-ABORT Parameters.....                              | 3-76 |
| 4-1: Provider Behavior.....                                       | 4-6  |
| 4-2: Event Description References .....                           | 4-11 |
| 4-3: Predicate Definitions .....                                  | 4-12 |
| 4-4: Boolean Flags .....  | 4-12 |
| 4-5: Compound Action Definitions .....                            | 4-13 |
| C-1: Production Status Transitions.....                           | C-2  |
| C-2: Effects of Production Status on Operations.....              | C-3  |
| F-1: Conformance Matrix for FSP Service (Operations).....         | F-1  |
| F-2: Conformance Matrix for FSP Service (Other Requirements)..... | F-2  |
| H-1: Throw Event Examples .....                                   | H-1  |