

# ISO 21079-3:2008-04 (E)

**Chemical analysis of refractories containing alumina, zirconia, and silica -  
Refractories containing 5 % to 45 % of ZrO<sub>2</sub> (alternative to the X-ray  
fluorescence method) - Part 3: Flame atomic absorption spectrophotometry (FAAS)  
and inductively coupled plasma emission spectrometry (ICP-AES)**

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Instrumental methods using ICP-AES .....</b>	<b>1</b>
3.1	Determination of residual silica in solution by ICP-AES .....	1
3.2	Determination of silicon(IV) oxide, aluminium oxide, iron(III) oxide, titanium(IV) oxide, calcium oxide, magnesium oxide, chromium(III) oxide and hafnium oxide using stock solutions (S1), (S'1) or (S''1) by ICP-AES .....	3
3.3	Determination of calcium oxide, magnesium oxide, sodium oxide and potassium oxide using stock solutions (S4) by ICP-AES .....	7
<b>4</b>	<b>Instrumental methods using Flame Atomic Absorption Spectrometry (FAAS) .....</b>	<b>8</b>
4.1	Determination of calcium oxide, magnesium oxide, sodium oxide and potassium oxide using stock solutions (S3) by FAAS .....	8
4.2	Determination of chromium(III) oxide by FAAS spectrometry .....	10
<b>5</b>	<b>Calculation and expression of test results .....</b>	<b>12</b>
<b>6</b>	<b>Test report .....</b>	<b>12</b>
Bibliography .....		13