

# DIN EN 1071-13:2010-07 (E)

## Advanced technical ceramics - Methods of test for ceramic coatings - Part 13: Determination of wear rate by the pin-on-disk method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		3
Introduction .....		4
1	Scope .....	5
2	Normative references .....	5
3	Terms and definitions .....	5
4	Significance and use .....	6
5	Principle .....	6
6	Apparatus .....	6
6.1	Pin-on-disk method testing apparatus .....	6
6.2	Test apparatus design requirements .....	7
6.3	Instruments for determining the volume loss .....	8
6.4	Operating environment .....	8
7	Preparation of test pieces .....	8
7.1	Substrate material and preparation .....	8
7.2	Coating deposition .....	9
7.3	Post-coating preparation .....	9
7.4	Cleaning .....	10
8	Testing procedure .....	10
8.1	Preliminary setup .....	10
8.2	Producing the wear track and scar .....	11
8.3	Evaluation of wear and measurement of wear scars .....	11
8.4	Calculation of test results .....	14
9	Repeatability and limits .....	15
10	Report .....	16
Annex A (informative) Methods for the determination of coating properties likely to be relevant to coating performance in a pin-on-disk wear test .....		18
A.1	Relevant properties .....	18
A.2	Phase composition and preferred orientation .....	18
A.3	Residual stress .....	18
A.4	Hardness .....	18
Annex B (informative) Determination of volume loss from the pin using profilometry .....		19
Annex C (informative) Determination of wear of coated disk by ball crater technique .....		20
Bibliography .....		23