

DIN EN 15442:2011-05 (E)

Solid recovered fuels - Methods for sampling

Contents		Page
Foreword		4
Introduction		5
1	Scope	7
2	Normative references	7
3	Terms and definitions	7
4	Symbols and abbreviated terms	10
5	Principle	11
6	Development of a sampling plan	11
6.1	Principle	11
6.2	Definition of overall objectives	13
6.3	Definition of a lot and determining lot size	13
6.4	Determination of the sampling procedure	14
6.5	Determination of the number of increments	14
6.6	Determination of minimum sample size	15
6.7	Determination of the minimum increment size	15
6.8	Determination of the effective increment and sample sizes	15
6.9	Selection of distribution of increments over a lot	16
7	Implementation of the sampling plan	18
7.1	Steps before actual sampling	18
7.2	Steps during sampling	18
7.3	Steps after sampling	19
8	Handling and storage of samples	19
9	Precision	19
Annex A (normative) Procedure for the development of a sampling plan		20
A.1	Introduction	20
A.2	Principle	20
A.3	Procedure	20
Annex B (informative) Guideline for a sampling plan		23
B.1	Introduction	23
B.2	Form for the sampling plan	23
Annex C (normative) Sampling equipment and implements		28
C.1	Introduction	28
C.2	Principle	28
C.3	Selection of an apparatus	28
C.4	Examples for sampling from a moving conveyor or drop flow	28
C.5	Sampling frame	30

C.6	Sampling scoop	31
C.7	Mechanical probe	32
Annex D (normative) Determination of minimum sample size		34
D.1	Introduction	34
D.2	Principle	34
D.3	Determination of factors necessary for the minimum sample size	34
D.4	Calculation of the minimum sample size	36
D.5	Quick determination of minimum sample size	37
Annex E (normative) Determination of minimum increment size for sampling from material flows ...		39
E.1	Introduction	39
E.2	Principle	39
E.3	Determination of minimum increment size for mechanical sampling from a drop flow	39
E.4	Determination of minimum increment size for manual sampling from a drop flow	40
E.5	Determination of minimum increment size for sampling from a conveyor	41
Annex F (normative) Determination of minimum increment size for sampling from static lots or vehicles		43
F.1	Introduction	43
F.2	Principle	43
F.3	Procedure	43
Annex G (normative) Implementation of sampling plan from a material flow		44
G.1	Introduction	44
G.2	Principle	44
G.3	Procedure verification of sampling aspects	44
G.4	Procedure: Mechanical or manual sampling from the drop flow	44
G.5	Procedure: Mechanical sampling from a moving conveyor	46
G.6	Procedure: Manual sampling from a stationary conveyor	47
Annex H (normative) Implementation of the sampling plan from a static lot or vehicle		49
H.1	Introduction	49
H.2	Principle	49
H.3	Procedure	49
H.4	Implementation of sampling in locations chosen in a stratified random way	50
Annex I (normative) Minimum sample size required for analysis		51
I.1	Introduction	51
I.2	Principle	51
I.3	Procedure	51
Annex J (normative) Standard sampling plans for common situations		56
J.1	Introduction	56
J.2	Sampling of granular SRF <25 mm from a moving conveyor	56
J.3	Sampling of granular SRF <25 mm from a static lot	59
J.4	Sampling of granular SRF <25 mm from a vehicle	62
Annex K (informative) Additional information about precision		66
K.1	Introduction	66
K.2	Scope	66
K.3	Trueness	66
K.4	Repeatability and reproducibility	66
K.5	Robustness	67

Annex L (informative) Distribution of increments 69

L.1 Scope 69

L.2 Stratified sampling 69

L.3 Stratified random sampling 70

Bibliography 72