

# ISO 13067:2011-11 (E)

## Microbeam analysis - Electron backscatter diffraction - Measurement of average grain size

---

Contents	Page
Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	1
3.1 Terminology associated with EBSD measurement of grain size .....	1
3.2 Terminology associated with grains and grain boundaries determined via EBSD .....	3
3.3 Terminology associated within grain size measurement .....	4
3.4 Terminology associated with data correction and uncertainty of EBSD maps .....	5
4 Acquiring a map by EBSD for grain size measurement .....	5
4.1 Hardware requirements .....	5
4.2 Software requirements .....	6
5 Acquiring the map for grain sizing by EBSD .....	6
5.1 Specimen preparation .....	6
5.2 Defining specimen axes .....	6
5.3 Stage positioning and calibration .....	6
5.4 Linear calibration .....	6
5.5 Preliminary examination .....	7
5.6 Choice of step size .....	7
5.7 Determination of the level of angular accuracy needed[7][8] .....	7
5.8 Choice of areas to be mapped and map size .....	9
5.9 Considerations when examining plastically deformed materials .....	9
6 Analytical procedure .....	10
6.1 Definition of boundaries .....	10
6.2 Post-acquisition treatment of raw data .....	11
6.3 Data-cleaning steps .....	11
6.4 Measurement of grain size .....	14
6.5 Representation of data .....	14
7 Measurement uncertainty .....	15
8 Reporting of analysis results .....	15
Annex A (informative) Grain size measurement .....	16
Bibliography .....	18