

ISO 13125:2013-03 (E)

Fine ceramics (advanced ceramics, advanced technical ceramics) - Test method for antifungal activity of semiconducting photocatalytic materials

| Contents | Page |
|---|------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Symbols | 2 |
| 5 Principle | 2 |
| 6 Materials | 3 |
| 6.1 Test fungi | 3 |
| 6.2 Chemicals and implements | 3 |
| 7 Apparatus | 4 |
| 7.1 General | 4 |
| 7.2 Irradiating equipment | 4 |
| 7.3 Black light blue lamp (BLB lamp) | 4 |
| 7.4 Ultraviolet light radiometer | 4 |
| 7.5 Adhesive film | 4 |
| 7.6 Glass pane | 4 |
| 7.7 Test vessel | 4 |
| 8 Test piece | 5 |
| 8.1 Preparation of test pieces | 5 |
| 8.2 Use of test pieces | 5 |
| 8.3 Cleaning of test pieces | 5 |
| 9 Procedure | 5 |
| 9.1 Test temperature | 5 |
| 9.2 Photoirradiation | 5 |
| 9.3 Preparation of fungal spore suspension | 5 |
| 9.4 Estimation of the number of surviving spore | 6 |
| 9.5 UV Irradiation test | 6 |
| 10 Calculation | 8 |
| 10.1 Surviving spore concentration of recovery solution | 8 |
| 10.2 Number of surviving spores | 8 |
| 10.3 Validity of the test | 8 |
| 10.4 Antifungal activity value in irradiation condition L | 9 |
| 10.5 Antifungal activity value with UV irradiation by removing the effect in the dark | 9 |
| 11 Test report | 9 |
| Bibliography | 11 |