

ISO 11894-1:2013-04 (E)

Fine ceramics (advanced ceramics, advanced technical ceramics) - Test method for conductivity measurement of ion-conductive fine ceramics - Part 1: Oxide-ion-conducting solid electrolytes

| Contents | | Page |
|-----------------|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Symbols | 2 |
| 5 | Test piece | 3 |
| 5.1 | Shape and dimensions | 3 |
| 5.2 | Surface roughness | 3 |
| 5.3 | Density | 3 |
| 5.4 | Electrodes | 3 |
| 5.5 | Number of test piece | 4 |
| 6 | Test procedure | 4 |
| 6.1 | Measurement of cross-sectional area of a test-piece and the distance between voltage terminals | 4 |
| 6.2 | Conditions of testing | 4 |
| 6.3 | Heating of a test piece | 4 |
| 6.4 | Method for measurement | 4 |
| 6.5 | Measurement system | 5 |
| 6.6 | AC impedance meter | 6 |
| 6.7 | Lead wires | 6 |
| 6.8 | Preparation for measurement | 7 |
| 7 | Measurement | 7 |
| 8 | Calculation of oxide ion conductivity | 7 |
| 9 | Expression of oxide ion conductivity | 8 |
| 9.1 | Oxide ion conductivity | 8 |
| 9.2 | The expression of oxide ion conductivity | 8 |
| 10 | Test report | 8 |