

# ISO 16525-1:2014-05 (E)

## Adhesives - Test methods for isotropic electrically conductive adhesives - Part 1: General test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Lists of test requirements .....</b>	<b>2</b>
<b>4.1</b>	<b>Tests for properties before curing .....</b>	<b>2</b>
<b>4.2</b>	<b>Tests for conditions of use .....</b>	<b>2</b>
<b>4.3</b>	<b>Tests for properties after curing .....</b>	<b>2</b>
<b>5</b>	<b>Test conditions and sampling .....</b>	<b>3</b>
<b>5.1</b>	<b>Atmospheric conditions .....</b>	<b>3</b>
<b>5.2</b>	<b>Conditioning of the specimens .....</b>	<b>3</b>
<b>5.3</b>	<b>Definition of lot .....</b>	<b>3</b>
<b>5.4</b>	<b>Sampling .....</b>	<b>3</b>
<b>6</b>	<b>Tests for properties before curing/drying .....</b>	<b>3</b>
<b>6.1</b>	<b>Appearance .....</b>	<b>3</b>
<b>6.2</b>	<b>Density .....</b>	<b>3</b>
<b>6.3</b>	<b>Viscosity .....</b>	<b>3</b>
<b>7</b>	<b>Tests for conditions of use -- Pot life .....</b>	<b>3</b>
<b>8</b>	<b>Test for properties after curing .....</b>	<b>3</b>
<b>8.1</b>	<b>Glass transition temperature, T<sub>g</sub> .....</b>	<b>3</b>
<b>8.2</b>	<b>Moisture absorption ratio .....</b>	<b>3</b>
<b>8.3</b>	<b>Modulus of elasticity .....</b>	<b>4</b>
<b>8.4</b>	<b>Surface hardness .....</b>	<b>4</b>
<b>8.5</b>	<b>Thermal expansion .....</b>	<b>4</b>
<b>8.6</b>	<b>Moisture permeability .....</b>	<b>5</b>
<b>9</b>	<b>Test report .....</b>	<b>5</b>
<b>Bibliography .....</b>		<b>6</b>