ISO 12917-1:2017-03 (E)

Petroleum and liquid petroleum products - Calibration of horizontal cylindrical tanks - Part 1: Manual methods

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Precautions 1
4.1 General 1
4.2 Internal method 2
4.3 External method 2

5 Equipment 2
5.1 Equipment as used in ISO 7507-1 2
5.2 Telescopic rod 2
5.3 Distance meter 2
5.4 Leveller 2

6 General requirements 2

7 Calibration procedures 3
7.1 General 3
7.2 Measurement of circumferences -- External 3
7.2.1 Introduction 3
7.2.2 General 3
7.2.3 Repetition of measurements 4
7.3 Measurement of circumferences -- Internal 5
7.3.1 Overview 5
7.3.2 General 5
7.4 Measurements of lengths 5
7.4.1 Method 5
7.4.2 Length of horizontal cylinder 6
7.4.3 Lengths of segments 6
7.4.4 Lengths of heads 7
7.4.5 Gauge lengths 7
7.4.6 Measurement/calculations of radii of the heads 7
7.5 Tank tilt 7
7.6 Plate thickness 8
7.7 Reference height 8
7.8 Deadwood 8
7.9 Measurements of temperature and pressure 8

8 Re-calibration 8

9 Descriptive data 9

10 Computation of tank capacity table 10
10.1 General rules 10

10.2 Accuracy of volume 10
10.2.1 General 10
10.2.2 Calculation parameters 10
10.2.3 Volume calculation 13
10.3 Corrections of volume of tank table 22
10.3.1 General 22
10.3.2 Working pressure 22
10.3.3 Tank-shell temperature 24
10.4 Deadwood 24
10.5 Calibration table at gauged levels 24

Annex A (informative) Computation of tank capacity tables based on individual segment dimensions 26

Annex B (informative) Calculation examples 29

Annex C (informative) Calibration uncertainties 39

Bibliography 46