

# DIN 50994:2017-11 (E)

## Measurement of coatings - Non-destructive measurement of the conductivity of metallic coatings

---

<b>Contents</b>	<b>Page</b>
Foreword .....	4
1 Scope .....	5
2 Normative references .....	5
3 Terms, definitions and symbols .....	5
3.1 Terms and definitions.....	5
3.2 Symbols .....	6
4 Principle of the measurement.....	7
5 Factors that influence the measurement uncertainty.....	9
5.1 Influence of the conductivity .....	9
5.2 Lift-off effect.....	10
5.3 Temperature influence .....	10
5.4 Geometry — Thickness of the coating or part (saturation thickness).....	10
5.5 Geometry — Edge influence.....	11
5.6 Geometry — Surface curvature .....	11
5.7 Surface roughness.....	11
5.8 Contact load of the probe.....	12
5.9 Inclination of the probe.....	12
5.10 External electromagnetic fields.....	12
6 Calibration and adjustment of the measuring instrument .....	12
6.1 General .....	12
6.2 Conductivity measurement standards .....	13
6.3 Adjustment method.....	13
7 Implementation of the measurement and data evaluation .....	13
7.1 General .....	13
7.2 Number of measurements and data evaluation .....	13
8 Uncertainty of the results .....	14
8.1 General .....	14
8.2 Uncertainty of the measuring instrument calibration .....	15
8.3 Stochastic errors.....	16
8.4 Uncertainties caused by factors that are summarized in Clause 5.....	16
8.5 Combined uncertainty, expanded uncertainty and end result.....	17
9 Test report.....	17
Annex A (informative) Penetration depth of the field — Saturation depth.....	18
Annex B (informative) Lift-off effect.....	23
Annex C (informative) Principles for determining the uncertainty of a measurement via the selected method of measurement according to ISO/IEC Guide 98-3 .....	25
C.1 General .....	25
C.2 Type A .....	25
C.3 Type B .....	26

<b>Annex D (informative) Basic performance requirements for conductivity measuring instruments based on the phase-sensitive eddy current method .....</b>	<b>27</b>
<b>D.1 Technical specification .....</b>	<b>27</b>
<b>D.2 Check/verification of the measuring instruments and probes after delivery, after repair and at regular time intervals during use .....</b>	<b>28</b>
<b>D.3 Check/verification of measuring instruments and probes on site.....</b>	<b>28</b>
<b>Annex E (informative) Examples for experimental estimation of factors that influence the measurement accuracy .....</b>	<b>29</b>
<b>E.1 General.....</b>	<b>29</b>
<b>E.2 Saturation thickness.....</b>	<b>29</b>
<b>E.3 Lift-off effect.....</b>	<b>30</b>
<b>E.4 Edge influence .....</b>	<b>31</b>
<b>E.5 Surface curvature .....</b>	<b>32</b>
<b>Annex F (informative) Table of the Student factor .....</b>	<b>34</b>
<b>Annex G (informative) Examples of the estimation of the uncertainty (see Clause 8).....</b>	<b>35</b>
<b>G.1 Sample to be measured .....</b>	<b>35</b>
<b>G.2 Required steps.....</b>	<b>35</b>
<b>Bibliography .....</b>	<b>38</b>