

ISO 19285:2017-08 (E)

Non-destructive testing of welds - Phased array ultrasonic testing (PAUT) - Acceptance levels

Contents	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	1
5 Acceptance levels	2
6 Evaluation of indications	2
7 Determination of length and height	2
7.1 General	2
7.2 Determination of length	2
7.3 Determination of height	2
7.3.1 General	2
7.3.2 Using diffracted signals	2
7.3.3 Using other signals	3
8 Determination of length and maximum amplitude	3
9 Acceptance criteria based on length and height	3
9.1 General	3
9.2 Single indications	3
9.2.1 Acceptance criteria for level 1	3
9.2.2 Acceptance criteria for level 2	3
9.2.3 Acceptance criteria for level 3	4
9.3 Cumulative length of indications	4
9.3.1 General	4
9.3.2 For each single set-up	4
9.3.3 Combining set-ups	5
9.4 Grouping of indications	5
9.5 Point-like indications	6
10 Acceptance criteria based on length and amplitude	6
10.1 General	6
10.2 Longitudinal indications	6
10.3 Transverse indications	6
10.4 Grouping of indications	6
10.5 Cumulative length of indications	7
10.5.1 General	7
10.5.2 For each single set-up	8
10.5.3 Combined set-up	8
Annex A (normative) Levels	9
Annex B (normative) Fixed amplitude level technique	22