

# ISO 2714:2017-11 (E)

## Liquid hydrocarbons - Volumetric measurement by displacement meter

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>1</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>3.2</b>	<b>Symbols and abbreviated terms .....</b>	<b>5</b>
<b>4</b>	<b>Design and operation of positive displacement meters .....</b>	<b>5</b>
<b>4.1</b>	<b>Basic characteristics and mode of operation .....</b>	<b>5</b>
<b>4.2</b>	<b>Reciprocating displacement types .....</b>	<b>7</b>
<b>4.3</b>	<b>Rotating displacement types .....</b>	<b>7</b>
<b>4.4</b>	<b>Intermeshing screw spindle type .....</b>	<b>8</b>
<b>4.5</b>	<b>Oscillating displacement types .....</b>	<b>9</b>
<b>4.6</b>	<b>Disc type meters .....</b>	<b>9</b>
<b>5</b>	<b>Performance aspects .....</b>	<b>9</b>
<b>5.1</b>	<b>General .....</b>	<b>9</b>
<b>5.2</b>	<b>Factors affecting meter performance .....</b>	<b>9</b>
<b>5.3</b>	<b>General performance characteristics .....</b>	<b>9</b>
<b>5.4</b>	<b>Pressure drop and back pressure considerations .....</b>	<b>11</b>
<b>5.5</b>	<b>Flow profile .....</b>	<b>11</b>
<b>6</b>	<b>Liquid property effects .....</b>	<b>11</b>
<b>6.1</b>	<b>General .....</b>	<b>11</b>
<b>6.2</b>	<b>Effect of viscosity .....</b>	<b>11</b>
<b>6.3</b>	<b>Effect of temperature .....</b>	<b>13</b>
<b>6.4</b>	<b>Effect of pressure .....</b>	<b>13</b>
<b>6.5</b>	<b>Lubricity and liquid cleanliness .....</b>	<b>14</b>
<b>6.6</b>	<b>Two-phase flow and air elimination .....</b>	<b>14</b>
<b>6.7</b>	<b>Two-component operation .....</b>	<b>14</b>
<b>6.8</b>	<b>Pulsating and fluctuating flow .....</b>	<b>14</b>
<b>7</b>	<b>System design .....</b>	<b>15</b>
<b>7.1</b>	<b>Design considerations .....</b>	<b>15</b>
<b>7.2</b>	<b>Selection of displacement meter type .....</b>	<b>16</b>
<b>7.3</b>	<b>Ancillary equipment .....</b>	<b>17</b>
<b>7.3.1</b>	<b>General .....</b>	<b>17</b>
<b>7.3.2</b>	<b>Mechanical accessories .....</b>	<b>18</b>
<b>7.3.3</b>	<b>Pulse generators and secondary electronic instrumentation .....</b>	<b>18</b>
<b>7.4</b>	<b>Flow algorithms .....</b>	<b>19</b>
<b>8</b>	<b>Installation aspects .....</b>	<b>20</b>
<b>8.1</b>	<b>General .....</b>	<b>20</b>
<b>8.2</b>	<b>Installation pipework .....</b>	<b>20</b>
<b>8.3</b>	<b>Flow pulsation .....</b>	<b>22</b>
<b>8.4</b>	<b>Electrical installation .....</b>	<b>22</b>
<b>8.5</b>	<b>Pulse security .....</b>	<b>23</b>

<b>9</b>	<b>Environmental considerations .....</b>	<b>23</b>
<b>9.1</b>	<b>General .....</b>	<b>23</b>
<b>9.2</b>	<b>Electrical interference .....</b>	<b>23</b>
<b>9.3</b>	<b>Humidity .....</b>	<b>23</b>
<b>9.4</b>	<b>Safety .....</b>	<b>23</b>
<b>10</b>	<b>Calibration .....</b>	<b>24</b>
<b>10.1</b>	<b>Proving and verification .....</b>	<b>24</b>
<b>10.2</b>	<b>General considerations .....</b>	<b>24</b>
<b>10.3</b>	<b>Proving conditions .....</b>	<b>24</b>
<b>10.4</b>	<b>Proving methods .....</b>	<b>24</b>
<b>10.5</b>	<b>Proving frequency .....</b>	<b>25</b>
<b>11</b>	<b>Operation and maintenance .....</b>	<b>25</b>
<b>11.1</b>	<b>General .....</b>	<b>25</b>
<b>11.2</b>	<b>Initial start-up .....</b>	<b>25</b>
<b>11.3</b>	<b>Meter maintenance .....</b>	<b>26</b>
<b>11.4</b>	<b>System diagnostics and control charts .....</b>	<b>26</b>
	<b>Annex A (informative)Specificationofperformance .....</b>	<b>28</b>
	<b>Bibliography .....</b>	<b>35</b>