

# ISO 21814:2019 (E)

## Fine ceramics (advanced ceramics, advanced technical ceramics) — Methods for chemical analysis of aluminium nitride powders

---

### Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Analytes and ranges
5	Preparation of the test sample
5.1	General
5.2	Sampling
5.3	Drying
5.4	Weighing
6	Reporting the analytical values
6.1	Number of analyses
6.2	Blank test
6.3	Evaluation of the analytical values
6.4	Expression of the analytical values
7	Determination of the aluminium content
7.1	Classification of the determination methods
7.2	Acid decomposition-ICP-OES method
7.2.1	Principle
7.2.2	Reagents
7.2.3	Apparatus and instruments
7.2.4	Procedure
7.2.4.1	Sample decomposition
7.2.4.2	Measurement
7.2.5	Blank test
7.2.6	Drawing of the calibration curve
7.2.7	Calculation
7.3	Acid pressure decomposition-CyDTA-zinc back titration method
7.3.1	Principle
7.3.2	Reagents
7.3.3	Apparatus and instruments
7.3.4	Procedure
7.3.4.1	Sample decomposition
7.3.4.2	CyDTA-zinc back titration
7.3.5	Blank test
7.3.6	Calculation
8	Determination of the total nitrogen content
8.1	Classification of the determination methods
8.2	Acid pressure decomposition-distillation separation-acidimetric titration method
8.2.1	Principle
8.2.2	Reagents
8.2.3	Apparatus
8.2.4	Procedure
8.2.4.1	Preparation for the steam distillation
8.2.4.2	Steam distillation

- 8.2.4.3 Titration
- 8.2.5 Recovery measurement
- 8.2.6 Calculation
- 8.3 Direct decomposition-distillation separation-acidimetric titration method
  - 8.3.1 Principle
  - 8.3.2 Reagents
  - 8.3.3 Apparatus
  - 8.3.4 Procedure
  - 8.3.5 Recovery measurement
  - 8.3.6 Calculation
- 8.4 Inert gas fusion-thermal conductivity method
  - 8.4.1 Principle
  - 8.4.2 Reagents
  - 8.4.3 Apparatus
  - 8.4.4 Instrument
  - 8.4.5 Procedure
    - 8.4.5.1 Starting up of the instrument
    - 8.4.5.2 Preliminary heating
    - 8.4.5.3 Degassing of the graphite crucible
    - 8.4.5.4 Measuring
  - 8.4.6 Blank test
  - 8.4.7 Calculation of the calibration coefficient
  - 8.4.8 Calculation
- 9 Determination of the sodium and potassium contents
  - 9.1 Classification of the determination methods
  - 9.2 Acid pressure decomposition-flame emission method
    - 9.2.1 Principle
    - 9.2.2 Reagents
    - 9.2.3 Instruments
    - 9.2.4 Procedure
      - 9.2.4.1 Adjustment of the flame photometer
      - 9.2.4.2 Measurement of the flame emission intensity
    - 9.2.5 Blank test
    - 9.2.6 Drawing of the calibration curve
    - 9.2.7 Calculation
  - 9.3 Acid pressure decomposition-atomic absorption spectrometry method
    - 9.3.1 Principle
    - 9.3.2 Reagents
    - 9.3.3 Instruments
    - 9.3.4 Procedure
    - 9.3.5 Blank test
    - 9.3.6 Drawing of the calibration curve
    - 9.3.7 Calculation
- 10 Determination of the trace element contents
  - 10.1 Classification of the determination methods
  - 10.2 Acid decomposition-ICP-OES method
    - 10.2.1 Principle
    - 10.2.2 Reagents
    - 10.2.3 Apparatus and instruments
    - 10.2.4 Procedure
      - 10.2.4.1 Sample decomposition
      - 10.2.4.2 Measurement
    - 10.2.5 Blank test
    - 10.2.6 Drawing of the calibration curve
    - 10.2.7 Calculation
  - 10.3 Acid pressure decomposition-ICP-OES method
    - 10.3.1 General
    - 10.3.2 Reagents
    - 10.3.3 Apparatus and instruments
    - 10.3.4 Procedure
    - 10.3.5 Blank test
    - 10.3.6 Drawing of the calibration curve

- 10.3.7 Calculation
- 11 Determination of the oxygen content
  - 11.1 Principle
  - 11.2 Reagents
  - 11.3 Apparatus
  - 11.4 Instruments
  - 11.5 Procedure
  - 11.6 Blank test
  - 11.7 Calculation of the calibration coefficient
  - 11.8 Calculation
- 12 Determination of the carbon content
  - 12.1 Classification of the determination methods
  - 12.2 Combustion (resistance furnace)-IR absorption spectrometry
    - 12.2.1 Principle
    - 12.2.2 Reagents
    - 12.2.3 Apparatus
    - 12.2.4 Instrument
    - 12.2.5 Procedure
      - 12.2.5.1 Stabilisation of the instrument
      - 12.2.5.2 Mixture of the sample and combustion accelerators
      - 12.2.5.3 Sample combustion
      - 12.2.5.4 Measurement
    - 12.2.6 Blank test
    - 12.2.7 Calculation of the calibration coefficient
    - 12.2.8 Calculation
  - 12.3 Combustion (radio frequency heating furnace)-thermal conductometry
    - 12.3.1 Principle
    - 12.3.2 Reagents
    - 12.3.3 Apparatus
    - 12.3.4 Instrument
    - 12.3.5 Procedure
      - 12.3.5.1 Stabilisation of the instrument
      - 12.3.5.2 Mixture of the sample and combustion accelerators
      - 12.3.5.3 Sample combustion
      - 12.3.5.4 Measurement
    - 12.3.6 Blank test
    - 12.3.7 Calculation of the calibration coefficient
    - 12.3.8 Calculation
  - 12.4 Combustion (radio frequency heating furnace)-IR absorption spectrometry
    - 12.4.1 Principle
    - 12.4.2 Reagents
    - 12.4.3 Apparatus
    - 12.4.4 Instrument
    - 12.4.5 Procedure
      - 12.4.5.1 Stabilisation of the instrument
      - 12.4.5.2 Mixture of sample and combustion accelerators
      - 12.4.5.3 Sample combustion
      - 12.4.5.4 Measurement
    - 12.4.6 Blank test
    - 12.4.7 Calculation of the calibration coefficient
    - 12.4.8 Calculation
- 13 Determination of the fluorine and chlorine contents
  - 13.1 Principle
  - 13.2 Reagents
  - 13.3 Apparatus and instruments
  - 13.4 Procedure
    - 13.4.1 Extraction of fluorine and chlorine from the sample
    - 13.4.2 Determination of the fluorine and chlorine contents
      - 13.4.2.1 Determination of the fluorine and chlorine contents using ion chromatography
      - 13.4.2.2 Determination of the fluorine content using spectrophotometry
      - 13.4.2.3 Determination of the chlorine content using spectrophotometry

- 13.5 Blank test
- 13.6 Drawing of the calibration curve
- 13.7 Calculation

14 Test report

Annex A (informative) Analytical results obtained from the round robin test

Page count: 35