

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
5	Virus and host cell
6	Warning
7	Apparatus
8	Sterilization of apparatus
9	Reagent and medium
10	Preparation
10.1	Restoration of host cell from cryopreservation
10.2	Subculture of host cell
10.3	Cell culture for the infectious virus titre assay
10.4	Preparation for test virus
10.4.1	General
10.4.2	Influenza virus
10.4.3	Feline calicivirus
10.4.4	Infectivity titre of the test viruses
10.4.4.1	Preparation for series of the dilution for the virus suspension
10.4.4.2	Determination of the infectious titre
10.4.4.2.1	Plaque assay
10.4.4.2.2	TCID50 method
10.5	Preparation for test specimen
10.5.1	Control fabric
10.5.2	Preparation of test specimens
10.5.3	Sterilization of specimens
10.6	Control test
10.6.1	General
10.6.2	Verification of cytotoxicity by cell sensitivity to virus and the inactivation of antiviral activity
11	Test procedure
11.1	Preparation of specimen
11.2	Deposit of virus to the specimens
11.3	Contacting time
11.4	Wash-out of virus immediately after deposit
11.5	Wash-out of virus after contacting time
12	Preparation of the series of the dilution for the virus suspension
13	Determination of the infectious titre

- 13.1 Plaque assay
- 13.2 TCID50 method
- 14 Calculation of infectivity titre
  - 14.1 Plaque assay
  - 14.2 TCID50 method
    - 14.2.1 Behrens and Karber method
    - 14.2.2 Example of calculation
  - 14.3 Test result
    - 14.3.1 Verification of this test
    - 14.3.2 Calculation of antiviral activity value
- 15 Test report
- Annex A (informative) Virus strains and host cells
- Annex B (normative) Infectivity titre test: Plaque assay
  - B.1 Test procedure
  - B.2 Determination of PFU
    - B.2.1 General
    - B.2.2 Determination of PFU
- Annex C (normative) Infectivity titre test: TCID50 method
  - C.1 Test procedure
- Annex D (informative) Composition of media
  - D.1 General
  - D.2 Composition of EMEM
  - D.3 Composition of RPMI 1640 medium
- Annex E (informative) Testing method using specific pathogen free (SPF) embryonated hen's eggs
  - E.1 General
  - E.2 Overview
  - E.3 Specific pathogen free (SPF) embryonated hen's eggs
  - E.4 Preparation of specimen
  - E.5 Preparation of the embryonated hen's eggs
  - E.6 Preparation of virus
    - E.6.1 Virus cultivation
    - E.6.2 Preparation of 0,5 % chicken red blood cell suspension
  - E.7 Test procedure
    - E.7.1 General
    - E.7.2 Contact the virus suspension to the specimen
    - E.7.3 Inoculation of the reacted virus suspension to 10 day old embryonated hen's eggs
    - E.7.4 Virus assay
    - E.7.5 Calculation of the virus titre
    - E.7.6 Antiviral efficacy value
- Annex F (informative) Antiviral efficacy — Antiviral performance of the products
- Annex G (informative) Interlaboratory test result (1)
  - G.1 Participants
  - G.2 Sample
  - G.3 Test condition
  - G.4 Test result
    - G.4.1 Test result of a testing house
    - G.4.2 Test result of a laboratory
- Annex H (informative) Interlaboratory test result (2)
  - H.1 Participants
  - H.2 Sample
  - H.3 Test condition
    - H.3.1 Virus, host cell, etc.
    - H.3.2 Plaque assay condition
  - H.4 Test result

H.4.1	Sample A
H.4.2	Sample B
H.4.3	Sample C
H.4.4	Summary for interlaboratory test results

Page count: 41