

# ISO 14309:2019-07 (E)

## Rubber, vulcanized or thermoplastic - Determination of volume and/or surface resistivity

---

| <b>Contents</b>   |                                | <b>Page</b> |
|---|--------------------------------|-------------|
| Foreword .....  |                                | iv          |
| Introduction .....  |                                | v           |
| 1   | Scope .....                    | 1           |
| 2   | Normative references .....     | 1           |
| 3   | Terms and definitions .....    | 1           |
| 4   | Principle .....                | 2           |
| 5   | Apparatus .....                | 2           |
| 6   | Calibration .....              | 6           |
| 7   | Test pieces .....              | 6           |
| 7.1   | Form .....                     | 6           |
| 7.2   | Number of test pieces .....    | 7           |
| 8   | Conditioning .....             | 7           |
| 9   | Test conditions .....          | 7           |
| 9.1   | Temperature and humidity ..... | 7           |
| 9.2   | Applied voltage .....          | 7           |
| 10  | Test procedure .....           | 7           |
| 11  | Expression of results .....    | 8           |
| 11.1  | Volume resistivity .....       | 8           |
| 11.2  | Surface resistivity .....      | 8           |
| 12  | Test report .....              | 9           |
| Annex A (informative) Electrode materials .....                 |                                | 10          |
| Annex B (informative) Suitable range of test conditions .....   |                                | 11          |
| Annex C (normative) Calibration schedule .....                  |                                | 13          |
| Annex D (informative) Effective area of guarded electrode ..... |                                | 15          |
| Bibliography .....  |                                | 18          |