

# ISO 8013:2019 (E)

## Rubber, vulcanized — Determination of creep in compression or shear

---

### Contents

|         |   |
|---------|---|
|         | Foreword  |
|         | Introduction  |
| 1       | Scope   |
| 2       | Normative references  |
| 3       | Terms and definitions   |
| 4       | Apparatus   |
| 4.1     | Thickness-measuring device  |
| 4.2     | Compression device for measurement in compression                           |
| 4.3     | Shear device for measurements in shear                                      |
| 4.4     | Temperature-controlled chamber  |
| 4.5     | Timer   |
| 5       | Calibration   |
| 6       | Test piece  |
| 6.1     | Test piece for measurements in compression                                  |
| 6.2     | Test piece for measurements in shear  |
| 6.3     | Number  |
| 7       | Time-lapse between vulcanization and testing                                |
| 8       | Mechanical conditioning   |
| 9       | Test temperature  |
| 10      | Procedure   |
| 10.1    | Testing   |
| 10.2    | Duration of test  |
| 11      | Calculation of results  |
| 11.1    | Creep increment   |
| 11.1.1  | In compression  |
| 11.1.2  | In shear  |
| 11.2    | Creep index   |
| 11.2.1  | In compression  |
| 11.2.2  | In shear  |
| 11.3    | Compliance increment  |
| 11.3.1  | In compression  |
| 11.3.2  | In shear  |
| 12      | Expression of results   |
| 13      | Test report   |
| Annex A | (informative) Values of forces required for rubbers of different hardnesses |
| A.1     | In compression  |
| A.2     | In shear  |
| Annex B | (normative) Calibration schedule  |

**B.1**      **Inspection**  
**B.2**      **Schedule**

**Page count: 19**