

DIN EN ISO 643:2020-06 (E)

Steels - Micrographic determination of the apparent grain size (ISO 643:2019,
Corrected version 2 020-03)

Contents	Page
European foreword	3
Foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
3.1 Grains	5
3.2 General	6
4 Symbols	6
5 Principle	7
6 Selection and preparation of the specimen	8
6.1 Test location	8
6.2 Revealing ferritic grain boundaries	9
6.3 Revealing austenitic and prior-austenitic grain boundaries	9
6.3.1 General	9
6.3.2 "Bechet-Beaujard" method by etching with aqueous saturated picric acid solution	9
6.3.3 "Kohn" method by controlled oxidation	10
6.3.4 "McQuaid-Ehn" method by carburization at 925 °C	11
6.3.5 Proeutectoid ferrite method	12
6.3.6 Bainite or gradient-quench method	13
6.3.7 Sensitization of austenitic stainless and manganese steels	13
6.3.8 Other methods for revealing prior-austenitic grain boundaries	13
7 Characterization of grain size	14
7.1 Characterization by an index	14
7.1.1 Formulae	14
7.1.2 Assessment by comparison with standard grain size charts	14
7.1.3 Planimetric method	15
7.1.4 Estimation of the index	15
7.2 Characterization by the intercept method	15
7.2.1 Linear intercept segment method	15
7.2.2 Circular intercept segment method	16
7.2.3 Assessment of results	17
8 Test report	18
Annex A (informative) Summary of methods for revealing ferritic, austenitic or prior- austenitic grain boundaries in steels	19
Annex B (normative) Evaluation method	20
Bibliography	25