

DIN EN ISO 1833-2:2020-09 (E)

Textiles - Quantitative chemical analysis - Part 2: Ternary fibre mixtures (ISO 1833-2:2020)

Contents	Page
European foreword	3
Foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Principle	5
5 Reagents and apparatus	6
6 Conditioning and testing atmosphere	6
7 Sampling and pre-treatment of laboratory test sample	6
8 Procedure	6
9 Calculation and expression of results	6
9.1 General	6
9.2 Calculation of percentages of mass of clean dry fibres, disregarding loss of fibre mass during pre-treatment	7
9.2.1 Variant 1	7
9.2.2 Variant 2	8
9.2.3 Variant 3	8
9.2.4 Variant 4	9
9.3 Calculation of the percentage of each component with adjustment by agreed moisture regains and, where appropriate, by correction factors for losses in mass during pre-treatment operations	10
9.4 Calculation of the quantitative analysis by manual separation	11
9.4.1 General	11
9.4.2 Calculation of the percentage mass of clean dry fibre disregarding loss in fibre mass during pre-treatment	11
9.4.3 Calculation of the percentage of each component with adjustment by agreed moisture regain and, where appropriate, by correction factors for losses in mass during pre-treatment	12
10 Method of quantitative analysis by a combination of manual separation and chemical means	12
11 Precision of methods	12
12 Test report	12
Annex A (informative) Examples of the calculation of percentages of the components of certain ternary mixtures using some of the variants described in 9.2	13
Annex B (informative) Typical ternary mixtures which can be analysed using methods of analysis of binary mixtures specified in the parts of ISO 1833	16
Bibliography	21