

DIN EN ISO 12004-2:2021-07 (E)

Metallic materials - Determination of forming-limit curves for sheet and strip - Part 2: Determination of forming-limit curves in the laboratory (ISO 12004-2:2021)

Contents	Page
European foreword	4
Foreword	5
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 Symbols	8
5 Principle	9
6 Test pieces and equipment	10
6.1 Test pieces	10
6.1.1 Thickness of test pieces	10
6.1.2 Test piece geometry	10
6.1.3 Test piece preparation in test area	11
6.1.4 Number of different test piece geometries	11
6.1.5 Number of tests for each geometry	11
6.2 Application of grid	11
6.2.1 Type of grid	11
6.2.2 Grid application	12
6.2.3 Accuracy of the undeformed grid	12
6.3 Test equipment	12
6.3.1 General	12
6.3.2 Strain determination	14
6.3.3 Nakajima test	14
6.3.4 Marciniak test	16
7 Analysis of strain profile and measurement of $\varepsilon_1 - \varepsilon_2$ pairs	18
7.1 General	18
7.2 Evaluation using section lines (position-dependent measurement)	18
7.2.1 General	18
7.2.2 Position and processing of measurements	19
7.2.3 Extraction of the “bell-shaped curve” and determination of the inner limits for the best-fit curve through experimental points	20
7.2.4 Definition of outer limits for best-fit windows and evaluation of the inverse best-fit parabola on the “bell-shaped curve”	21
8 Documentation	22
9 Test report	23
Annex A (normative) Second derivative and “filtered” second derivative	24
Annex B (normative) Calculation of the width of the fit window	25
Annex C (normative) Evaluation of the inverse best-fit parabola on the “bell-shaped curve”	26

Annex D (normative) Application/Measurement of grid — Evaluation with magnifying glass or microscope	28
Annex E (informative) Tables of experimental data for validation of calculation programme	29
Annex F (normative) Representation and mathematical description of FLC	30
Annex G (informative) Examples of critical section line data	31
Annex H (normative) Flowchart from measured strain distributions to FLC values	32
Bibliography	34