ISO/TS 21354:2020 (E)

Measurement of multiphase fluid flow

Contents

Foreword

Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
 - 3.1 Terms related to multiphase flow metering
 - 3.2 Terms related to metrology
- 4 Symbols and subscripts
 - 4.1 Symbols
 - 4.2 Colours and symbols used in schematic drawings
- 5 Multiphase flow
 - 5.1 General
 - 5.2 Multiphase flow regime maps
 - 5.2.1 General
 - 5.2.2 Vertical flows
 - 5.2.3 Horizontal flows
 - 5.3 Slip effects
 - 5.4 Classification of multiphase flows
- 6 Aims of multiphase flow measurement
 - 6.1 General
 - 6.2 Individual-well surveillance or monitoring
 - 6.2.1 General
 - 6.2.2 Production optimization
 - 6.2.3 Flow assurance
 - 6.3 Well testing
 - 6.3.1 General
 - 6.3.2 Conventional well testing
 - 6.3.3 Well testing by MPFMs
 - 6.4 Production allocation metering
 - 6.5 Fiscal or custody transfer measurement
 - 6.6 Summary of advantages and disadvantages of MPFMs
- 7 Production envelope and installation design guidelines
 - 7.1 General
 - 7.2 Production envelope
 - 7.2.1 Plotting the production envelope in the two-phase flow map
 - 7.2.2 Plotting the production envelope in the composition map
 - 7.3 MPFM measuring envelope
 - 7.3.1 Plotting the MPFM measuring envelope in the two-phase flow map
 - 7.3.2 Plotting the MPFM measuring envelope in the composition map
 - 7.4 Using the flow maps during testing
 - 7.5 Cumulative performance plot
 - 7.6 Other considerations

Performance specification

8.1 General

8

8.2 Technical description

- 8.3 Specification of individual sensors and primary devices
- 8.4 Specification of output data and formats
- 8.5 Measuring range, rated operating conditions and limiting conditions
- 8.6 Measurement uncertainty
- 8.6.1 General
- 8.6.2 Measurement uncertainty evaluation of MPFMs
- 8.6.3 Influence quantities and sensitivity coefficients
- 8.6.4 Repeatability
- 8.6.5 Stability and frequency response
- 8.7 Guideline on MPFM performance specification
- 8.7.1 General
- 8.7.2 Technical descriptions
- 8.7.3 Specification of input data
- 8.7.4 Specification of output data
- 8.7.5 Rated operating conditions and limiting conditions
- 8.7.6 Measurement uncertainty
- 8.7.7 Two-phase flow map
- 8.7.8 Composition map

9

- Testing, calibration and adjustment
- 9.1 General
- 9.2 Factory acceptance testing (FAT)
- 9.3 Calibration and test of MPFMs
- 9.3.1 General
- 9.3.2 Performance verification in static conditions
- 9.3.3 Performance verification in dynamic conditions
- 9.3.3.1 General
- 9.3.3.2 Fluids
- 9.3.3.3 Operational constraints
- 9.3.3.4 Test matrix
- 9.3.3.5 Reference measurement uncertainties
- 9.3.4 Factory test
- 9.3.5 Test facility
- 9.3.5.1 General
- 9.3.5.2 Independent laboratory test
- 9.3.5.3 Field test
- 9.3.6 In situ test
- 9.3.6.1 General
- 9.3.6.2 Testing using test separator as reference
- 9.3.6.3 Testing at start-up of a satellite field
- 9.3.6.4 Tracer techniques
- 9.3.7 Further information on performance testing
- 9.3.7.1 General
- 9.3.7.2 Field test description
- 9.3.7.3 Field test matrix
- 9.3.7.4 Comparison between MPFM under test and reference measurements
- 9.3.8 Test report
- 9.4 Adjustment of MPFMs
- 9.4.1 General
- 9.4.2 Adjustment based on static configuration
- 9.4.3 Adjustment based on performance verification in dynamic conditions
- 9.4.3.1 General
- 9.4.3.2 Matrix calibration
- 9.4.3.3 Curve-fit calibration
- 9.4.3.4 Factor calibration
- 9.5 Blind tests
- 9.5.1 Scope and objective of MPFM blind test
- 9.5.2 Organization and implementation
- 9.5.3 Multiphase flow loop
- 9.5.4 Test matrix
- 9.5.5 Information to be provided by MPFM vendors
- 9.5.6 Information provided to MPFM vendors
- 9.5.6.1 General
- 9.5.6.2 PVT data

- 9.5.7 Test completion
- 9.5.7.1 General
- 9.5.7.2 Comparison
- 9.5.8 Test results and deliverables

10 Field installation and commissioning

- 10.1 General
- 10.2 Installation considerations
- 10.3 Installation and site integration
- 10.3.1 General
- 10.3.2 Installation requirements
- 10.3.3 Electrical connections and power requirements
- 10.3.4 Function test
- 10.3.5 Fluid calculation checks
- 10.4 Commissioning
- 10.4.1 General
- 10.4.2 Preparation
- 10.4.3 Documentation and equipment
- 10.4.4 On site authorization
- 10.4.5 Commissioning activities
- 10.5 Start-up

11 Verification during operation

- 11.1 General
- 11.2 Baseline monitoring
- 11.3 Self-checking, self-diagnostic capabilities and internal redundancy
- 11.4 Comparison with model-based multiphase flow calculations
- 11.5 Two meters in series
- 11.6 Mobile test units
- 11.7 Tracer technology
- 11.8 Injection
- 11.9 Sampling
- 11.9.1 General
- 11.9.2 Sampling for information about WLR
- 11.10 Imbalances and reconciliation factor
- 11.11 Geo-chemical fingerprinting
- 11.12 Subsea systems verification

Annex A (informative) Multiphase meter technologies

- A.1 General
- A.2 Meter categories
- A.2.1 General
- A.2.2 In-line meters
- A.2.3 Separation-type meter systems
- A.2.3.1 General
- A.2.3.2 Full two-phase gas/liquid separation
- A.2.3.3 Partial separation
- A.2.3.4 Separation in sample line
- A.2.4 Wet-gas meters
- A.2.5 Other categories of multiphase metering systems
- A.3 Measurement principles
- A.3.1 General
- A.3.2 Phase velocities and volume flow
- A.3.2.1 Venturi tube (or other differential pressure meter)
- A.3.2.2 Cross correlation
- A.3.3 Phase fractions
- A.3.3.1 General
- A.3.3.2 Gamma-ray methods
- A.3.3.3 Electrical impedance methods (capacitance and conductance)
- A.3.3.4 Microwave technology
- A.3.3.5 Magnetic resonance technology
- A.4 Selection of technology in relation to maintenance requirements
- A.4.1 General
- A.4.2 Pressure measurements

- A.4.3 Electrical impedance and microwave sensors
- A.4.4 Gamma-ray technologies
- A.4.5 Limitations of technologies Use of partial separation meters
- A.4.6 Calibration and fluid properties

Annex B (informative) Fluid properties and hydrocarbon behaviour

- B.1 Fluid data requirements
- B.1.1 General
- B.1.2 Determination of the single-phase properties at the MPFM conditions
- B.1.3 Conversions of measured flow rates at actual MPFM conditions to standard conditions
- B.1.4 Application of thermodynamics to MPFM technology
- B.2 Challenges in characterizing petroleum fluid properties

Annex C (informative) Example of field test reference measurements

Page count: 98