

# ISO 15632:2021-02 (E)

**Microbeam analysis - Selected instrumental performance parameters for the specification and checking of energy-dispersive X-ray spectrometers (EDS) for use with a scanning electron microscope (SEM) or an electron probe microanalyser (EPMA)**

---

| <b>Contents</b>            |                                                                                                                           | <b>Page</b> |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------|
| Foreword .....             |                                                                                                                           | iv          |
| Introduction .....         |                                                                                                                           | v           |
| <b>1</b>                   | <b>Scope .....</b>                                                                                                        | <b>1</b>    |
| <b>2</b>                   | <b>Normative references .....</b>                                                                                         | <b>1</b>    |
| <b>3</b>                   | <b>Terms and definitions .....</b>                                                                                        | <b>1</b>    |
| <b>4</b>                   | <b>Requirements .....</b>                                                                                                 | <b>3</b>    |
| <b>4.1</b>                 | <b>General description .....</b>                                                                                          | <b>3</b>    |
| <b>4.2</b>                 | <b>Energy resolution .....</b>                                                                                            | <b>4</b>    |
| <b>4.3</b>                 | <b>Dead time .....</b>                                                                                                    | <b>4</b>    |
| <b>4.4</b>                 | <b>Peak-to-background ratio .....</b>                                                                                     | <b>4</b>    |
| <b>4.5</b>                 | <b>Energy dependence of instrumental detection efficiency .....</b>                                                       | <b>5</b>    |
| <b>5</b>                   | <b>Check of further performance parameters .....</b>                                                                      | <b>5</b>    |
| <b>5.1</b>                 | <b>General .....</b>                                                                                                      | <b>5</b>    |
| <b>5.2</b>                 | <b>Stability of the energy scale and resolution .....</b>                                                                 | <b>5</b>    |
| <b>5.3</b>                 | <b>Pile-up effects .....</b>                                                                                              | <b>5</b>    |
| <b>5.4</b>                 | <b>Periodical check of spectrometer performance .....</b>                                                                 | <b>5</b>    |
| <b>Annex A (normative)</b> | <b>Measurement of line widths (FWHMs) to determine the energy resolution of the spectrometer .....</b>                    | <b>6</b>    |
| <b>Annex B (normative)</b> | <b>Measurement of the L/K ratio as a measure for the energy dependence of the instrumental detection efficiency .....</b> | <b>11</b>   |
| <b>Bibliography .....</b>  |                                                                                                                           | <b>13</b>   |