

ISO 21654:2021 (E)

Solid recovered fuels — Determination of calorific value

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
4.1	Gross calorific value
4.2	Net calorific value
5	Reagents
6	Laboratory conditions
7	Apparatus
7.1	General
7.2	Auxiliary equipment
7.3	Balances
8	Preparation of test sample
9	Calorimetric procedure
9.1	General
9.2	Preparing the combustion vessel for measurement
9.2.1	General procedure
9.2.2	Using combustion aids
9.3	Assembling the calorimeter
9.4	Combustion reaction and temperature measurements
9.5	Analysis of products of combustion
9.6	Corrected temperature rise θ
9.6.1	Observed temperature rise
9.6.2	Isoperibol and static#jacket calorimeters
9.6.3	Adiabatic calorimeters
9.6.4	Thermometer corrections
9.7	Reference temperature
10	Calibration
10.1	Principle
10.2	Calibration reference
10.2.1	Certification conditions
10.2.2	Calibration conditions
10.3	Valid working range of the effective heat capacity ϵ
10.4	Ancillary contributions
10.5	Calibration procedure
10.6	Calculation of effective heat capacity for the individual experiment
10.6.1	Constant mass#of#calorimeter#water basis
10.6.2	Constant total#calorimeter#mass basis
10.7	Precision of the mean value of the effective heat capacity ϵ
10.7.1	Constant value of ϵ
10.7.2	ϵ as a function of the observed temperature rise

- 10.8 Repetition of the determination of effective heat capacity
- 11 Gross calorific value
 - 11.1 General
 - 11.2 Combustion
 - 11.3 Calculation of gross calorific value
 - 11.3.1 General
 - 11.3.2 Constant mass#of#calorimeter#water basis
 - 11.3.3 Constant total#calorimeter#mass basis
 - 11.3.4 ϵ as a function of the observed temperature rise
 - 11.4 Expression of results
 - 11.5 Calculation to other bases
- 12 Precision
 - 12.1 Repeatability limit
 - 12.2 Reproducibility limit
- 13 Calculation of net calorific value at constant pressure
 - 13.1 General
 - 13.2 Calculations
- 14 Test report
- Annex A (normative) Adiabatic combustion vessel calorimeters
 - A.1 Principle
 - A.2 Sources of deviation for the real calorimeter
 - A.3 Adiabatic conditions
 - A.3.1 Thermostat
 - A.3.2 Adiabatic control
 - A.4 Initial steady state and length of the main period
 - A.5 Correction for drift at the final temperature
 - A.6 Strategy for checking on bias
- Annex B (normative) Isoperibol and static-jacket combustion vessel calorimeters
 - B.1 Principle
 - B.2 Sources of deviation for the real calorimeter
 - B.3 Choice of jacket temperature
 - B.4 Rating periods
 - B.4.1 Initial steady state and fore period
 - B.4.2 After period and length of the main period
 - B.5 Calculation of the corrected temperature rise B
 - B.5.1 General
 - B.5.2 Regnault#Pfaundler method
 - B.5.3 Dickinson extrapolation method
- Annex C (normative) Automated combustion vessel calorimeters
 - C.1 The instrument
 - C.2 Calibration
 - C.3 Precision requirements for calibrations
 - C.4 Comparability of calibration and fuel experiments
 - C.5 Documentation and print#out
 - C.6 Precision requirements for fuel experiments
- Annex D (normative) Removed ash contributors
 - D.1 Calorific value including removed ash contributors (i.e. included and not taken out)
- Annex E (informative) Checklists for the design and procedures of combustion experiments
 - E.1 Introduction
 - E.2 Choice of general parameters
 - E.3 Adiabatic calorimeters
 - E.3.1 Determination of the corrected temperature rise θ
 - E.3.2 Evaluation of the effective heat capacity ϵ
 - E.3.3 The gross calorific value at constant volume $q_{V,gr}$
 - E.4 Isoperibol calorimeters

- E.4.1 Determination of the corrected temperature rise θ
 - E.4.2 Evaluation of the effective heat capacity ϵ
 - E.4.3 The gross calorific value at constant volume $q_{V,gr}$
 - E.5 Automated combustion vessel calorimeters
- Annex F (informative) Examples to illustrate the main calculations used in this document if an automated (adiabatic) combustion vessel calorimeter is used for determinations**
- F.1 Gross calorific value at constant volume
 - F.2 Gross calorific value at constant pressure
 - F.3 Net calorific value
 - F.3.1 Net calorific value at constant volume
 - F.3.2 Net calorific value at constant pressure
 - F.4 Use of typical or default values to calculate calorific values
- Annex G (informative) List of symbols used in this document**
- Annex H (informative) Flow chart for a routine calorific value determination**
- Annex I (informative) Interlaboratory test results**
- Annex J (informative) Additional terms for the basis of results expression**
- Annex K (informative) Environmental aspects**

Page count: 61