

ISO 8840:2021-09 (E)

Refractory materials - Determination of bulk density of granular materials (grain density)

| Contents | | Page |
|---------------------------|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | 2 |
| 5 | Sampling | 2 |
| 6 | Preparation, number and test size of samples | 2 |
| 6.1 | Preparation of samples | 2 |
| 6.2 | Number of samples | 2 |
| 6.3 | Mass of test samples | 2 |
| 7 | Determination of mass of test sample | 2 |
| 8 | Determination of volume of test sample -- Method 1: Mercury method with vacuum | 3 |
| 8.1 | Principle | 3 |
| 8.2 | Apparatus | 4 |
| 8.3 | Determination of mass of empty vacuum pycnometer | 5 |
| 8.4 | Determination of mass of pycnometer filled with mercury | 6 |
| 8.5 | Determination of mass of pycnometer containing test sample and filled with mercury | 6 |
| 8.6 | Calculation of volume of test sample | 6 |
| 9 | Determination of volume of test sample -- Method 2: Arrested water absorption method | 7 |
| 9.1 | Apparatus | 7 |
| 9.2 | Determination of volume of test sample | 7 |
| 9.3 | Calculation of results | 8 |
| 10 | Determination of bulk density of test sample -- Method 3: Vacuum method with spin dryer option | 8 |
| 10.1 | Principle | 8 |
| 10.2 | Apparatus and materials | 8 |
| 10.3 | Procedure | 9 |
| 10.3.1 | Determination of the mass of dry test piece (m₁) | 9 |
| 10.3.2 | Soaking of the test sample | 10 |
| 10.3.3 | Determination of the apparent mass of the immersed test sample (m₅) and the mass of the soaked test sample (m₃) | 10 |
| 10.4 | Calculation of results | 12 |
| 10.4.1 | Calculation of the volume of the test sample (VR) | 12 |
| 10.4.2 | Calculation of the bulk density of the test sample (R) | 12 |
| 10.5 | Precision and bias | 12 |
| 10.5.1 | Interlaboratory data | 12 |
| 10.5.2 | Precision | 12 |
| 10.5.3 | Bias | 13 |
| 11 | Test report | 13 |
| Bibliography | | 14 |