

DIN 25449:2022-07 (E)

Reinforced and prestressed concrete components in nuclear facilities - Safety concept, actions, design and construction

Contents

Page

Foreword	5
1 Scope	6
2 Normative references	6
3 Terms and definitions, and symbols	7
3.1 Terms and definitions.....	7
3.2 Symbols	8
4 Materials	11
4.1 Concrete	11
4.1.1 General	11
4.1.2 Temperature dependence of characteristic values.....	11
4.1.3 Bound water content.....	11
4.1.4 Heat capacity	13
4.2 Reinforcing steel.....	13
4.3 Prestressing steel.....	13
5 Actions	13
5.1 General	13
5.2 Permanent actions.....	14
5.3 Variable actions	14
5.4 Accidental actions	14
5.4.1 General	14
5.4.2 Internal actions.....	15
5.4.3 External actions	17
6 Safety concept.....	19
6.1 General	19
6.2 Combination rules.....	19
6.3 Partial safety factors and combination factors for actions.....	21
6.4 Ultimate limit states	22
6.5 Serviceability limit states	24
7 Procedures for structural analysis and verification	24
7.1 General	24
7.2 Linear-elastic analysis.....	25
7.3 Non-linear analysis.....	25
7.4 Behaviour of structural elements subjected to dynamic actions	26
7.4.1 General	26
7.4.2 Structural element stiffness.....	26
7.4.3 Masses.....	26
7.4.4 Damping of structural elements.....	27
7.4.5 Soil and foundation	27
7.4.6 Simplified methods for individual structural elements.....	28
8 Design recommendations	29
8.1 Design strength of reinforced concrete.....	29
8.2 Ultimate limit strain of reinforcing steel and concrete.....	30
8.3 Shear forces.....	30
8.4 Punching shear.....	31

8.4.1	General.....	31
8.4.2	Structural elements without punching shear reinforcement	31
8.4.3	Structural elements with punching shear reinforcement.....	33
8.4.4	Structural members for wreckage loads	35
8.4.5	Structural detailing.....	35
Annex A (informative) Plant conditions and actions.....		36
Annex B (informative) Load assumptions due to blast waves from explosions for buildings as a whole and for slender structural elements.....		38
B.1	General.....	38
B.2	Rectangular buildings.....	39
B.2.1	Directly loaded individual structural elements	39
B.2.2	Overall structure, bracing structural elements, foundation	39
B.3	Cylindrical and spherical buildings.....	39
B.4	Slender structural elements	41
Annex C (normative) Modified partial safety factors for nuclear power plants in decommissioning		42
C.1	General.....	42
C.2	Modified partial safety factors	42
C.2.1	Partial safety factors without consideration of conditions specific to the facility and structure.....	42
C.2.2	Determination of partial safety factors with consideration of conditions specific to the facility and structure	43
Annex D (informative) Approaches for considering site-specific conditions for the determination of modified partial safety factors for nuclear power plants in decommissioning		44
D.1	General.....	44
D.2	Determination of partial safety factors via the reliability level	44
D.3	Direct determination of partial safety factors	45
D.3.1	Consideration of realistic scatter of the basic variables.....	45
D.3.2	Consideration of material samples.....	45
D.3.3	Possibilities for the precise determination of variable actions	46
Bibliography		48

Figures

Figure 1	— Bound water content at low water vapour partial pressure (0,8 kPa) and at temperatures kept constant at progressive steps.....	12
Figure 2	— Idealized differential pressure Δp as a function of time	15
Figure 3	— Idealized jet impingement force F_S as a function of time.....	16
Figure 4	— Idealized form of an elastic ground response or floor response spectrum	17
Figure 5	— Load/time function for an aircraft crash according to the <i>BMU-Sicherheitsanforderungen</i> (Safety requirements issued by the German Federal Ministry for the Environment)	18
Figure 6	— Load/time function of pressure waves caused by chemical reactions, as defined in the <i>BMI-Richtlinie: 1976-09</i> (Guideline issued by the Federal Ministry of the Interior).....	19
Figure 7	— Dynamic load factor for an explosion pressure wave.....	29
Figure B.1	— Idealized overpressure, p , as a function of time, of blast pressure waves acting on buildings.....	38

Figure B.2 — Pressure/time function of resulting overpressure Δp for rectangular buildings.....	39
Figure B.3 — Overpressure \bar{p} on cylindrical and spherical buildings, as a function of time	40
Figure B.4 — Overpressure distribution on the perimeter of cylindrical and spherical buildings	40

Tables

Table 1 — Symbols	8
Table 2 — Reference values for the bound water content of dry (i.e. dried) hardened cement paste	12
Table 3 — Reference values for partial safety factors and combination factors.....	21
Table 4 — Partial safety factors and material properties for reinforced concrete and prestressed concrete members for determining the resistance in the ultimate limit state	23
Table 5 — Assignment of the various requirement categories.....	24
Table 6 — Values for the damping ratio D as a percentage of critical damping for the design of structures and parts of structures	27
Table 7 — Maximum dynamic load factors	28
Table A.1 — Plant conditions and events given by way of example and the resultant possible consequences for the containment vessel.....	36
Table A.2 — Examples of internal and external events and the possible consequences of such events	37
Table B.1 — Pressure ordinates as a function of impact angle ϑ (\bar{p} as in Figure B.3).....	40
Table B.2 — Dynamic pressure q as a function of p_2	41
Table C.1 — Partial safety factors without consideration of conditions specific to the facility and structure.....	43