

# DIN EN 15522-2:2023-07 (E)

## Oil spill identification - Petroleum and petroleum related products - Part 2: Analytical method and interpretation of results based on GC-FID and GC-low resolution -MS analyses

---

| <b>Contents</b>         |  | <b>Page</b> |
|-------------------------|--|-------------|
| European foreword ..... |  | 8           |
| Introduction .....      |  | 10          |
| 1                       | Scope.....   | 12          |
| 2                       | Normative references.....  | 12          |
| 3                       | Terms and definitions .....  | 13          |
| 3.1                     | General.....   | 13          |
| 3.2                     | Sample comparison.....   | 15          |
| 3.3                     | Abbreviations.....   | 15          |
| 4                       | Strategy for the identification of oil spill sources .....           | 16          |
| 4.1                     | General.....   | 16          |
| 4.2                     | Basis for reliable conclusions – Numerical comparisons.....          | 17          |
| 5                       | General lab instructions .....                                       | 18          |
| 5.1                     | Sampling and sample preparation .....                                | 18          |
| 5.2                     | GC-FID and GC-MS analysis .....                                      | 18          |
| 5.3                     | Conclusions and reporting .....                                      | 20          |
| 6                       | Sample preparation .....   | 20          |
| 6.1                     | General.....   | 20          |
| 6.2                     | Visual examination and description of samples.....                   | 20          |
| 6.3                     | Preparation.....   | 21          |
| 6.3.1                   | Sample storage.....  | 21          |
| 6.3.2                   | Water samples .....  | 21          |
| 6.3.3                   | Oil samples from an Ethylene-tetrafluorethylene (ETFE) net.....      | 22          |
| 6.3.4                   | Thick oil and emulsified oil samples .....                           | 22          |
| 6.3.5                   | Tar balls and emulsified lumps .....                                 | 22          |
| 6.3.6                   | Samples from oiled birds, fish and other animals and vegetation..... | 23          |
| 6.3.7                   | Sediment .....   | 23          |
| 6.4                     | Sample clean-up .....  | 23          |
| 6.4.1                   | General.....   | 23          |
| 6.4.2                   | Particle removal.....  | 23          |
| 6.4.3                   | Asphaltenes precipitation .....                                      | 24          |
| 6.4.4                   | Alumina column clean-up of biogenic materials .....                  | 24          |
| 6.4.5                   | Silica or Florisil® column clean-up.....                             | 25          |
| 6.5                     | Recommended injection concentration .....                            | 26          |
| 7                       | Characterization and evaluation of analytical data .....             | 27          |
| 7.1                     | General.....   | 27          |
| 7.2                     | Characterization by GC-FID – Level 1.....                            | 28          |
| 7.2.1                   | General.....   | 28          |
| 7.2.2                   | Evaluation of the influence of weathering on sample comparison.....  | 28          |
| 7.2.3                   | Acyclic isoprenoids ratios – Level 1.2.....                          | 31          |
| 7.2.4                   | Level 1 criteria .....   | 32          |
| 7.2.5                   | Level 1 conclusions .....  | 32          |
| 7.3                     | Characterization by GC-MS – Level 2.....                             | 32          |
| 7.3.1                   | General.....   | 32          |

|         |   |    |
|---------|---|----|
| 7.3.2   | Visual inspection and overall characterization - Level 2.1.....           | 32 |
| 7.3.3   | Treatment of the GC-MS results – Level 2.2.....                           | 33 |
| 7.4     | Treatment of the results using the MS-PW-plot- Level 2.2 .....            | 33 |
| 7.4.1   | General .....   | 33 |
| 7.4.2   | PW-plot calculations.....   | 34 |
| 7.4.3   | Evaluation of the variability of the analysis and peak integration.....   | 34 |
| 7.4.4   | Evaluation of weathering.....   | 36 |
| 7.5     | Treatment of the results using diagnostic ratios – Level 2.2 .....        | 37 |
| 7.5.1   | General .....   | 37 |
| 7.5.2   | Diagnostic ratios calculation .....                                       | 38 |
| 7.5.3   | Normative diagnostic ratios .....   | 38 |
| 7.5.4   | Analytical error .....  | 42 |
| 7.5.5   | Match-criterion for ratios.....   | 43 |
| 7.5.6   | Criteria for selecting, eliminating and evaluating diagnostic ratios..... | 44 |
| 7.6     | Conclusions .....   | 48 |
| 8       | Reporting.....  | 49 |
| 8.1     | General .....   | 49 |
| 8.2     | Internal documentation – technical report.....                            | 50 |
| 8.3     | Identification report – summary report.....                               | 51 |
| 9       | Quality assurance .....   | 51 |
| Annex A | (normative) GC-FID analysis .....   | 53 |
| A.1     | General .....   | 53 |
| A.2     | Analytical standards for GC-FID analyses.....                             | 53 |
| A.2.1   | N-alkanes.....  | 53 |
| A.2.2   | Injection concentration of the standard GC-FID.....                       | 54 |
| A.2.3   | Storage of frequently used standard solutions.....                        | 54 |
| A.3     | Suggested instrumental conditions .....                                   | 54 |
| A.4     | Measures to improve and verify the accuracy of the method – GC-FID.....   | 55 |
| A.4.1   | Mass discrimination .....   | 55 |
| A.4.2   | Column resolution.....  | 56 |
| A.4.3   | Linearity.....  | 58 |
| A.4.4   | Mid-level concentration .....   | 58 |
| A.4.5   | Variance .....  | 59 |
| A.4.6   | GC-FID sequence.....  | 59 |
| Annex B | (normative) GC-MS analysis .....  | 60 |
| B.1     | General .....   | 60 |
| B.2     | Analytical standards for GC-MS analyses.....                              | 60 |
| B.2.1   | General .....   | 60 |
| B.2.2   | Crude oil to be used around each sequence.....                            | 61 |
| B.2.3   | Oil mixture .....   | 61 |
| B.2.4   | Analytical standards for PAH homologues .....                             | 61 |
| B.2.5   | FAMES.....  | 62 |
| B.2.6   | Storage of frequently used standard solutions.....                        | 62 |

|              |   |           |
|--------------|---|-----------|
| <b>B.3</b>   | <b>Suggested instrumental conditions.....</b>   | <b>62</b> |
| <b>B.3.1</b> | <b>GC conditions for the exchange of analytical results .....</b>   | <b>62</b> |
| <b>B.3.2</b> | <b>GC-MS conditions for full-scan analysis.....</b>   | <b>64</b> |
| <b>B.3.3</b> | <b>MS preparation for selected ion monitoring (SIM) analysis .....</b>  | <b>65</b> |
| <b>B.4</b>   | <b>Measures to improve and verify the accuracy of the GC-MS method .....</b>                                      | <b>66</b> |
| <b>B.4.1</b> | <b>Relative retention time.....</b>   | <b>66</b> |
| <b>B.4.2</b> | <b>Mass discrimination.....</b>   | <b>66</b> |
| <b>B.4.3</b> | <b>Peak symmetry and column resolution.....</b>   | <b>66</b> |
| <b>B.4.4</b> | <b>Patterns.....</b>  | <b>67</b> |
| <b>B.4.5</b> | <b>Linearity.....</b>   | <b>67</b> |
| <b>B.4.6</b> | <b>Mid-level concentration .....</b>  | <b>67</b> |
| <b>B.4.7</b> | <b>Variance.....</b>  | <b>68</b> |
| <b>B.4.8</b> | <b>Sample analysis with GC-MS.....</b>  | <b>68</b> |
|              | <b>Annex C (informative) Precision statement .....</b>  | <b>69</b> |
| <b>C.1</b>   | <b>General.....</b>   | <b>69</b> |
| <b>C.2</b>   | <b>Precision of the MS-PW-plot .....</b>  | <b>69</b> |
| <b>C.3</b>   | <b>Precision of the ratio comparison .....</b>  | <b>70</b> |
| <b>C.4</b>   | <b>Reproducibility.....</b>   | <b>71</b> |
| <b>C.5</b>   | <b>The effect of the ratio type on the RSD .....</b>  | <b>72</b> |
| <b>C.6</b>   | <b>Example of a paired ratio calculation in Excel® .....</b>  | <b>73</b> |
| <b>C.7</b>   | <b>Calculation of the evaporation line for the MS-PW-plot in Excel® .....</b>                                     | <b>74</b> |
|              | <b>Annex D (normative) Evaluative reporting using match definitions or likelihood ratios .....</b>                | <b>77</b> |
| <b>D.1</b>   | <b>General.....</b>   | <b>77</b> |
| <b>D.2</b>   | <b>Match definitions .....</b>  | <b>77</b> |
| <b>D.3</b>   | <b>Likelihood ratios (LR) .....</b>   | <b>78</b> |
|              | <b>Annex E (normative) List of compounds and compound groups analysed by GC-MS-SIM .....</b>                      | <b>80</b> |
| <b>E.1</b>   | <b>General.....</b>   | <b>80</b> |
| <b>E.2</b>   | <b>Compounds.....</b>   | <b>81</b> |
| <b>E.2.1</b> | <b>General.....</b>   | <b>81</b> |
| <b>E.2.2</b> | <b>Compound type.....</b>   | <b>86</b> |
| <b>E.3</b>   | <b>Normative ratios and informative ratios. ....</b>  | <b>87</b> |
|              | <b>Annex F (informative) Chromatograms and ratios of compounds and compound groups analysed by GC-MS-SIM.....</b> | <b>91</b> |
| <b>F.1</b>   | <b>General.....</b>   | <b>91</b> |
| <b>F.2</b>   | <b>Alkanes .....</b>  | <b>91</b> |
| <b>F.3</b>   | <b>Cyclohexanes and polycyclic alkanes .....</b>  | <b>92</b> |

|                              |  |            |
|------------------------------|--|------------|
| <b>F.4</b>                   | <b>Mono-aromatic and poly-aromatic compounds .....</b>                                 | <b>98</b>  |
| <b>F.4.1</b>                 | <b>Alkyl-benzenes and alkyl-toluenes .....</b>   | <b>98</b>  |
| <b>F.4.2</b>                 | <b>PAHs, alkyl-PAHs and S-PAHs .....</b>   | <b>98</b>  |
| <b>F.4.3</b>                 | <b>Tri-aromatic steranes .....</b>   | <b>109</b> |
| <b>F.5</b>                   | <b>FAMEs.....</b>  | <b>110</b> |
| <b>Annex G (informative)</b> | <b>General composition of oils – chemical groups .....</b>                             | <b>114</b> |
| <b>G.1</b>                   | <b>General .....</b>   | <b>114</b> |
| <b>G.2</b>                   | <b>Hydrocarbons .....</b>  | <b>115</b> |
| <b>G.3</b>                   | <b>Aliphatic compounds.....</b>  | <b>115</b> |
| <b>G.3.1</b>                 | <b>General .....</b>   | <b>115</b> |
| <b>G.3.2</b>                 | <b>Paraffins.....</b>  | <b>115</b> |
| <b>G.3.3</b>                 | <b>Naphthenes .....</b>  | <b>115</b> |
| <b>G.4</b>                   | <b>Aromatic compounds .....</b>  | <b>116</b> |
| <b>G.5</b>                   | <b>Heteroatomic organic compounds .....</b>  | <b>116</b> |
| <b>G.5.1</b>                 | <b>General .....</b>   | <b>116</b> |
| <b>G.5.2</b>                 | <b>Resins.....</b>   | <b>116</b> |
| <b>G.5.3</b>                 | <b>Asphaltenes .....</b>   | <b>116</b> |
| <b>Annex H (informative)</b> | <b>Weathering of oils spilled on water and land.....</b>                               | <b>118</b> |
| <b>H.1</b>                   | <b>General .....</b>   | <b>118</b> |
| <b>H.2</b>                   | <b>Weathering processes.....</b>   | <b>118</b> |
| <b>H.2.1</b>                 | <b>Weathering of oils spilled on water .....</b>                                       | <b>118</b> |
| <b>H.2.2</b>                 | <b>Weathering of waterborne oils stranded on land or land based oil spills.....</b>    | <b>120</b> |
| <b>H.2.3</b>                 | <b>Mixing and contamination.....</b>   | <b>120</b> |
| <b>H.2.4</b>                 | <b>Dispersion .....</b>  | <b>121</b> |
| <b>H.2.5</b>                 | <b>In-situ burning.....</b>  | <b>123</b> |
| <b>H.3</b>                   | <b>Evaluation of weathering processes.....</b>   | <b>124</b> |
| <b>H.3.1</b>                 | <b>Evaporation .....</b>   | <b>124</b> |
| <b>H.3.2</b>                 | <b>Dissolution .....</b>   | <b>127</b> |
| <b>H.3.3</b>                 | <b>Photo-oxidation.....</b>  | <b>129</b> |
| <b>H.3.4</b>                 | <b>Biodegradation .....</b>  | <b>135</b> |
| <b>H.3.5</b>                 | <b>Wax redistribution.....</b>   | <b>138</b> |
| <b>H.3.6</b>                 | <b>Mixing .....</b>  | <b>144</b> |
| <b>H.3.7</b>                 | <b>Contamination .....</b>   | <b>146</b> |
| <b>H.3.8</b>                 | <b>In-situ burning.....</b>  | <b>146</b> |
| <b>Annex I (informative)</b> | <b>Characteristic features of different oil types in oil spill identification.....</b> | <b>149</b> |
| <b>I.1</b>                   | <b>General .....</b>   | <b>149</b> |

|  |  |            |
|--|--|------------|
| <b>I.2</b>   | <b>Crude oil</b> .....   | <b>149</b> |
| <b>I.2.1</b>   | <b>General</b> .....   | <b>149</b> |
| <b>I.2.2</b>   | <b>Analysis</b> .....  | <b>150</b> |
| <b>I.3</b>   | <b>Light fuel oil (gas oil, diesel, fuel No 2, biofuels, GTL)</b> .....        | <b>156</b> |
| <b>I.3.1</b>   | <b>General</b> .....   | <b>156</b> |
| <b>I.3.2</b>   | <b>Analysis, GC screening</b> .....  | <b>157</b> |
| <b>I.3.3</b>   | <b>GC-MS analysis</b> .....  | <b>159</b> |
| <b>I.3.4</b>   | <b>Biofuels</b> .....  | <b>162</b> |
| <b>I.3.5</b>   | <b>Gas to liquid products</b> .....  | <b>163</b> |
| <b>I.4</b>   | <b>Lubricating oil</b> .....   | <b>164</b> |
| <b>I.4.1</b>   | <b>General</b> .....   | <b>164</b> |
| <b>I.4.2</b>   | <b>Analysis</b> .....  | <b>166</b> |
| <b>I.5</b>   | <b>Heavy fuel oil (HFO, Bunker C, Fuel No 6) and low sulfur fuel oil</b> ..... | <b>170</b> |
| <b>I.5.1</b>   | <b>General</b> .....   | <b>170</b> |
| <b>I.5.2</b>   | <b>Analysis</b> .....  | <b>171</b> |
| <b>I.6</b>   | <b>Waste oil (bilge oil, sludge, slops)</b> .....                              | <b>179</b> |
| <b>I.6.1</b>   | <b>General</b> .....   | <b>179</b> |
| <b>I.6.2</b>   | <b>Analysis</b> .....  | <b>180</b> |
| <b>I.7</b>   | <b>Conclusion</b> .....  | <b>184</b> |
| <b>Annex J (informative) Example of external documentation – identification report of an oil spill case</b><br>..... |  | <b>186</b> |
| <b>J.1</b>   | <b>General</b> .....   | <b>186</b> |
| <b>J.2</b>   | <b>Sample information</b> .....  | <b>186</b> |
| <b>J.3</b>   | <b>Analytical procedure</b> .....  | <b>186</b> |
| <b>J.3.1</b>   | <b>Method</b> .....  | <b>186</b> |
| <b>J.3.2</b>   | <b>Dilution/extraction</b> .....   | <b>186</b> |
| <b>J.3.3</b>   | <b>Analyses</b> .....  | <b>186</b> |
| <b>J.4</b>   | <b>Results</b> .....   | <b>186</b> |
| <b>J.5</b>   | <b>Interpretation</b> .....  | <b>186</b> |
| <b>J.5.1</b>   | <b>General</b> .....   | <b>186</b> |
| <b>J.5.2</b>   | <b>Positive match</b> .....  | <b>187</b> |
| <b>J.5.3</b>   | <b>Probable match</b> .....  | <b>187</b> |
| <b>J.5.4</b>   | <b>Inconclusive</b> .....  | <b>187</b> |
| <b>J.5.5</b>   | <b>Non-match</b> .....   | <b>187</b> |
| <b>J.6</b>   | <b>Conclusions</b> .....   | <b>187</b> |
| <b>Annex K (informative) Example of internal documentation – technical report of an oil spill case</b><br>.....      |  | <b>189</b> |

|              |   |            |
|--------------|---|------------|
| <b>K.1</b>   | <b>General</b> .....                                  | <b>189</b> |
| <b>K.2</b>   | <b>Sample information</b> .....                       | <b>189</b> |
| <b>K.2.1</b> | <b>Samples</b> .....                                  | <b>189</b> |
| <b>K.2.2</b> | <b>Contact information</b> .....                      | <b>189</b> |
| <b>K.2.3</b> | <b>Request</b> .....                                  | <b>189</b> |
| <b>K.2.4</b> | <b>Photo(s) of the samples</b> .....                  | <b>190</b> |
| <b>K.3</b>   | <b>Sample preparation and analyses</b> .....          | <b>190</b> |
| <b>K.4</b>   | <b>Quality assurance</b> .....                        | <b>192</b> |
| <b>K.5</b>   | <b>GC-FID results – Level 1</b> .....                 | <b>194</b> |
| <b>K.5.1</b> | <b>GC-FID chromatograms – Level 1.1</b> .....         | <b>194</b> |
| <b>K.5.2</b> | <b>GC-FID numerical comparisons – Level 1.2</b> ..... | <b>196</b> |
| <b>K.5.3</b> | <b>GC-FID conclusions</b> .....                       | <b>201</b> |
| <b>K.6</b>   | <b>GC-MS results – Level 2</b> .....                  | <b>202</b> |
| <b>K.6.1</b> | <b>General</b> .....                                  | <b>202</b> |
| <b>K.6.2</b> | <b>GC-MS chromatograms – Level 2.1</b> .....          | <b>202</b> |
| <b>K.6.3</b> | <b>GC-MS numerical comparisons – Level 2.2</b> .....  | <b>203</b> |
| <b>K.6.4</b> | <b>Visual inspection</b> .....                        | <b>211</b> |
| <b>K.6.5</b> | <b>Overall conclusions</b> .....                      | <b>212</b> |
|              | <b>Bibliography</b> .....                             | <b>213</b> |