ISO 23581:2024-05 (E)

Petroleum products and related products - Determination of kinematic viscosity - Method by Stabinger type viscometer

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Principle 2

5 Reagents and materials 2

6 Apparatus 3

7 Sampling and sample handling 5
7.1 Sampling 5
7.2 Sample handling 5
7.2.1 General sample handling 5
7.2.2 Conditioning of residual fuel oils 5

8 Calibrationandverification 6
8.1 General 6
8.2 Instrument 6

9 Apparatus preparation 7

10 Procedure 7
10.1 Measuring procedure 7
10.2 Manual filling and cleaning using syringes 8
10.3 Manual filling using sample displacement 8
10.4 Automatic filling and cleaning by a sample changer/sample handler 9
10.5 Procedure for temperature scanning 9

11 Calculation 10
11.1 Kinematic viscosity, dynamic viscosity and density 10
11.2 Viscosity index 10
11.3 Density extrapolation 10

12 Expression of results 10

13 Precision 11
13.1 Repeatability, r 11
13.2 Reproducibility, R 11
13.3 Bias 12
13.3.1 General 12
13.3.2 Degree of agreement between results by test method ASTM D7042 and test method ASTM D445 13
13.4 Interlaboratory study 14

14 Test report 15

Annex A (normative) Calculation of acceptable tolerance zone (band) for determination of conformance with a reference material 17

Bibliography 18