

# DIN 53099:2024-12 (E)

## Metallic coatings - Electrodeposited chromium coatings with chromium(III)-based electrolytes on copper-nickel coatings on plastics - Requirements and test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	7
4	Ordering information .....	8
4.1	Essential information .....	8
4.2	Additional information .....	9
5	Service condition numbers .....	9
6	Designation .....	9
6.1	General .....	9
6.2	Base material .....	10
6.3	Intermediate metal coating .....	10
6.4	Metal coatings .....	10
6.4.1	General .....	10
6.4.2	Nickel coatings .....	10
6.4.3	Chromium coatings from chromium(III)-based electrolytes .....	11
6.5	Examples of designations .....	13
7	Requirements .....	14
7.1	Base material .....	14
7.2	Appearance of the coated component .....	14
7.2.1	Freedom from defects .....	14
7.2.2	Colour characteristics .....	15
7.2.3	Colorimetry .....	15
7.3	Local coating thickness .....	15
7.4	Pore count .....	17
7.5	Adhesive strength of the metal coatings .....	17
7.6	Corrosion resistance .....	18
7.7	Potential differences between the individual nickel coatings .....	18
8	Sampling .....	19
9	Further test methods .....	19
10	Test report .....	19
Annex A (normative) Service condition numbers .....		21
Annex B (informative) Methods of determining coating thickness .....		22
B.1	General .....	22
B.2	Methods .....	22
B.2.1	Microscopic method .....	22

B.2.2	Coulometric method .....	22
B.2.3	X-ray spectrometric method .....	23
B.2.4	Profilometric method .....	23
Annex C (normative) Determination of pore count in the chromium coating .....		24
C.1	General .....	24
C.2	Sample preparation .....	24
C.3	Galvanostatic test (Dubpernell test) .....	25
C.3.1	Composition of the copper electrolyte .....	25
C.3.2	Working conditions .....	25
C.3.3	Procedure .....	25
C.3.4	Evaluation .....	25
C.4	Potentiostatic test (modified Dubpernell test) .....	25
C.4.1	Composition of the copper electrolyte .....	25
C.4.2	Working conditions .....	26
C.4.3	Procedure .....	26
C.4.4	Evaluation .....	26
C.5	Potentiostatic test (Fuhrmann test) .....	26
C.5.1	Set-up and description of measuring cell .....	26
C.5.2	Composition of the copper electrolyte .....	27
C.5.3	Working conditions .....	27
C.5.4	Procedure .....	27
C.5.5	Evaluation .....	28
C.6	Anodizing test (Fechner test) .....	28
C.6.1	General .....	28
C.6.2	Test set-up .....	28
C.6.3	Composition of the electrolyte .....	28
C.6.4	Working conditions .....	28
C.6.5	Procedure .....	29
C.6.6	Evaluation .....	29
Annex D (normative) Thermal cycling test .....		30
D.1	General .....	30
D.2	Principle of method .....	30
D.3	Samples .....	30
D.3.1	Sampling and number of test pieces .....	30
D.3.2	Exposure of test pieces .....	30
D.4	Test apparatus .....	30
D.5	Procedure .....	31
D.5.1	Test procedure .....	31
D.5.2	Evaluation .....	31
Annex E (informative) Thermal cycling test combined with NSS or CASS test .....		32
E.1	Principle of method .....	32
E.2	Procedure .....	32
E.3	Evaluation .....	32
Annex F (informative) Glacial acetic acid test .....		33
F.1	General .....	33
F.2	Reagents .....	33
F.3	Test apparatus .....	33
F.4	Procedure .....	33
F.5	Evaluation .....	33
Bibliography .....		35

## **Figures**

<b>Figure C.1 — Schematic set-up of measuring cell .....</b>	<b>27</b>
--	-----------

## **Tables**

<b>Table 1 — Requirements for double nickel coatings .....</b>	<b>11</b>
<b>Table 2 — Requirements for double nickel coatings with additional microporous nickel coating.....</b>	<b>11</b>
<b>Table 3 — Designation of significant surfaces [2] .....</b>	<b>14</b>
<b>Table 4 — Minimum thicknesses of the copper and nickel coatings for coating systems on plastic....</b>	<b>17</b>
<b>Table 5 — Test durations for type A chromium coatings .....</b>	<b>18</b>
<b>Table A.1 — Classification of service condition numbers.....</b>	<b>21</b>
<b>Table D.1 — Service condition numbers and exposure temperatures.....</b>	<b>31</b>