ISO 8690:2024-09 (E)

Measurement of radioactivity - Gamma ray and beta emitting radionuclides - Test method to assess the ease of decontamination of surface materials

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms,definitionsandsymbols 2
3.1 Terms and definitions 2
3.2 Symbols 3

4 Principle 4

5 Apparatus 4
5.1 Beakers 4
5.2 Radiation detector 4
5.3 Pipettes 5
5.4 Two polytetrafluoroethylene (PTFE) or quartz ampoules 5
5.5 Storage bottles 5
5.6 Mounting 5
5.7 Cage-stirrer apparatus 6

6 Contamination and decontamination agents 6
6.1 Contaminant solutions 6
6.1.1 Composition of contaminant solutions 6
6.1.2 Preparation of the contaminant solutions 6
6.1.3 Preparation of contaminant solution using neutron activation 7
6.1.4 Storage of the contaminant solution 7
6.2 Decontaminant solution 8

7 Test specimens 8
7.1 Preparation and preliminary testing 8
7.1.1 Resistance to cleaning solution 8
7.1.2 Test specimens of non-metallic materials 8
7.1.3 Test specimens of metallic materials 8
7.2 Number and dimensions 9
7.3 Conditioning and cleaning 9

8 Procedure 9
8.1 Determining the specific pulse rate of each contaminant solution 9
8.2 Contamination 10
8.3 Decontamination 12
8.4 Determining the residual pulse rate 13

9 Calculation of results and assessment of ease of decontamination 14

10 Test report 14

Annex A (informative) Holder for contamination of test specimen 16

Annex B (normative) Cage-stirrer apparatus for decontamination 18

Annex C (informative) Formulae for preparation of the 137Cs and 60Co contaminant solutions 27

Annex D (informative) Calculations for the production of the contaminant solution using neutron activation 30

Annex E (informative) Example of a test report 32

Bibliography 34