

# ISO 9812:2024-10 (E)

## Corrosion of metals and alloys - Corrosion test method for disinfectant - Spray test method

---

### Contents

Page

Foreword.....	iv
Introduction.....	v
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Apparatus.....</b>	<b>2</b>
4.1 Test cabinet.....	2
4.2 Spray equipment.....	2
4.3 Specimen supporting device.....	2
4.4 Oven.....	2
4.5 Analytical balance.....	2
4.6 Vernier caliper.....	3
<b>5 Reagents and materials.....</b>	<b>3</b>
5.1 Experimental water.....	3
5.2 Acetone.....	3
5.3 Ethanol.....	3
5.4 Abrasive paper.....	3
<b>6 Test specimens.....</b>	<b>3</b>
<b>7 Pretreatment of test specimens.....</b>	<b>3</b>
<b>8 Arrangement of the test specimens.....</b>	<b>3</b>
<b>9 Operation condition.....</b>	<b>4</b>
9.1 Test environment.....	4
9.2 Disinfectant solution concentration and the disinfectant solution usage.....	4
9.3 Temperature.....	4
9.4 Duration of the test.....	4
<b>10 Procedure.....</b>	<b>5</b>
<b>11 Calculation of the corrosion rate.....</b>	<b>6</b>
<b>12 Report.....</b>	<b>6</b>
<b>Annex A (normative) Result of corrosion test.....</b>	<b>7</b>
<b>Annex B (informative) Schematic diagram of test cabinet associated apparatus for disinfectant corrosion test in the spray condition.....</b>	<b>8</b>