

# ISO 4266-6:2024-10 (E)

## Petroleum and liquid petroleum products - Measurement of level and temperature in storage tanks by automatic methods - Part 6: Measurement of temperature in pressurized storage tanks (non-refrigerated)

---

| <b>Contents</b> |  | <b>Page</b> |
|-----------------|--|-------------|
|                 | <b>Foreword</b> .....  | <b>iv</b>   |
| <b>1</b>        | <b>Scope</b> .....   | <b>1</b>    |
| <b>2</b>        | <b>Normative reference</b> .....   | <b>1</b>    |
| <b>3</b>        | <b>Terms and definitions</b> .....   | <b>1</b>    |
| <b>4</b>        | <b>Precautions</b> .....   | <b>2</b>    |
|                 | 4.1 Safety precautions.....  | 2           |
|                 | 4.2 Equipment precautions.....   | 2           |
|                 | 4.3 General precautions.....   | 3           |
| <b>5</b>        | <b>Accuracy</b> .....  | <b>3</b>    |
|                 | 5.1 General.....   | 3           |
|                 | 5.2 Intrinsic error of ATTs.....   | 3           |
|                 | 5.3 Calibration prior to installation.....   | 3           |
|                 | 5.3.1 General.....   | 3           |
|                 | 5.3.2 ATT calibrated as a system.....  | 4           |
|                 | 5.3.3 ATT calibrated by components.....  | 4           |
|                 | 5.3.4 Multiple-point ATTs.....   | 4           |
|                 | 5.3.5 Uncertainty of the reference.....  | 4           |
|                 | 5.4 Error caused by installation and operating conditions.....   | 4           |
|                 | 5.5 Overall accuracy.....  | 4           |
|                 | 5.5.1 General.....   | 4           |
|                 | 5.5.2 Use of ATT for fiscal/custody transfer purposes.....   | 5           |
| <b>6</b>        | <b>Selection of ATTs</b> .....   | <b>5</b>    |
|                 | 6.1 General.....   | 5           |
|                 | 6.2 ATTs for fiscal/custody transfer purpose.....  | 5           |
| <b>7</b>        | <b>Description of ATT equipment</b> .....  | <b>6</b>    |
|                 | 7.1 Introduction.....  | 6           |
|                 | 7.2 Electrical temperature elements.....   | 6           |
|                 | 7.2.1 General.....   | 6           |
| <b>8</b>        | <b>Installation of ATTs</b> .....  | <b>6</b>    |
|                 | 8.1 General.....   | 6           |
|                 | 8.2 Single-point or spot temperature elements.....   | 6           |
|                 | 8.3 Multiple-point temperature elements.....   | 6           |
|                 | 8.4 Moveable spot temperature element.....   | 6           |
|                 | 8.5 Other methods.....   | 7           |
|                 | 8.6 Thermowells for electronic temperature elements.....   | 7           |
|                 | 8.7 Thermowells for verification purposes.....   | 7           |
| <b>9</b>        | <b>Calibration and field verification of ATTs</b> .....  | <b>7</b>    |
|                 | 9.1 General.....   | 7           |
|                 | 9.2 Calibration of single-point temperature element ATTs used for fiscal/custody transfer purpose..... | 7           |
|                 | 9.2.1 Calibration prior to installation.....   | 7           |
|                 | 9.2.2 Initial field verification.....  | 8           |
|                 | 9.3 Calibration of upper, middle and lower or multiple-point ATTs.....                                 | 8           |
|                 | 9.3.1 Calibration prior to installation.....   | 8           |
|                 | 9.3.2 Initial field verification.....  | 9           |

|           |   |           |
|-----------|---|-----------|
| 9.4       | Subsequent verification of ATTs .....         | 9         |
| 9.4.1     | General .....                                 | 9         |
| 9.4.2     | Frequency of subsequent verification .....    | 9         |
| 9.4.3     | Record keeping .....                          | 10        |
| <b>10</b> | <b>Data communication and receiving</b> ..... | <b>10</b> |
|           | <b>Bibliography</b> .....                     | <b>11</b> |