

# ISO 7507-3:2006-07 (E)

## Petroleum and liquid petroleum products - Calibration of vertical cylindrical tanks - Part 3: Optical-triangulation method

---

| Contents                                                                                                | Page      |
|---------------------------------------------------------------------------------------------------------|-----------|
| <b>Foreword .....</b>                                                                                   | <b>iv</b> |
| <b>Introduction .....</b>                                                                               | <b>v</b>  |
| <b>1 Scope .....</b>                                                                                    | <b>1</b>  |
| <b>2 Normative references .....</b>                                                                     | <b>1</b>  |
| <b>3 Terms and definitions .....</b>                                                                    | <b>1</b>  |
| <b>4 Precautions .....</b>                                                                              | <b>1</b>  |
| <b>5 Equipment .....</b>                                                                                | <b>2</b>  |
| <b>5.1 Equipment for measurement of angles .....</b>                                                    | <b>2</b>  |
| <b>5.2 Stadia .....</b>                                                                                 | <b>2</b>  |
| <b>6 Equipment set-up and procedure .....</b>                                                           | <b>2</b>  |
| <b>6.1 Preparation of tank .....</b>                                                                    | <b>2</b>  |
| <b>6.2 Establishment of calibration conditions .....</b>                                                | <b>2</b>  |
| <b>6.3 Set-up of theodolites and/or total stations .....</b>                                            | <b>3</b>  |
| <b>7 Stadia set-up and procedure .....</b>                                                              | <b>3</b>  |
| <b>8 Measurement of horizontal distance between two theodolite stations using a stadia .....</b>        | <b>3</b>  |
| <b>9 Measurement of horizontal distance between two theodolite stations using a total station .....</b> | <b>5</b>  |
| <b>10 Procedure for internal optical tank wall measurements .....</b>                                   | <b>5</b>  |
| <b>11 Procedures for external measurements .....</b>                                                    | <b>8</b>  |
| <b>11.1 General .....</b>                                                                               | <b>8</b>  |
| <b>11.2 Reference circumference measured by strapping .....</b>                                         | <b>8</b>  |
| <b>11.3 Reference distances measured between pairs of theodolite stations .....</b>                     | <b>10</b> |
| <b>12 Tolerances .....</b>                                                                              | <b>11</b> |
| <b>12.1 Distances between theodolites .....</b>                                                         | <b>11</b> |
| <b>12.2 Horizontal angles .....</b>                                                                     | <b>11</b> |
| <b>12.3 Reference circumference .....</b>                                                               | <b>11</b> |
| <b>13 Other measurements for tank calibrations .....</b>                                                | <b>12</b> |
| <b>13.1 Tank-bottom calibrations .....</b>                                                              | <b>12</b> |
| <b>13.2 Other measurements and data .....</b>                                                           | <b>12</b> |
| <b>14 Calculations and development of tank capacity tables .....</b>                                    | <b>13</b> |
| <b>14.1 From the internal procedure .....</b>                                                           | <b>13</b> |
| <b>14.2 From the reference circumference procedure .....</b>                                            | <b>13</b> |
| <b>14.3 From the reference distances between pairs of theodolites .....</b>                             | <b>13</b> |
| <b>14.4 Corrections .....</b>                                                                           | <b>13</b> |
| <b>14.5 Tank capacity table .....</b>                                                                   | <b>13</b> |

|                                                                                                                              |           |
|------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Annex A (normative) Computation of internal radii from internal measurements .....</b>                                    | <b>14</b> |
| <b>Annex B (normative) Determination of the radius of the circle by the least-squares method .....</b>                       | <b>15</b> |
| <b>Annex C (normative) Computation of internal radii from reference circumference and external measurements .....</b>        | <b>20</b> |
| <b>Annex D (normative) Computation of internal radii from reference distances between pairs of theodolite stations .....</b> | <b>22</b> |
| <b>Annex E (informative) Calibration uncertainties .....</b>                                                                 | <b>24</b> |
| <b>Annex F (normative) Procedure for checking the theodolite(s) .....</b>                                                    | <b>36</b> |
| <b>Bibliography .....</b>                                                                                                    | <b>38</b> |