

ISO 19902:2007-12 (E)

Petroleum and natural gas industries — Fixed steel offshore structures

Contents		Page
Foreword.....		xi
Introduction		xiii
1 Scope		1
2 Normative references		1
3 Terms and definitions.....		2
4 Symbols		9
5 Abbreviated terms		13
6 Overall considerations		15
6.1 Types of fixed steel offshore structure		15
6.2 Planning.....		17
6.3 Service and operational considerations.....		17
6.4 Safety considerations.....		18
6.5 Environmental considerations		19
6.6 Exposure levels.....		20
6.7 Assessment of existing structures		22
6.8 Structure reuse		22
7 General design requirements		23
7.1 General.....		23
7.2 Incorporating limit states		23
7.3 Determining design situations		23
7.4 Structural modelling and analysis		24
7.5 Design for pre-service and removal situations		24
7.6 Design for the in-place situation		24
7.7 Determination of resistances		24
7.8 Strength and stability checks		25
7.9 Robustness		26
7.10 Reserve strength.....		26
7.11 Indirect actions		26
7.12 Structural reliability analysis		27
8 Actions for pre-service and removal situations		27
8.1 General.....		27
8.2 General requirements.....		28
8.3 Actions associated with lifting		30
8.4 Actions associated with fabrication		33
8.5 Actions associated with loadout.....		33
8.6 Actions associated with transportation		34
8.7 Actions associated with installation.....		35
8.8 Actions associated with removal		36
9 Actions for in-place situations		36
9.1 General.....		36
9.2 Permanent actions (G) and variable actions (Q).....		36
9.3 Extreme environmental action due to wind, waves and current		38
9.4 Extreme quasi-static action due to wind, waves and current (E_e).....		39
9.5 Extreme quasi-static action caused by waves only (E_{we}) or by waves and currents (E_{wce})		41
9.6 Actions caused by current.....		46
9.7 Actions caused by wind		47

9.8	Equivalent quasi-static action representing dynamic response caused by extreme wave conditions	48
9.9	Factored actions	50
9.10	Design situations	51
9.11	Local hydrodynamic actions.....	53
10	Accidental situations	54
10.1	General	54
10.2	Vessel collisions	58
10.3	Dropped objects.....	59
10.4	Fires and explosions	59
10.5	Abnormal environmental actions	59
11	Seismic design considerations	60
11.1	General	60
11.2	Seismic design procedure	60
11.3	Seismic reserve capacity factor	61
11.4	Recommendations for ductile design	61
11.5	ELE requirements	63
11.6	ALE requirements	64
11.7	Topsides appurtenances and equipment.....	66
12	Structural modelling and analysis	67
12.1	Purpose of analysis	67
12.2	Analysis principles	68
12.3	Modelling.....	68
12.4	Analysis requirements.....	75
12.5	Types of analysis	81
12.6	Non-linear analysis	83
13	Strength of tubular members.....	86
13.1	General	86
13.2	Tubular members subjected to tension, compression, bending, shear or hydrostatic pressure	87
13.3	Tubular members subjected to combined forces without hydrostatic pressure.....	94
13.4	Tubular members subjected to combined forces with hydrostatic pressure.....	96
13.5	Effective lengths and moment reduction factors	99
13.6	Conical transitions.....	101
13.7	Dented tubular members.....	111
13.8	Corroded tubular members.....	118
13.9	Grouted tubular members	118
14	Strength of tubular joints	123
14.1	General	123
14.2	Design considerations.....	124
14.3	Simple circular tubular joints.....	132
14.4	Overlapping circular tubular joints	138
14.5	Grouted circular tubular joints	139
14.6	Ring stiffened circular tubular joints	139
14.7	Other circular joint types.....	139
14.8	Damaged joints	139
14.9	Noncircular joints.....	140
14.10	Cast joints	140
15	Strength and fatigue resistance of other structural components.....	140
15.1	Grouted connections	140
15.2	Mechanical connections.....	147
15.3	Clamps for strengthening and repair	151
16	Fatigue.....	155
16.1	General	155
16.2	General requirements	156
16.3	Description of the long-term wave environment	159

16.4	Performing the global stress analyses	161
16.5	Characterization of the stress range data governing fatigue.....	164
16.6	The long-term local stress range history	165
16.7	Determining the long-term stress range distribution by spectral analysis	167
16.8	Determining the long-term stress range distribution by deterministic analysis	171
16.9	Determining the long-term stress range distribution by approximate methods.....	171
16.10	Geometrical stress ranges.....	172
16.11	Fatigue resistance of the material.....	174
16.12	Fatigue assessment.....	176
16.13	Other causes of fatigue damage than wave action	177
16.14	Further design considerations	178
16.15	Fracture mechanics methods.....	180
16.16	Fatigue performance improvement of existing components.....	181
17	Foundation design.....	182
17.1	General.....	182
17.2	Pile foundations	183
17.3	General requirements for pile design	184
17.4	Pile capacity for axial compression.....	185
17.5	Pile capacity for axial tension	190
17.6	Axial pile performance	190
17.7	Soil reaction for piles under axial compression.....	191
17.8	Soil reaction for piles under lateral actions.....	194
17.9	Pile group behaviour	198
17.10	Pile wall thickness	199
17.11	Length of pile sections.....	201
17.12	Shallow foundations.....	202
18	Corrosion control.....	203
18.1	General.....	203
18.2	Corrosion zones and environmental parameters affecting corrosivity	203
18.3	Forms of corrosion, associated corrosion rates and corrosion damage	204
18.4	Design of corrosion control.....	204
18.5	Fabrication and installation of corrosion control.....	209
18.6	In-service inspection, monitoring and maintenance of corrosion control	210
19	Materials	211
19.1	General.....	211
19.2	Design philosophy.....	212
19.3	Strength groups	214
19.4	Toughness classes.....	214
19.5	Applicable steels.....	215
19.6	Cement grout for pile-to-sleeve connections and grouted repairs.	216
20	Welding, fabrication and weld inspection	217
20.1	General.....	217
20.2	Welding	218
20.3	Inspection	224
20.4	Fabrication.....	225
21	Quality control, quality assurance and documentation.....	228
21.1	General.....	228
21.2	Quality management system	228
21.3	Quality control plan	229
21.4	Inspection of installation aids and appurtenances	230
21.5	Inspection of loadout, sea-fastening and transportation	231
21.6	Installation inspection	231
21.7	Documentation.....	232
21.8	Drawings and specifications	234
22	Loadout, transportation and installation.....	234
22.1	General.....	234
22.2	Loadout and transportation.....	235

22.3	Transfer of the structure from the transport barge into the water.....	237
22.4	Placement on the sea floor and assembly of the structure	238
22.5	Pile installation.....	240
22.6	Installation of conductors	245
22.7	Topsides installation	246
22.8	Grounding of installation welding equipment.....	247
23	In-service inspection and structural integrity management.....	247
23.1	General	247
23.2	Data collection and update	249
23.3	Evaluation	249
23.4	Inspection strategy	251
23.5	Inspection programme	253
23.6	Inspection requirements	253
23.7	Default periodic inspection requirements	256
23.8	Personnel qualifications.....	258
24	Assessment of existing structures	259
24.1	General	259
24.2	Assessment process	259
24.3	Data collection.....	262
24.4	Structural assessment initiators	263
24.5	Acceptance criteria	264
24.6	Structure condition assessment	265
24.7	Actions assessment	265
24.8	Screening assessment	266
24.9	Resistance assessment.....	266
24.10	Prevention and mitigation	269
25	Structure reuse.....	269
25.1	General	269
25.2	Fatigue considerations for reused structures	269
25.3	Steel in reused structures	269
25.4	Inspection of structures to be reused.....	270
25.5	Removal and reinstallation	271
25.6	In-service inspection and structural integrity management.....	271
Annex A	(informative) Additional information and guidance.....	272
A.1	Scope	272
A.2	Normative references	272
A.3	Terms and definitions.....	272
A.4	Symbols	272
A.5	Abbreviated terms	272
A.6	Overall considerations	272
A.6.1	Types of fixed steel offshore structure	272
A.6.2	Planning.....	272
A.6.3	Service and operational considerations.....	272
A.6.4	Safety considerations.....	274
A.6.5	Environmental considerations	274
A.6.6	Exposure levels.....	274
A.6.7	Assessment of existing structures	276
A.6.8	Structure reuse	276
A.7	General design requirements	276
A.7.1	General.....	276
A.7.2	Incorporating limit states	276
A.7.3	Determining design situations	276
A.7.4	Structural modelling and analysis	276
A.7.5	Design for pre-service and removal situations	276
A.7.6	Design for the in-place situation	277
A.7.7	Determination of resistances	277
A.7.8	Strength and stability checks	282
A.7.9	Robustness	282

A.7.10	Reserve strength	283
A.7.11	Indirect actions	284
A.7.12	Structural reliability analysis.....	284
A.8	Actions for pre-service and removal situations	284
A.8.1	General	284
A.8.2	General requirements	285
A.8.3	Actions associated with lifting.....	285
A.8.4	Actions associated with fabrication	287
A.8.5	Actions associated with loadout	287
A.8.6	Actions associated with transportation	287
A.8.7	Actions associated with installation	288
A.8.8	Actions associated with removal.....	288
A.9	Actions for in-place situations	289
A.9.1	General	289
A.9.2	Permanent actions (G) and variable actions (Q).....	289
A.9.3	Extreme environmental action due to wind, waves and current	290
A.9.4	Extreme quasi-static action due to wind, waves and current (E_e).....	290
A.9.5	Extreme quasi-static action caused by waves only (E_{we}) or by waves and currents (E_{wce}).....	291
A.9.6	Actions caused by current	305
A.9.7	Actions caused by wind.....	305
A.9.8	Equivalent quasi-static action representing dynamic response caused by extreme wave conditions.....	305
A.9.9	Factored actions	310
A.9.10	Design situations.....	313
A.9.11	Local hydrodynamic actions	314
A.10	Accidental situations	316
A.10.1	General	316
A.10.2	Vessel collisions.....	316
A.10.3	Dropped objects	317
A.10.4	Fires and explosions.....	317
A.10.5	Abnormal environmental actions	317
A.11	Seismic design considerations.....	318
A.11.1	General	318
A.11.2	Seismic design procedure.....	318
A.11.3	Seismic reserve capacity factor.....	318
A.11.4	Recommendations for ductile design	318
A.11.5	ELE requirements	318
A.11.6	ALE requirements.....	318
A.11.7	Topsides appurtenances and equipment	319
A.12	Structural modelling and analysis	319
A.12.1	Purpose of analysis.....	319
A.12.2	Analysis principles	319
A.12.3	Modelling	320
A.12.4	Analysis requirements	325
A.12.5	Types of analysis.....	327
A.12.6	Non-linear analysis.....	330
A.13	Strength of tubular members	332
A.13.1	General	332
A.13.2	Tubular members subjected to tension, compression, bending, shear or hydrostatic pressure	333
A.13.3	Tubular members subjected to combined forces without hydrostatic pressure	342
A.13.4	Tubular members subjected to combined forces with hydrostatic pressure	344
A.13.5	Effective lengths and moment reduction factors.....	349
A.13.6	Conical transitions	354
A.13.7	Dented tubular members	356
A.13.8	Corroded tubular members	361
A.13.9	Grouted tubular members	361
A.14	Strength of tubular joints.....	365
A.14.1	General	365
A.14.2	Design considerations	365

A.14.3	Simple circular tubular joints	370
A.14.4	Overlapping circular tubular joints	374
A.14.5	Grouted circular tubular joints	374
A.14.6	Ring stiffened circular tubular joints	375
A.14.7	Other circular joint types	376
A.14.8	Damaged joints	376
A.14.9	Non-circular joints	376
A.14.10	Cast joints	376
A.15	Strength and fatigue resistance of other structural components	376
A.15.1	Grouted connections	376
A.15.2	Mechanical connections	379
A.15.3	Clamps for strengthening and repair	396
A.16	Fatigue	410
A.16.1	General	410
A.16.2	General requirements	414
A.16.3	Description of the long-term wave environment	414
A.16.4	Performing the global stress analyses	420
A.16.5	Characterization of the stress range data governing fatigue	422
A.16.6	The long-term local stress range history	423
A.16.7	Determining the long-term stress range distribution by spectral analysis	423
A.16.8	Determining the long-term stress range distribution by deterministic analysis	430
A.16.9	Determining the long-term stress range distribution by approximate methods	432
A.16.10	Geometrical stress ranges	436
A.16.11	Fatigue resistance of the material	462
A.16.12	Fatigue assessment	464
A.16.13	Other causes of fatigue damage than wave action	466
A.16.14	Further design considerations	467
A.16.15	Fracture mechanics methods	468
A.16.16	Fatigue performance improvement of existing components	470
A.17	Foundation design	472
A.17.1	General	472
A.17.2	Pile foundations	472
A.17.3	General requirements for pile design	473
A.17.4	Pile capacity for axial compression	473
A.17.5	Pile capacity for axial tension	487
A.17.6	Axial pile performance	487
A.17.7	Soil reaction for piles under axial compression	490
A.17.8	Soil reaction for piles under lateral actions	491
A.17.9	Pile group behaviour	493
A.17.10	Pile wall thickness	493
A.17.11	Length of pile sections	494
A.17.12	Shallow foundations	494
A.18	Corrosion control	494
A.19	Materials	494
A.19.1	General	494
A.19.2	Design philosophy	495
A.19.3	Strength groups	497
A.19.4	Toughness classes	499
A.19.5	Applicable steels	499
A.19.6	Cement grout for pile-to-sleeve connections and grouted repairs	499
A.20	Welding, fabrication and weld inspection	500
A.20.1	General	500
A.20.2	Welding	500
A.20.3	Inspection	506
A.20.4	Fabrication	506
A.21	Quality assurance, quality control and documentation	507
A.21.1	General	507
A.21.2	Quality management system	507
A.21.3	Quality control plan	507
A.21.4	Inspection of installation aids and appurtenances	508

A.21.5	Inspection of loadout, sea-fastening and transportation	509
A.21.6	Installation inspection.....	509
A.21.7	Documentation	509
A.21.8	Drawings and specifications	510
A.22	Loadout, transportation and installation	513
A.22.1	General	513
A.22.2	Loadout and transportation.....	513
A.22.3	Transfer of the structure from the transport barge into the water	513
A.22.4	Placement on the sea floor and assembly of the structure	513
A.22.5	Pile installation	513
A.22.6	Installation of conductors.....	515
A.22.7	Topsides installation.....	515
A.22.8	Grounding of installation welding equipment.....	515
A.23	In-service inspection and structural integrity management	515
A.23.1	General	515
A.23.2	Data collection and update.....	518
A.23.3	Evaluation.....	519
A.23.4	Inspection strategy.....	525
A.23.5	Inspection programme	530
A.23.6	Inspection requirements	530
A.23.7	Default periodic inspection requirements	532
A.23.8	Personnel qualifications	533
A.24	Assessment of existing structures.....	534
A.24.1	General	534
A.24.2	Assessment process.....	534
A.24.3	Data collection	534
A.24.4	Structure assessment initiators	535
A.24.5	Acceptance criteria	535
A.24.6	Structure condition assessment.....	536
A.24.7	Actions assessment.....	538
A.24.8	Screening assessment.....	542
A.24.9	Resistance assessment	542
A.24.10	Prevention and mitigation	545
A.25	Structure reuse	545
A.25.1	General	545
A.25.2	Fatigue considerations for reused structures.....	545
A.25.3	Steel in reused structures	545
A.25.4	Inspection of structures to be reused	545
A.25.5	Removal and reinstallation.....	547
A.25.6	In-service inspection and structural integrity management	547
Annex B	(informative) CTOD testing procedures	548
B.1	Testing procedure requirements.....	548
B.2	Test-assembly welding.....	548
B.3	Number and location of CTOD specimens.....	548
B.4	Specimen preparation	549
B.5	Pre-compression.....	549
B.6	Sectioning.....	549
Annex C	(informative) Material category approach	553
C.1	Selection of material category (MC).....	553
C.2	Selection of toughness class	553
C.3	Specific steel selection	553
Annex D	(informative) Design class approach	558
D.1	General.....	558
D.2	Specific steel selection	559
D.3	Welding and non-destructive inspection categories	565

Annex E (informative) Welding and weld inspection requirements — Material category approach	568
E.1 General	568
E.2 Weld toughness	568
E.2.1 Weld metal toughness	568
E.2.2 HAZ toughness	568
E.3 Inspection	570
Annex F (informative) Welding and weld inspection requirements — Design class approach	573
F.1 General	573
F.2 Toughness of weld and heat affected zone (HAZ)	573
F.2.1 General	573
F.2.2 CTOD testing	573
F.2.3 PWHT alternative to CTOD testing	573
F.3 Extent of NDT for structural welds	573
Annex G (normative) Fabrication tolerances	576
G.1 Measurements	576
G.2 Launch rails	576
G.3 Global horizontal tolerances	576
G.4 Global vertical tolerances	578
G.5 Roundness of tubular members	579
G.6 Circumference of tubular members	579
G.7 Straightness and circumferential weld locations of tubular members	579
G.8 Joint mismatch for tubular members	582
G.9 Leg alignment and straightness tolerances	584
G.10 Tubular joint tolerances	585
G.11 Cruciform joints	587
G.12 Stiffener tolerances	588
G.12.1 Stiffener location	588
G.12.2 Stiffener cross-section	588
G.13 Conductor, pile guide, pile sleeve and appurtenance support tolerances	590
Annex H (informative) Regional information	592
H.1 General	592
H.2 North West Europe	592
H.2.1 Description of region	592
H.2.2 Regulatory framework in NW Europe	592
H.2.3 Technical information for NW Europe	593
H.3 Canada	593
H.3.1 Description of region	593
H.3.2 Regulatory framework in Canada	593
H.3.3 Technical information for Canada	594
H.3.4 Additional information and guidance for Canada	595
Bibliography	597