

DIN EN ISO 10414-2:2011-09 (E)

Petroleum and natural gas industries - Field testing of drillings fluids - Part 2: Oil-based fluids (ISO 10414-2:2011); English version EN ISO 10414-2:2011, only on CD-ROM

Contents		Page
Foreword		7
Introduction.....		8
1	Scope	9
2	Normative references	10
3	Terms and definitions	10
4	Symbols and abbreviated terms	11
4.1	Symbols.....	11
4.2	Abbreviated terms	16
5	Determination of drilling fluid density (mud weight)	17
5.1	Principle	17
5.2	Apparatus	17
5.3	Procedure.....	18
5.4	Calculation	18
6	Alternative method for determination of drilling fluid density	20
6.1	Principle	20
6.2	Apparatus	20
6.3	Procedure.....	21
6.4	Calculation	22
7	Viscosity and gel strength.....	22
7.1	Principle	22
7.2	Determination of viscosity using the Marsh funnel.....	22
7.2.1	Apparatus.....	22
7.2.2	Procedure.....	22
7.3	Determination of viscosity and gel strength using a direct-reading viscometer	23
7.3.1	Apparatus.....	23
7.3.2	Procedure.....	24
7.3.3	Calculation	24
8	Static filtration	26
8.1	Principle	26
8.2	High-temperature/high-pressure test up to 175 °C (350 °F).....	26
8.2.1	Apparatus.....	26
8.2.2	Procedure.....	27
8.2.3	Calculation	29
8.3	High-temperature/high-pressure test 175 °C (350 °F) up to and including 230 °C (450 °F)	29
8.3.1	Apparatus.....	29
8.3.2	Procedure.....	30
8.3.3	Calculation	31
9	Retort test for oil, water and solids concentrations	31
9.1	Principle	31
9.2	Apparatus.....	32
9.2.1	Retort instrument, as specified below.....	32
9.3	Procedure — Volumetric method	33
9.4	Calculation — Volumetric method.....	34
9.5	Procedure — Gravimetric method	35

9.6	Calculation — Gravimetric method.....	38
9.7	Calculation — Volume fractions of oil, water and solids	39
10	Chemical analysis of oil-based drilling fluids.....	40
10.1	Principle.....	40
10.2	Reagents and apparatus	42
10.3	Base alkalinity demand, V_B	42
10.3.1	Procedure	42
10.3.2	Calculation.....	43
10.4	Whole-drilling-fluid alkalinity, V_K	43
10.4.1	Procedure	43
10.4.2	Calculation.....	44
10.5	Whole-drilling-fluid chloride concentration	45
10.5.1	Procedure	45
10.5.2	Calculation.....	46
10.6	Whole-drilling-fluid calcium concentration.....	46
10.6.1	Procedure	46
11	Electrical stability test.....	47
11.1	Principle.....	47
11.2	Apparatus	47
11.3	Equipment calibration/performance test.....	48
11.4	Procedure	48
12	Lime, salinity and solids calculations	49
12.1	Principle.....	49
12.2	Apparatus	50
12.3	Whole-drilling-fluid calculations	50
12.3.1	Whole-drilling-fluid lime concentration.....	50
12.3.2	Whole-drilling-fluid calcium chloride and sodium chloride concentrations	50
12.4	Aqueous phase calculations	52
12.5	Soluble and insoluble whole-drilling-fluid sodium chloride calculations	56
12.6	Calculation — Solids in the whole drilling fluid	57
12.6.1	Corrected solids concentration.....	57
12.6.2	Calculation — Oil-to-water ratio	58
12.6.3	Calculation — Oil-to-brine ratio.....	59
12.6.4	Calculation — Solids concentration and density.....	59
12.6.5	Calculation — Volume fraction and concentration of weighting material and low-gravity solids.....	60
Annex A	(informative) Measurement of shear strength using shearometer tube	62
A.1	Principle.....	62
A.2	Apparatus	62
A.3	Procedure	62
A.4	Calculation.....	63
Annex B	(informative) Determination of oil and water retained on cuttings.....	64
B.1	Principle.....	64
B.2	Apparatus	64
B.3	Procedure	65
B.4	Calculations.....	67
Annex C	(informative) Determination of aqueous-phase activity of emulsified water using an electrohygrometer	69
C.1	Principle.....	69
C.2	Reagents and apparatus	69
C.2.1	Standard saturated salt solutions.....	69
C.3	Procedure	70
C.3.1	Calibration of hygrometer.....	70
C.3.2	Measurement of oil-based drilling fluid activity, a_{DF}	71
C.4	Calculation — Drilling fluid activity, a_{DF}	71
Annex D	(informative) Determination of aniline point	72
D.1	Principle.....	72

D.2	Reagents and apparatus.....	72
D.3	Procedure.....	73
Annex E	(informative) Lime, salinity and solids calculations	75
E.1	Principle	75
E.2	Test data used in examples.....	75
E.3	Drilling fluid containing only CaCl ₂ salt (drilling fluid A).....	76
E.4	Drilling fluid containing only NaCl salt (drilling fluid B).....	78
E.5	Drilling fluid containing both CaCl ₂ and NaCl salts (drilling fluid C)	80
E.6	Drilling fluid containing both CaCl ₂ and excess NaCl salts (drilling fluid D)	83
E.7	Calculation in spreadsheet — Drilling fluid A to drilling fluid D	86
Annex F	(informative) Sampling, inspection and rejection of drilling materials	96
F.1	Principle	96
F.2	Sampling of powdered material in packages	96
F.3	Sampling powdered material in bulk.....	96
F.4	Preparation of test sample	96
F.5	Test	97
F.6	Inspection.....	97
F.7	Rejection	97
F.8	Retesting	97
Annex G	(informative) Rig-site sampling.....	98
G.1	Principle	98
G.2	Bottom-flow sampling (preferred)	98
G.2.1	Apparatus.....	98
G.2.2	Procedure.....	98
G.3	Grab sampling	99
G.3.1	Apparatus.....	99
G.3.2	Procedure.....	99
Annex H	(informative) Determination of cutting activity by the Chenevert method	101
H.1	Principle	101
H.2	Reagents and apparatus.....	101
H.2.1	Standard saturated salt solutions	101
H.3	Procedure.....	102
H.3.1	Calibration of hygrometer	102
H.3.2	Measurement of oil-contaminated cuttings activity, a_C	103
H.4	Calculation — Cuttings activity, a_C	103
Annex I	(informative) Chemical analysis of active sulfides by the Garrett gas train method.....	104
I.1	Principle	104
I.2	Reagents and apparatus.....	104
I.3	Procedure.....	106
I.4	Calculation	108
Annex J	(informative) Calibration and verification of glassware, thermometers, viscometers, retort kit cup and drilling fluid balances	109
J.1	Principle	109
J.2	Calibration of apparatus	109
J.2.1	Volumetric glassware.....	109
J.2.2	Thermometers.....	109
J.2.3	Viscometers	109
J.2.4	Drilling fluid balances	109
J.2.5	Retort kit cups	109
J.3	Procedure — Calibration of graduated cylinders	110
J.4	Procedure — Calibration of thermometers.....	110
J.5	Procedure — Calibration of viscometers.....	112
J.6	Procedure — Calibration of retort kit cups.....	113
J.7	Procedure — Calibration of filter press gasket and O-rings.....	113

Annex K (informative) High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with set-screw secured end caps	114
K.1 Principle.....	114
K.2 Safety considerations	114
K.3 Apparatus — Permeability plugging apparatus (PPA) with set-screw-secured end caps.....	116
K.4 Procedure for high-temperature, high-pressure (HTHP) filtration.....	118
K.4.1 Preheating the heating jacket.....	118
K.4.2 Loading the filtration cell	118
K.4.3 Pressurizing the cell.....	119
K.4.4 Conducting the filtration test.....	121
K.5 Test conclusion and disassembly	121
K.6 Calculation — Data reporting	123
K.6.1 Filtrate reporting	123
K.6.2 Spurt loss	123
K.6.3 Calculation.....	123
K.6.4 Filter cake reporting	123
Annex L (informative) High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with threaded end caps	124
L.1 Principle.....	124
L.2 Safety considerations	124
L.3 Apparatus — Permeability plugging apparatus (PPA) with threaded end caps	126
L.4 Procedure for high-temperature, high-pressure (HTHP) filtration.....	128
L.4.1 Preheating the heating jacket.....	128
L.4.2 Loading the filtration cell	128
L.4.3 Pressurizing the cell.....	129
L.4.4 Conducting the filtration test.....	130
L.5 Test conclusion and disassembly	130
L.6 Calculating — Data reporting	132
L.6.1 Filtrate reporting	132
L.6.2 Spurt loss	132
L.6.3 Calculation.....	132
L.6.4 Filter cake reporting	132
Annex M (informative) Compatibility of elastomeric materials with non-aqueous-based drilling fluids	133
M.1 Principle.....	133
M.2 Apparatus and reagents.....	134
M.2.1 Standard reference elastomers	134
M.2.2 Standard reference test liquids	134
M.3 Procedure — Test specimen preparation	134
M.4 Procedure — Elastomer physical changes after immersion.....	134
M.4.1 Principle.....	134
M.4.2 Summary of immersion procedure	135
M.4.3 Summary of change in volume procedure.....	135
M.4.4 Summary of changes in tensile strength, elongation and hardness procedures.....	136
M.5 Procedure — Effect of immersion on a stressed elastomer specimen.....	136
Annex N (informative) Sand content procedure for non-aqueous fluids	137
N.1 Principle.....	137
N.2 Apparatus	137
N.3 Procedure	137
N.4 Calculation.....	137
Annex O (informative) Identification and monitoring of weight-material sag	138
O.1 Principle.....	138
O.2 Guidelines on using sag monitoring methods	138
O.3 Surface monitoring of weight-material sag.....	139
O.3.1 Principle.....	139
O.3.2 Apparatus	140
O.3.3 Procedure	140
O.3.4 Calculation.....	140

O.3.5	Data reporting	141
O.4	Field sag monitoring based on downhole density.....	143
O.4.1	Principle	143
O.4.2	Measurements of downhole pressure.....	143
O.4.3	Weight-material signatures using downhole pressure tools.....	144
O.4.4	Downhole pressure changes that are not caused by weight-material sag	146
O.4.5	Theoretical downhole density excluding effects in O.4.4	149
O.4.6	Weight-material sag events caused by drillpipe rotation only	149
O.5	Dynamic weight-material sag test — VSST method	150
O.5.1	Principle	150
O.5.2	Apparatus.....	151
O.5.3	Procedure.....	152
O.5.4	Calculation	153
O.6	Rheological measurements of drilling fluids exhibiting weight-material sag.....	154
O.6.1	Principle	154
O.6.2	Scope.....	154
O.6.3	Apparatus.....	154
O.6.4	Sample preparation	155
O.6.5	Potential rheological tests.....	155
O.6.6	Data interpretation.....	156
O.7	Field sag monitoring based on critical wall shear stress	158
O.7.1	Principle	158
O.7.2	Predictive model.....	158
O.7.3	Comparison of laboratory and field data	160
O.8	Additional resource literature	160
Annex P (informative) Oil-based drilling fluid report form		161
Bibliography.....		162