

DIN EN ISO 13501:2011-09 (E)

Petroleum and natural gas industries - Drilling fluids - Processing equipment evaluation (ISO 13501:2011); English version EN ISO 13501:2011

Contents

| | Page |
|---|------|
| Foreword..... | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions, symbols and abbreviated terms..... | 7 |
| 3.1 Terms and definitions | 7 |
| 3.2 Symbols and abbreviated terms | 17 |
| 3.2.1 Symbols | 17 |
| 3.2.2 Abbreviated terms | 18 |
| 4 Requirements | 19 |
| 5 System performance of drilled-solids removal | 19 |
| 5.1 Principle..... | 19 |
| 5.2 Apparatus | 19 |
| 5.3 Sampling..... | 20 |
| 5.4 Procedure | 21 |
| 5.4.1 Suction pit drilling fluid density chloride content, and solids by retort | 21 |
| 5.4.2 Base fluid additions to the drilling fluid | 21 |
| 5.4.3 Base fluid fraction..... | 21 |
| 5.4.4 Drilled-solids fraction | 21 |
| 5.4.5 Volume of drilling fluid built | 22 |
| 5.4.6 Excavated volume of solids drilled..... | 22 |
| 5.4.7 Total dilution | 22 |
| 5.4.8 Dilution factor..... | 23 |
| 5.4.9 Calculation of drilled-solids removal system performance | 23 |
| 6 Rigsite evaluation of drilled-solids management equipment | 24 |
| 6.1 Principle..... | 24 |
| 6.2 Application | 24 |
| 6.3 Sampling of streams for capture analysis | 25 |
| 6.4 Determination of mass fraction (percent) solids..... | 25 |
| 6.5 Calculation of capture | 26 |
| 6.6 Interpretation of results | 26 |
| 6.7 Procedure for characterizing removed solids | 27 |
| 6.8 Calculation of mass fraction (percent) of low-gravity solids | 27 |
| 6.9 Particle size assessment on removed solids | 28 |
| 6.10 Economics..... | 28 |
| 6.10.1 Unweighted drilling fluids..... | 28 |
| 6.10.2 Weighted drilling fluids | 28 |
| 7 Practical operational guidelines..... | 28 |
| 7.1 Principle..... | 28 |
| 7.2 Apparatus | 28 |
| 7.3 Procedure for design and operation..... | 29 |
| 7.3.1 General..... | 29 |
| 7.3.2 Flow line..... | 29 |
| 7.3.3 Tank..... | 29 |
| 7.3.4 Process rate | 29 |
| 7.3.5 Surface tank | 30 |
| 7.3.6 Sand trap | 30 |

| | Page |
|--------|--|
| 7.3.7 | Removal section 31 |
| 7.3.8 | Flow direction 31 |
| 7.3.9 | Tank agitation 32 |
| 7.3.10 | Fluid routing..... 32 |
| 7.4 | Design of shale shakers 32 |
| 7.5 | Operation of shale shakers 33 |
| 7.6 | Design of degassers 33 |
| 7.7 | Operation of degassers 34 |
| 7.8 | Design of desanders and desilters 34 |
| 7.9 | Design of mud cleaners 35 |
| 7.10 | Design of centrifuges 36 |
| 7.11 | Use of addition sections 36 |
| 7.12 | Use of drilling fluid mixing and blending equipment 36 |
| 7.13 | Use of suction section 37 |
| 7.14 | Use of discharge section 37 |
| 8 | Conductance of shale shaker screens 37 |
| 8.1 | Principle..... 37 |
| 8.2 | Principle of conductance 37 |
| 8.2.1 | General 37 |
| 8.2.2 | Darcy's law 37 |
| 8.3 | Apparatus for measurement of conductance 39 |
| 8.4 | Procedure for calibrating fluid 40 |
| 8.5 | Procedure for flow test 40 |
| 8.6 | Procedure for measuring pressure drop 40 |
| 8.7 | Procedure for conductance test 41 |
| 8.8 | Calculation of conductance..... 41 |
| 9 | Shale shaker screen designation 43 |
| 9.1 | Principle..... 43 |
| 9.2 | Apparatus 44 |
| 9.3 | Preparation of aluminium oxide test media..... 46 |
| 9.3.1 | Preparation of aluminium oxide cuts 46 |
| 9.3.2 | Preparation of sample for test range..... 46 |
| 9.4 | Preparation of test screen 48 |
| 9.5 | Test procedure..... 48 |
| 9.6 | Calculation of D100 separation for test screen cloth 49 |
| 10 | Non-blanked area of shale shaker screen panel 52 |
| 10.1 | Principle..... 52 |
| 10.2 | Apparatus 53 |
| 10.3 | Procedure for pretensioned or perforated panel-type screens 53 |
| 10.4 | Calculation for pretensioned or perforated panel-type screens 53 |
| 10.5 | Procedure for open-hook strip panels 53 |
| 10.6 | Calculation for open-hook strip panels..... 53 |
| 10.7 | Example calculation of total non-blanked area for a panel-mount screen..... 54 |
| 11 | Shale shaker screen labelling 55 |
| 11.1 | API screen designation..... 55 |
| 11.1.1 | General 55 |
| 11.1.2 | Procedure – label design information 55 |
| 11.1.3 | API screen number designation and D100 separation potential 56 |
| 11.1.4 | Screen conductance 56 |
| 11.1.5 | Non-blanked area 56 |
| 11.1.6 | Manufacturer's screen designation 57 |
| 11.1.7 | API screen designation label..... 57 |
| 11.1.8 | Optional information 57 |
| 11.2 | Label and tag format 57 |
| 11.3 | API screen designation label examples 58 |
| 11.4 | Other screen label and tags 60 |

| | |
|---|-----------|
| Annex A (informative) Derivation of capture equation | 61 |
| A.1 Principle..... | 61 |
| A.2 Procedure of derivation | 61 |
| Annex B (informative) Finder's method | 63 |
| B.1 Principle..... | 63 |
| B.2 Materials and reagents | 63 |
| B.3 Apparatus | 63 |
| B.4 Procedure | 63 |
| B.5 Calculation..... | 65 |
| Bibliography | 66 |