

ISO 19345-2:2019 (E)

Petroleum and natural gas industry — Pipeline transportation systems — Pipeline integrity management specification — Part 2: Full-life cycle integrity management for offshore pipeline

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions and abbreviated terms
3.1	Terms and definitions
3.2	Abbreviated terms
4	General
4.1	Key principles
4.2	Integrity management program
4.2.1	General
4.2.2	Introduction to IMP elements
4.3	Integrity management process elements
4.3.1	Data acquisition, review and integration
4.3.2	Risk assessment
4.3.3	Inspection and monitoring
4.3.4	Integrity assessment
4.3.5	Mitigation activity
4.3.6	Performance measurement and improvement
4.3.7	Emergency response plan
4.3.8	Failure management plan
4.3.9	Remaining life assessment
4.4	Management elements
4.4.1	Policy and commitment
4.4.2	Scope of integrity management program
4.4.3	Organization structure, roles and responsibilities
4.4.4	Records and document control plan
4.4.5	Communication plan
4.4.6	Management of change plan
4.4.7	Management review and audit plan
4.4.8	Training and skill plan
5	Integrity management for the pipeline lifecycle phases
5.1	General
5.1.1	Objectives
5.1.2	Principles
5.2	Key lifecycle integrity processes
5.3	Lifecycle phases for integrity management
5.3.1	General
5.3.2	Feasibility
5.3.2.1	Objectives
5.3.2.2	Principles
5.3.3	Design
5.3.3.1	Objectives
5.3.3.2	Principles
5.3.4	Procurement
5.3.4.1	Objectives

- 5.3.4.2 Principles
 - 5.3.5 Fabrication
 - 5.3.5.1 Objectives
 - 5.3.5.2 Principles
 - 5.3.6 Transportation and storage
 - 5.3.6.1 Objectives
 - 5.3.6.2 Principles
 - 5.3.7 Integrity during installation
 - 5.3.7.1 Objectives
 - 5.3.7.2 Principles
 - 5.3.8 Pre-commissioning and commissioning
 - 5.3.8.1 Objectives
 - 5.3.8.2 Principles
 - 5.3.9 Handover — Preparation for operation
 - 5.3.9.1 Objectives
 - 5.3.9.2 Principles
 - 5.3.10 Operation and maintenance
 - 5.3.10.1 Objectives
 - 5.3.10.2 Principles
 - 5.3.11 Modifications during operations
 - 5.3.11.1 Objectives
 - 5.3.11.2 Principles
 - 5.3.12 Abandonment
 - 5.3.12.1 Objectives
 - 5.3.12.2 Principles
- 6 Risk assessment**
- 6.1 Definition of objectives and requirements
 - 6.1.1 General
 - 6.1.2 Objectives
 - 6.1.3 Requirements
 - 6.2 Team definition
 - 6.3 Segmentation
 - 6.4 Threat identification
 - 6.5 Probability of failure assessment
 - 6.6 Consequence of failure assessment
 - 6.6.1 Consequence assessment
 - 6.6.2 Critical consequence areas analysis
 - 6.7 Risk determination
 - 6.8 Reporting
 - 6.9 Reassessment
- 7 Inspection and monitoring**
- 7.1 Inspection
 - 7.1.1 General
 - 7.1.2 Preparation for inspection
 - 7.1.3 Requirements of equipment
 - 7.1.4 Reporting requirements
 - 7.1.4.1 General
 - 7.1.4.2 Delivery requirements
 - 7.1.4.2.1 Field report
 - 7.1.4.2.2 Preliminary report
 - 7.1.4.2.3 Final report
 - 7.1.4.2.4 Supplement report for other type of anomalies
 - 7.1.4.2.5 Software
 - 7.1.5 Review of inspection results
 - 7.2 Monitoring
 - 7.2.1 Main monitoring activities
 - 7.2.2 Identification and follow-up of available technology
 - 7.2.3 Current and vibration monitoring
 - 7.2.4 Monitoring of ship traffic and fishing activities
 - 7.2.5 Leak detection
 - 7.2.6 Review of monitoring data

- 8 **Integrity assessment**
 - 8.1 General
 - 8.2 Fitness for purpose
 - 8.2.1 Assessment data collection
 - 8.2.2 Defect data statistics and causation analysis
 - 8.2.3 Assessment method selection
 - 8.2.4 Residual strength and remaining life assessment
 - 8.2.4.1 General
 - 8.2.4.2 Acceptance criteria
 - 8.2.4.3 Acceptability criterion for corrosion
 - 8.2.4.4 Acceptability criterion for manufacturing defects
 - 8.2.4.5 Acceptability criterion for cracks
 - 8.2.4.6 Acceptability criterion for dents
 - 8.2.4.7 Acceptability criteria for weld defects
 - 8.2.4.8 Reporting requirements
 - 8.3 Pressure test
 - 8.3.1 General
 - 8.3.2 Preconditions for use of pressure-testing on an in-service pipeline
 - 8.3.3 Features to be considered for pressure test
 - 8.3.4 Pressure test risks
 - 8.3.5 Management measures
 - 8.3.6 Monitoring of pressure test procedures
 - 8.3.7 Review of pressure test results
 - 8.3.8 Pressure test report
 - 8.4 Direct assessment
 - 8.4.1 General
 - 8.4.2 Direct assessment process
 - 8.4.3 Direct assessment methods
 - 8.4.4 Limitations of direct assessment
 - 8.5 Other assessment
- 9 **Mitigation**
 - 9.1 General
 - 9.2 Internal mitigation methods
 - 9.3 External mitigation methods
 - 9.4 Corrosion control systems
 - 9.4.1 External corrosion
 - 9.4.2 Internal corrosion and erosion
 - 9.5 Management of unintended releases
 - 9.6 MAOP reduction
 - 9.7 Emergency response
 - 9.8 Repair methods
 - 9.8.1 Repair methods selection
 - 9.8.2 Detailed procedures
- 10 **Performance measurement and improvement**
 - 10.1 General
 - 10.2 Performance measurement
 - 10.3 Management review
 - 10.4 System audit
- 11 **Data management**
 - 11.1 Data acquisition
 - 11.1.1 Data acquisition content
 - 11.1.2 Data acquisition method
 - 11.1.2.1 Routing survey
 - 11.1.2.2 Data acquisition for pipeline facilities
 - 11.1.3 Data alignment
 - 11.2 Data transfer
 - 11.3 Data integration
 - 11.3.1 General
 - 11.3.2 Data integration requirements

- 12 Pipeline integrity management within emergency response planning and failure management
 - 12.1 Emergency response planning
 - 12.1.1 General
 - 12.1.2 Emergency plan preparation
 - 12.1.3 Preparation for emergency data
 - 12.1.4 Emergency response
 - 12.2 Failure management
 - 12.2.1 General
 - 12.2.2 Failure analysis
 - 12.2.3 Incident investigation report
 - 12.2.4 Remedial and preventative measures
 - 12.2.5 Failure recovery prior to restart
 - 12.2.6 Trend analysis of pipeline incidents and causes
- 13 Pipeline remaining life assessment and abandonment processes
 - 13.1 General
 - 13.2 Pipeline remaining life assessment process
 - 13.2.1 General
 - 13.2.2 Data collection
 - 13.2.3 Pipeline segmentation
 - 13.2.4 Integrity assessment
 - 13.2.5 Physical life determination
 - 13.2.6 Economic viability assessment
 - 13.2.6.1 Economic comparison
 - 13.2.6.2 Minimum annual average cost method
 - 13.2.6.3 Cost-benefit method
 - 13.2.7 Risk assessment
 - 13.2.8 Remaining life assessment
 - 13.3 Deactivation and abandonment process
 - 13.3.1 Guideline for the abandonment of a transportation pipeline
 - 13.3.2 Preparation before pipeline abandonment
 - 13.3.3 Pipeline cleaning
 - 13.3.4 Deactivation of pipeline
 - 13.3.5 Records
 - 13.4 Life extension and recycle of pipeline
 - 13.4.1 Life extension
 - 13.4.2 Reactivation of pipeline
 - 13.5 Uprating
 - 13.5.1 General requirements
 - 13.5.2 Limitation on increase in maximum allowable operating pressure
 - 13.5.3 Uprating method
 - 13.6 Reporting
- 14 Records and documents management
- 15 Communication
 - 15.1 General
 - 15.2 Communications
- 16 Management of change
- 17 Training and skills
 - 17.1 General
 - 17.2 Levels of skill
- Annex A (informative) Example approach of semi-quantitative risk assessment
- Annex B (informative) Risk matrix
- Annex C (informative) Example of the threat identification in lifecycle phases
- Annex D (informative) Establishing performance measures
 - D.1 Example of classification of performance measures

- D.2 Example of performance measures by integrity assessment process steps
- D.3 Inspection audit form

Annex E (informative) Integrity data acquisition list

Annex F (informative) Structure of pipeline data tables

Annex G (informative) Outline requirements for pipeline management training and skills

- G.1 Training program
- G.2 Training objectives
 - G.2.1 Training objectives of Level 1 management skills
 - G.2.2 Training objectives of Level 2 management skills
 - G.2.3 Training course outline for Level 3 management skills
 - G.2.3.1 General
 - G.2.3.2 Comprehensive integrity management and system management
 - G.2.3.3 Data management
 - G.2.3.4 Risk assessment
 - G.2.3.5 Pipeline inspection and assessment management
 - G.2.3.6 Management of pipeline defect repair
 - G.2.3.7 Pipeline maintenance
 - G.2.4 Requirements for skills

Page count: 91