

ISO 19900:2019 (E)

Petroleum and natural gas industries — General requirements for offshore structures

Contents

| | |
|-------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Symbols and abbreviated terms |
| 4.1 | Symbols |
| 4.2 | Abbreviated terms |
| 5 | Fundamental requirements |
| 5.1 | General |
| 5.2 | Structural integrity requirements |
| 5.3 | Functional requirements |
| 5.4 | Requirements for specific phases of the life of the structure |
| 5.4.1 | Planning |
| 5.4.2 | Construction and deployment |
| 5.4.3 | Structural integrity management |
| 5.4.4 | Decommissioning and removal |
| 5.5 | Requirements for durability and robustness |
| 5.5.1 | Durability, maintenance and inspection |
| 5.5.2 | Robustness |
| 6 | Basis for design/assessment |
| 6.1 | General |
| 6.2 | Platform location and orientation |
| 6.3 | Physical environmental conditions |
| 6.4 | Geotechnical and geophysical conditions |
| 6.4.1 | Marine site investigations |
| 6.4.2 | Seabed instability |
| 6.4.3 | Seabed disturbance |
| 6.5 | Specific design/assessment requirements |
| 6.5.1 | Topsides structures |
| 6.5.2 | Deck elevation |
| 6.5.3 | Splash zone |
| 6.5.4 | Stationkeeping systems |
| 6.5.5 | Conductor and riser systems |
| 6.5.6 | Foundations and anchoring |
| 6.5.7 | Additional operational requirements |
| 7 | Development of design/assessment situations |
| 7.1 | Hazards |
| 7.2 | Hazardous events |
| 7.3 | Exposure levels |
| 7.3.1 | General |
| 7.3.2 | Exposure level L1 |
| 7.3.3 | Exposure level L2 |
| 7.3.4 | Exposure level L3 |
| 7.4 | Design/assessment situations |

- 7.4.1 General
- 7.4.2 Operational design/assessment situations
- 7.4.3 Extreme design/assessment situations
- 7.4.4 Abnormal design/assessment situations
- 7.4.5 Accidental design/assessment situations
- 7.4.6 Short duration design/assessment situations
- 7.4.7 Serviceability design/assessment situations
- 8 Limit state verification
 - 8.1 General
 - 8.2 Basic variables and representative values
 - 8.3 Limit states
 - 8.3.1 Categories of limit states
 - 8.3.2 Ultimate limit states
 - 8.3.3 Abnormal/accidental limit states
 - 8.3.4 Serviceability limit states
 - 8.3.5 Fatigue limit states
 - 8.4 Limit state verification procedure
- 9 Actions
 - 9.1 Classifications of actions
 - 9.2 Permanent actions and their representative values
 - 9.3 Operational actions and their representative values
 - 9.4 Environmental actions and their representative values
 - 9.5 Accidental actions and their representative values
 - 9.6 Repetitive actions
- 10 Design values and partial factors
 - 10.1 Design values of actions
 - 10.2 Actions acting in combination
 - 10.2.1 Principal and companion actions for the same action type
 - 10.2.2 Principal and accompanying actions for specific design/assessment situations
 - 10.3 Design values of resistance
 - 10.3.1 General
 - 10.3.2 Design values of materials including soils
 - 10.3.3 Design values of geometric variables
 - 10.3.4 Uncertainties in analysis models
 - 10.4 Partial factors for operational and extreme design/assessment situations
 - 10.5 Partial factors for abnormal and accidental design/assessment situations
 - 10.6 Partial factors for serviceability design/assessment situations
 - 10.7 Partial factors for fatigue design/assessment verification
 - 10.8 Probabilistic modelling and analysis
- 11 Models and analysis
- 12 Quality management
 - 12.1 General
 - 12.2 Installation inspection
 - 12.3 In-service inspection, maintenance and repair
 - 12.4 Records and documentation of design and construction
 - 12.4.1 General
 - 12.4.2 Calculations
 - 12.4.3 Weight and centre of gravity reports
 - 12.4.4 Drawings and specifications
- 13 Assessment of existing structures
 - 13.1 General
 - 13.2 Condition assessment
 - 13.2.1 General
 - 13.2.2 Service and operating requirements
 - 13.2.3 Environmental conditions
 - 13.2.4 Testing, inspection, maintenance and repair history
 - 13.3 Action assessment
 - 13.4 Resistance assessment

- 13.5 Component and system failure consequences
- 13.6 Mitigation

Annex A (informative) Additional information and guidance

- A.1 Scope
- A.2 Normative references
- A.3 Terms and definitions
- A.4 Symbols and abbreviated terms
- A.5 Fundamental requirements
 - A.5.1 General
 - A.5.2 Structural integrity requirements
 - A.5.3 Functional requirements
 - A.5.4 Requirements for specific phases of the life of the structure
 - A.5.5 Requirements for durability and robustness
 - A.5.5.1 Durability, maintenance and inspection
 - A.5.5.2 Robustness
- A.6 Basis for design/assessment
 - A.6.1 General
 - A.6.2 Platform location and orientation
 - A.6.3 Physical environmental conditions
 - A.6.4 Geotechnical and geophysical conditions
 - A.6.5 Specific design/assessment requirements
- A.7 Development of design/assessment situations
 - A.7.1 Hazards
 - A.7.2 Hazardous events
 - A.7.3 Exposure levels
 - A.7.4 Design/assessment situations
- A.8 Limit state verification
 - A.8.1 General
 - A.8.2 Basic variables and representative values
 - A.8.3 Limit states
 - A.8.4 Limit state verification procedure
- A.9 Actions
 - A.9.1 Classifications of actions
 - A.9.2 Permanent actions and their representative values
 - A.9.3 Operational actions and their representative values
 - A.9.4 Environmental actions and their representative values
 - A.9.5 Accidental actions and their representative values
 - A.9.6 Repetitive actions
- A.10 Design values and partial factors
 - A.10.1 Design values of actions
 - A.10.2 Actions acting in combination
 - A.10.3 Design values of resistance
 - A.10.4 Partial factors for operational and extreme design/assessment situations
 - A.10.5 Partial factors for abnormal and accidental design/assessment situations
 - A.10.6 Partial factors for serviceability design/assessment situations
 - A.10.7 Partial factors for fatigue design/assessment verification
 - A.10.8 Probabilistic modelling and analysis
- A.11 Models and analysis
- A.12 Quality management
- A.13 Assessment of existing structures

Page count: 64