

DIN EN ISO 21809-3:2020-09 (E)

Petroleum and natural gas industries - External coatings for buried or submerged pipelines used in pipeline transportation systems - Part 3: Field joint coatings (ISO 21809-3:2016 + Amd 1:2020); English version EN ISO 21809-3:2016 + A1:2020

Contents	Page
Foreword	ix
Introduction	x
1 Scope	1
2 Normative references	1
3 Terms and definitions	4
4 Symbols and abbreviated terms	6
4.1 Symbols.....	6
4.2 Abbreviated terms.....	7
5 General requirements	8
5.1 Responsibility of the end user.....	8
5.2 Rounding.....	8
5.3 Compliance, testing and quality.....	8
6 Information to be supplied by the purchaser	8
6.1 General information.....	8
6.2 Additional information.....	8
7 Application procedures and qualification	9
7.1 Application procedure specification (APS).....	9
7.2 Coating materials.....	10
7.3 Procedure qualification trial (PQT).....	10
7.4 Pre-production trial (PPT).....	11
7.5 Qualification of coating and inspection personnel.....	12
7.6 Production testing and inspection.....	12
7.7 Inspection documents and traceability.....	12
8 Classification of field joint coatings	12
9 General requirements for surface preparation, coating application, testing and repair	13
9.1 Surface preparation.....	13
9.1.1 General.....	13
9.1.2 Preparation of the steel substrate.....	14
9.1.3 Preparation of the adjacent plant-applied coating.....	15
9.2 Application of the coating.....	15
9.3 Visual inspection of the applied coating.....	15
9.4 Testing of the field joint coating.....	16
9.5 Repairs.....	16
9.6 Verification, handling and storage of coating materials.....	16
10 Hot-applied bituminous tape coatings	16
10.1 Coating identification.....	16
10.2 Description of the coatings.....	16
10.3 Surface preparation.....	16
10.4 Coating application.....	16
10.4.1 General.....	16
10.4.2 Application of the primer.....	16
10.4.3 Application of the bituminous tapes.....	17
10.4.4 Overlap.....	17

10.5	Testing of the applied coatings.....	17
10.5.1	General.....	17
10.5.2	Thickness.....	17
10.5.3	Holiday detection.....	18
10.5.4	Impact resistance.....	18
10.5.5	Indentation resistance.....	18
10.5.6	Specific electrical insulation resistance.....	18
10.5.7	Cathodic disbondment.....	18
10.5.8	Peel strength to pipe surface and plant coating.....	18
10.5.9	Hot-water immersion test.....	18
10.5.10	Lap shear strength.....	18
11	Petrolatum and wax-based tape coatings.....	22
11.1	Coating identification.....	22
11.2	Description of the coatings.....	22
11.2.1	Petrolatum tapes (Type 11A).....	22
11.2.2	Wax-based tapes (Type 11B).....	22
11.3	Surface preparation.....	22
11.4	Coating application.....	22
11.4.1	General.....	22
11.4.2	Application of the primer.....	22
11.4.3	Application of petrolatum or wax-based tapes.....	23
11.4.4	Overlap.....	23
11.5	Testing of the applied coatings.....	23
11.5.1	General.....	23
11.5.2	Thickness.....	23
11.5.3	Holiday detection.....	23
11.5.4	Impact resistance.....	23
11.5.5	Indentation resistance.....	24
11.5.6	Specific electrical insulation resistance.....	24
11.5.7	Cathodic disbondment.....	24
11.5.8	Peel strength to pipe surface and plant coating.....	24
11.5.9	Hot-water immersion test.....	24
11.5.10	Drip resistance.....	24
12	Cold-applied polymeric tape coatings.....	26
12.1	Coating identification.....	26
12.2	Description of the coatings.....	26
12.3	Surface preparation.....	26
12.4	Coating application.....	26
12.4.1	General.....	26
12.4.2	Application of the primer.....	26
12.4.3	Application of polymeric tapes.....	26
12.4.4	Overlap.....	27
12.5	Testing of the applied coatings.....	27
12.5.1	General.....	27
12.5.2	Thickness.....	27
12.5.3	Holiday detection.....	27
12.5.4	Impact resistance.....	27
12.5.5	Indentation resistance.....	27
12.5.6	Cathodic disbondment.....	28
12.5.7	Peel strength between tape layers of polymeric tapes.....	28
12.5.8	Peel strength to pipe surface and plant coating.....	28
12.5.9	Hot-water immersion test.....	28
12.5.10	Lap shear strength.....	28
13	Non-crystalline low-viscosity polyolefin based coatings.....	29
13.1	Coating identification.....	29
13.2	Description of the coatings.....	30
13.3	Surface preparation.....	30
13.4	Application of the coatings.....	31
13.4.1	General.....	31
13.4.2	Overlap.....	31

13.5	Testing of the applied coating.....	31
13.5.1	General.....	31
13.5.2	Thickness.....	31
13.5.3	Holiday detection.....	31
13.5.4	Impact resistance.....	32
13.5.5	Indentation resistance.....	32
13.5.6	Specific electrical insulation resistance.....	32
13.5.7	Cathodic disbondment resistance.....	32
13.5.8	Peel strength between layers of outer wrap.....	32
13.5.9	Adhesion to pipe surface and plant coating.....	32
13.5.10	Thermal ageing resistance.....	33
13.5.11	Resistance to lap shear.....	33
13.5.12	Hot-water immersion test.....	33
13.5.13	Glass transition and crystallization temperatures.....	33
13.5.14	Drip resistance.....	33
14	Coatings based on heat-shrinkable materials.....	37
14.1	Coating identification.....	37
14.2	Description of the coatings.....	37
14.2.1	General.....	37
14.2.2	Type 14A.....	37
14.2.3	Types 14B, 14C and 14D.....	37
14.3	Surface preparation.....	38
14.4	Application of the coatings.....	38
14.4.1	General.....	38
14.4.2	Application of the primer.....	38
14.4.3	Application of heat-shrinkable materials.....	38
14.4.4	Overlap.....	39
14.5	Testing of the applied coatings.....	39
14.5.1	General.....	39
14.5.2	Thickness.....	39
14.5.3	Holiday detection.....	39
14.5.4	Peel strength.....	40
14.5.5	Cathodic disbondment.....	40
14.5.6	Hot-water immersion test.....	40
14.5.7	Impact resistance.....	40
14.5.8	Indentation resistance.....	40
14.5.9	Lap shear strength.....	40
14.5.10	Thermal ageing resistance and thermal stability.....	40
14.5.11	Bursting strength.....	40
14.5.12	Oxidation induction time.....	41
15	Hot-applied microcrystalline wax coatings.....	45
15.1	Coating identification.....	45
15.2	Description of the coating.....	45
15.3	Surface preparation.....	45
15.4	Application of the coating.....	45
15.4.1	General.....	45
15.4.2	Application of the microcrystalline wax.....	45
15.4.3	Application of the outer wrap.....	46
15.4.4	Application of wax top coat.....	46
15.5	Testing of the applied coatings.....	46
15.5.1	General.....	46
15.5.2	Thickness.....	46
15.5.3	Holiday detection.....	46
15.5.4	Adhesion.....	46
15.5.5	Hardness.....	46
16	Elastomeric coatings.....	48
16.1	Coating identification.....	48
16.2	Description of the coatings.....	48
16.3	Surface preparation.....	48
16.4	Application of the coatings.....	48

16.4.1	General.....	48
16.4.2	<i>In situ</i> vulcanization method.....	48
16.4.3	Ambient-cure adhesive method.....	49
16.5	Testing of the applied coatings.....	49
16.5.1	General.....	49
16.5.2	Visual appearance.....	49
16.5.3	Coating thickness.....	49
16.5.4	Holiday detection.....	49
16.5.5	Hardness.....	49
16.5.6	Adhesion.....	49
16.5.7	Hot-water immersion test.....	50
16.5.8	Cathodic disbondment.....	50
16.5.9	Density.....	50
16.5.10	Rheometer curve — Oscillating disc.....	50
16.5.11	Tensile strength.....	50
16.5.12	Elongation at break.....	50
16.5.13	Tear strength.....	50
16.5.14	Electrical volume resistivity.....	50
16.5.15	Ozone resistance.....	51
16.5.16	Resistance to seawater.....	51
17	Fusion-bonded epoxy (FBE) powder coatings.....	53
17.1	Coating identification.....	53
17.2	Description of the coatings.....	53
17.3	Surface preparation.....	53
17.4	Application of the coatings.....	54
17.4.1	General.....	54
17.4.2	Transport and storage of epoxy powder.....	54
17.4.3	Heating.....	54
17.4.4	Application of epoxy powder.....	54
17.5	Testing of the applied coatings.....	55
17.5.1	General.....	55
17.5.2	Visual appearance.....	55
17.5.3	Thickness.....	55
17.5.4	Holiday detection.....	55
17.5.5	Adhesion.....	55
17.5.6	Degree of cure.....	55
17.5.7	Impact resistance.....	55
17.5.8	Cathodic disbondment.....	55
17.5.9	Hot-water immersion test.....	56
17.5.10	Flexibility.....	56
18	Liquid-applied coatings.....	56
18.1	Coating identification.....	56
18.2	Description of the coatings.....	56
18.2.1	Liquid epoxy — 18A.....	56
18.2.2	Liquid polyurethane — 18B.....	56
18.2.3	Fibre reinforced epoxy — 18C.....	56
18.2.4	Fibre reinforced vinyl ester — 18D.....	56
18.2.5	Cast polyurethane — 18E.....	57
18.3	Surface preparation.....	57
18.4	Application of the coatings.....	57
18.4.1	General.....	57
18.4.2	Heating.....	57
18.4.3	Liquid coatings application.....	57
18.5	Testing of the applied coatings.....	58
18.5.1	General.....	58
18.5.2	Thickness.....	58
18.5.3	Holiday detection.....	58

18.5.4	Adhesion	58
18.5.5	Impact resistance	58
18.5.6	Hardness	58
18.5.7	Cathodic disbondment	58
18.5.8	Hot-water immersion test	59
18.5.9	Flexibility	59
18.5.10	Indentation resistance	59
18.5.11	Specific electrical insulation resistance	59
18.5.12	Compressive strength	59
18.5.13	Electrical volume resistivity	59
18.5.14	Water absorption	59
19	Hot-applied polyolefin-based coatings	62
19.1	Coating identification	62
19.2	Description of the coatings	62
19.2.1	Flame-sprayed polypropylene — Type 19A	62
19.2.2	Hot-applied polypropylene tapes/sheets — Type 19B	62
19.2.3	Injection-moulded polypropylene — Type 19C	63
19.2.4	Flame-sprayed polyethylene — Type 19D	63
19.2.5	Hot-applied polyethylene tapes/sheets — Type 19E	63
19.2.6	Thickness of the epoxy primer	63
19.3	Surface preparation	64
19.4	Application of the coating	64
19.4.1	General	64
19.4.2	Heating	64
19.4.3	Application of the epoxy layer	64
19.4.4	Application of the chemically modified PP or PE	65
19.4.5	Application of the polyolefin top coat	65
19.5	Testing of the applied coatings	65
19.5.1	General	65
19.5.2	Thickness	66
19.5.3	Holiday detection	66
19.5.4	Peel strength	66
19.5.5	Adhesion to plant coating	66
19.5.6	Hot-water immersion test	66
19.5.7	Degree of cure	66
19.5.8	Cathodic disbondment	66
19.5.9	Impact resistance	67
19.5.10	Indentation resistance	67
19.5.11	Oxidation induction time	67
19.5.12	Flexibility	67
20	Thermal spray aluminium (TSA) coatings	70
20.1	Coating identification	70
20.2	Description of the coating	70
20.3	Qualification	70
20.4	Surface preparation	71
20.5	Application of the coating	71
20.5.1	General	71
20.5.2	Aluminium	71
20.5.3	Sealer	71
20.6	Testing of the applied coating	71
20.6.1	General	71
20.6.2	Visual inspection	72
20.6.3	TSA porosity	72
20.6.4	Coating thickness	72
20.6.5	Bend test	72
20.6.6	Pull-off adhesion test	72
20.6.7	Sealer penetration	72

Annex A (normative) Test programmes for procedure qualification trials (PQT), pre-production trials (PPT) or production testing	74
Annex B (normative) Inspection of thickness	79
Annex C (normative) Holiday detection test	80
Annex D (normative) Impact test	81
Annex E (normative) Indentation test	83
Annex F (normative) Specific electrical insulation resistance	85
Annex G (normative) Cathodic disbondment test	87
Annex H (normative) Peel strength test	93
Annex I (normative) Hot water immersion test	99
Annex J (normative) Lap shear strength	102
Annex K (normative) Drip resistance	105
Annex L (normative) Peel strength between layers	106
Annex M (normative) Thermal ageing resistance	109
Annex N (normative) Thermal stability test (Hot air ageing)	114
Annex O (normative) Bursting strength of reinforced backing	115
Annex P (normative) Thermal analysis of epoxy powder and cured coating film (FBE)	116
Annex Q (normative) Adhesion test — Resistance to removal	120
Bibliography	122