DIN EN ISO 21809-3:2020-09 (E)

Petroleum and natural gas industries - External coatings for buried or submerged pipelines used in pipeline transportation systems - Part 3: Field joint coatings (ISO 21809-3:2016 + Amd 1:2020); English version EN ISO 21809-3:2016 + A1:2020

Contents

Page

Foreword ..... **ix**

Introduction ..... **x**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **4**

4 Symbols and abbreviated terms **6**
4.1 Symbols 6
4.2 Abbreviated terms 7

5 General requirements **8**
5.1 Responsibily of the end user 8
5.2 Rounding 8
5.3 Compliance, testing and quality 8

6 Information to be supplied by the purchaser **8**
6.1 General information 8
6.2 Additional information 8

7 Application procedures and qualification **9**
7.1 Application procedure specification (APS) 9
7.2 Coating materials 10
7.3 Procedure qualification trial (PQT) 10
7.4 Pre-production trial (PPT) 11
7.5 Qualification of coating and inspection personnel 12
7.6 Production testing and inspection 12
7.7 Inspection documents and traceability 12

8 Classification of field joint coatings **12**

9 General requirements for surface preparation, coating application, testing and repair **13**
9.1 Surface preparation 13
9.1.1 General 13
9.1.2 Preparation of the steel substrate 14
9.1.3 Preparation of the adjacent plant-applied coating 15
9.2 Application of the coating 15
9.3 Visual inspection of the applied coating 15
9.4 Testing of the field joint coating 16
9.5 Repairs 16
9.6 Verification, handling and storage of coating materials 16

10 Hot-applied bituminous tape coatings **16**
10.1 Coating identification 16
10.2 Description of the coatings 16
10.3 Surface preparation 16
10.4 Coating application 16
10.4.1 General 16
10.4.2 Application of the primer 16
10.4.3 Application of the bituminous tapes 17
10.4.4 Overlap 17

10.5 Testing of the applied coatings ... 17
10.5.1 General ... 17
10.5.2 Thickness ... 17
10.5.3 Holiday detection ... 18
10.5.4 Impact resistance ... 18
10.5.5 Indentation resistance ... 18
10.5.6 Specific electrical insulation resistance ... 18
10.5.7 Cathodic disbondment ... 18
10.5.8 Peel strength to pipe surface and plant coating ... 18
10.5.9 Hot-water immersion test ... 18
10.5.10 Lap shear strength ... 18

11 Petrolatum and wax-based tape coatings ... 22
11.1 Coating identification ... 22
11.2 Description of the coatings ... 22
11.2.1 Petrolatum tapes (Type 11A) ... 22
11.2.2 Wax-based tapes (Type 11B) ... 22
11.3 Surface preparation ... 22
11.4 Coating application ... 22
11.4.1 General ... 22
11.4.2 Application of the primer ... 22
11.4.3 Application of petrolatum or wax-based tapes ... 23
11.4.4 Overlap ... 23
11.5 Testing of the applied coatings ... 23
11.5.1 General ... 23
11.5.2 Thickness ... 23
11.5.3 Holiday detection ... 23
11.5.4 Impact resistance ... 23
11.5.5 Indentation resistance ... 24
11.5.6 Specific electrical insulation resistance ... 24
11.5.7 Cathodic disbondment ... 24
11.5.8 Peel strength to pipe surface and plant coating ... 24
11.5.9 Hot-water immersion test ... 24
11.5.10 Drip resistance ... 24

12 Cold-applied polymeric tape coatings ... 26
12.1 Coating identification ... 26
12.2 Description of the coatings ... 26
12.3 Surface preparation ... 26
12.4 Coating application ... 26
12.4.1 General ... 26
12.4.2 Application of the primer ... 26
12.4.3 Application of polymeric tapes ... 26
12.4.4 Overlap ... 27
12.5 Testing of the applied coatings ... 27
12.5.1 General ... 27
12.5.2 Thickness ... 27
12.5.3 Holiday detection ... 27
12.5.4 Impact resistance ... 27
12.5.5 Indentation resistance ... 27
12.5.6 Cathodic disbondment ... 28
12.5.7 Peel strength between tape layers of polymeric tapes ... 28
12.5.8 Peel strength to pipe surface and plant coating ... 28
12.5.9 Hot-water immersion test ... 28
12.5.10 Lap shear strength ... 28

13 Non-crystalline low-viscosity polyolefin based coatings ... 29
13.1 Coating identification ... 29
13.2 Description of the coatings ... 30
13.3 Surface preparation ... 30
13.4 Application of the coatings ... 31
13.4.1 General ... 31
13.4.2 Overlap ... 31

13.5 Testing of the applied coating ... 31
13.5.1 General ... 31
13.5.2 Thickness ... 31
13.5.3 Holiday detection ... 31
13.5.4 Impact resistance ... 32
13.5.5 Indentation resistance ... 32
13.5.6 Specific electrical insulation resistance ... 32
13.5.7 Cathodic disbondment resistance ... 32
13.5.8 Peel strength between layers of outer wrap ... 32
13.5.9 Adhesion to pipe surface and plant coating ... 32
13.5.10 Thermal ageing resistance ... 33
13.5.11 Resistance to lap shear ... 33
13.5.12 Hot-water immersion test ... 33
13.5.13 Glass transition and crystallization temperatures ... 33
13.5.14 Drip resistance ... 33

14 Coatings based on heat-shrinkable materials ... 37
14.1 Coating identification ... 37
14.2 Description of the coatings ... 37
14.2.1 General ... 37
14.2.2 Type 14A ... 37
14.2.3 Types 14B, 14C and 14D ... 37
14.3 Surface preparation ... 38
14.4 Application of the coatings ... 38
14.4.1 General ... 38
14.4.2 Application of the primer ... 38
14.4.3 Application of heat-shrinkable materials ... 38
14.4.4 Overlap ... 39
14.5 Testing of the applied coatings ... 39
14.5.1 General ... 39
14.5.2 Thickness ... 39
14.5.3 Holiday detection ... 39
14.5.4 Peel strength ... 40
14.5.5 Cathodic disbondment ... 40
14.5.6 Hot-water immersion test ... 40
14.5.7 Impact resistance ... 40
14.5.8 Indentation resistance ... 40
14.5.9 Lap shear strength ... 40
14.5.10 Thermal ageing resistance and thermal stability ... 40
14.5.11 Bursting strength ... 40
14.5.12 Oxidation induction time ... 41

15 Hot-applied microcrystalline wax coatings ... 45
15.1 Coating identification ... 45
15.2 Description of the coating ... 45
15.3 Surface preparation ... 45
15.4 Application of the coating ... 45
15.4.1 General ... 45
15.4.2 Application of the microcrystalline wax ... 45
15.4.3 Application of the outer wrap ... 46
15.4.4 Application of wax top coat ... 46
15.5 Testing of the applied coatings ... 46
15.5.1 General ... 46
15.5.2 Thickness ... 46
15.5.3 Holiday detection ... 46
15.5.4 Adhesion ... 46
15.5.5 Hardness 46

16 Elastomeric coatings ... 48
16.1 Coating identification ... 48
16.2 Description of the coatings ... 48
16.3 Surface preparation ... 48
16.4 Application of the coatings ... 48

16.4.1 General 48
16.4.2 ***In situ*** vulcanization method 48
16.4.3 Ambient-cure adhesive method 49
16.5 Testing of the applied coatings 49
16.5.1 General 49
16.5.2 Visual appearance 49
16.5.3 Coating thickness 49
16.5.4 Holiday detection 49
16.5.5 Hardness 49
16.5.6 Adhesion 49
16.5.7 Hot-water immersion test 50
16.5.8 Cathodic disbondment 50
16.5.9 Density 50
16.5.10 Rheometer curve — Oscillating disc 50
16.5.11 Tensile strength 50
16.5.12 Elongation at break 50
16.5.13 Tear strength 50
16.5.14 Electrical volume resistivity 50
16.5.15 Ozone resistance 51
16.5.16 Resistance to seawater 51

17 Fusion-bonded epoxy (FBE) powder coatings 53
17.1 Coating identification 53
17.2 Description of the coatings 53
17.3 Surface preparation 53
17.4 Application of the coatings 54
17.4.1 General 54
17.4.2 Transport and storage of epoxy powder 54
17.4.3 Heating 54
17.4.4 Application of epoxy powder 54
17.5 Testing of the applied coatings 55
17.5.1 General 55
17.5.2 Visual appearance 55
17.5.3 Thickness 55
17.5.4 Holiday detection 55
17.5.5 Adhesion 55
17.5.6 Degree of cure 55
17.5.7 Impact resistance 55
17.5.8 Cathodic disbondment 55
17.5.9 Hot-water immersion test 56
17.5.10 Flexibility 56

18 Liquid-applied coatings 56
18.1 Coating identification 56
18.2 Description of the coatings 56
18.2.1 Liquid epoxy — 18A 56
18.2.2 Liquid polyurethane — 18B 56
18.2.3 Fibre reinforced epoxy — 18C 56
18.2.4 Fibre reinforced vinyl ester — 18D 56
18.2.5 Cast polyurethane — 18E 57
18.3 Surface preparation 57
18.4 Application of the coatings 57
18.4.1 General 57
18.4.2 Heating 57
18.4.3 Liquid coatings application 57
18.5 Testing of the applied coatings 58
18.5.1 General 58
18.5.2 Thickness 58
18.5.3 Holiday detection 58

18.5.4 Adhesion 58
18.5.5 Impact resistance 58
18.5.6 Hardness 58
18.5.7 Cathodic disbondment 58
18.5.8 Hot-water immersion test 59
18.5.9 Flexibility 59
18.5.10 Indentation resistance 59
18.5.11 Specific electrical insulation resistance 59
18.5.12 Compressive strength 59
18.5.13 Electrical volume resistivity 59
18.5.14 Water absorption 59

19 Hot-applied polyolefin-based coatings 62
19.1 Coating identification 62
19.2 Description of the coatings 62
19.2.1 Flame-sprayed polypropylene — Type 19A 62
19.2.2 Hot-applied polypropylene tapes/sheets — Type 19B 62
19.2.3 Injection-moulded polypropylene — Type 19C 63
19.2.4 Flame-sprayed polyethylene — Type 19D 63
19.2.5 Hot-applied polyethylene tapes/sheets — Type 19E 63
19.2.6 Thickness of the epoxy primer 63
19.3 Surface preparation 64
19.4 Application of the coating 64
19.4.1 General 64
19.4.2 Heating 64
19.4.3 Application of the epoxy layer 64
19.4.4 Application of the chemically modified PP or PE 65
19.4.5 Application of the polyolefin top coat 65
19.5 Testing of the applied coatings 65
19.5.1 General 65
19.5.2 Thickness 66
19.5.3 Holiday detection 66
19.5.4 Peel strength 66
19.5.5 Adhesion to plant coating 66
19.5.6 Hot-water immersion test 66
19.5.7 Degree of cure 66
19.5.8 Cathodic disbondment 66
19.5.9 Impact resistance 67
19.5.10 Indentation resistance 67
19.5.11 Oxidation induction time 67
19.5.12 Flexibility 67

20 Thermal spray aluminium (TSA) coatings 70
20.1 Coating identification 70
20.2 Description of the coating 70
20.3 Qualification 70
20.4 Surface preparation 71
20.5 Application of the coating 71
20.5.1 General 71
20.5.2 Aluminium 71
20.5.3 Sealer 71
20.6 Testing of the applied coating 71
20.6.1 General 71
20.6.2 Visual inspection 72
20.6.3 TSA porosity 72
20.6.4 Coating thickness 72
20.6.5 Bend test 72
20.6.6 Pull-off adhesion test 72
20.6.7 Sealer penetration 72

Annex A (normative) **Test programmes for procedure qualification trials (PQT), pre-production trials (PPT) or production testing** **74**
Annex B (normative) **Inspection of thickness** **79**
Annex C (normative) **Holiday detection test** **80**
Annex D (normative) **Impact test** **81**
Annex E (normative) **Indentation test** **83**
Annex F (normative) **Specific electrical insulation resistance** **85**
Annex G (normative) **Cathodic disbondment test** **87**
Annex H (normative) **Peel strength test** **93**
Annex I (normative) **Hot water immersion test** **99**
Annex J (normative) **Lap shear strength** **102**
Annex K (normative) **Drip resistance** **105**
Annex L (normative) **Peel strength between layers** **106**
Annex M (normative) **Thermal ageing resistance** **109**
Annex N (normative) **Thermal stability test (Hot air ageing)** **114**
Annex O (normative) **Bursting strength of reinforced backing** **115**
Annex P (normative) **Thermal analysis of epoxy power and cured coating film (FBE)** **116**
Annex Q (normative) **Adhesion test — Resistance to removal** **120**
Bibliography **122**