

# ISO 19901-10:2021 (E)

## Petroleum and natural gas industries — Specific requirements for offshore structures — Part 10: Marine geophysical investigations

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
4.1	Symbols
4.2	Abbreviated terms
5	Objectives, planning, and quality management
5.1	General
5.1.1	Objectives and project specifications
5.1.2	Georeferencing and GIS
5.1.3	Ground model
5.2	Desk study
5.2.1	General
5.2.2	Use of exploration 2D and 3D seismic data in a desk study
5.2.3	Desk study for pre-drilling well-site investigations
5.3	Scoping and planning
5.3.1	General
5.3.2	Scoping of seafloor mapping and sub-seafloor mapping
5.3.2.1	General
5.3.2.2	Reconnaissance seafloor mapping
5.3.2.3	Engineering seafloor mapping
5.3.2.4	Detailed engineering seafloor mapping
5.3.2.5	Reconnaissance sub-seafloor mapping
5.3.2.6	Engineering sub-seafloor mapping
5.3.2.7	Detailed engineering sub-seafloor mapping
5.3.2.8	Pre-drilling well-site investigation seafloor and sub-seafloor mapping
5.4	Operations planning and data quality management
5.4.1	Quality plan
5.4.2	Effects of attenuation
5.4.3	Data quality management
6	Positioning
6.1	General
6.2	Coordinate reference systems
6.2.1	Horizontal coordinate reference system
6.2.2	Vertical coordinate reference system
6.3	Surface positioning requirements
6.4	Vessel heading
6.4.1	General
6.4.2	Gyro compass
6.4.3	GNSS based heading reference
6.4.4	Alignment
6.5	Sub-sea positioning — Ultra-short baseline system
6.6	Inertial navigation system
6.7	Auxiliary sensor: doppler velocity log

- 6.8 Auxiliary sensor: altimeter
- 6.9 Auxiliary sensor: pressure-depth sensor
- 7 Seafloor mapping
  - 7.1 General
  - 7.2 Instrumentation and acquisition parameters
    - 7.2.1 Multi-beam echo sounder
      - 7.2.1.1 General
      - 7.2.1.2 Sub-sea vehicle-mounted MBES
      - 7.2.1.3 Vessel-mounted MBES
    - 7.2.2 Side scan sonar
    - 7.2.3 Auxiliary sensor: velocity of sound in seawater
  - 7.3 Data acquisition methods
    - 7.3.1 General
    - 7.3.2 Reconnaissance seafloor mapping
    - 7.3.3 Engineering seafloor mapping
    - 7.3.4 Detailed engineering seafloor mapping
  - 7.4 Seafloor mapping deliverables
- 8 Sub-seafloor mapping
  - 8.1 General
    - 8.1.1 Resolution and signal penetration
    - 8.1.2 Equipment selection for sub-seafloor mapping methods
    - 8.1.3 Assessment of data quality
    - 8.1.4 Deliverables
  - 8.2 Acquisition equipment and parameters for seismic data
    - 8.2.1 Equipment performance
    - 8.2.2 Acquisition and processing parameters
      - 8.2.3 High resolution seismic reflection
        - 8.2.3.1 Checks of equipment performance
        - 8.2.3.2 Data processing
          - 8.2.3.3 Deliverables
      - 8.2.4 Ultra-high-resolution seismic reflection
        - 8.2.4.1 Checks of equipment performance
        - 8.2.4.2 Assessment of data quality
          - 8.2.4.3 Data processing
            - 8.2.4.4 Deliverables
      - 8.2.5 Ultra-ultra-high resolution seismic reflection
        - 8.2.5.1 Checks of equipment performance
        - 8.2.5.2 Data processing
          - 8.2.5.3 Deliverables
      - 8.2.6 Sub-bottom profiling
        - 8.2.6.1 Acquisition equipment
        - 8.2.6.2 Survey platform
        - 8.2.6.3 Data processing
        - 8.2.6.4 Assessment of data quality
          - 8.2.6.5 Deliverables
  - 8.3 Non-seismic reflection methods
    - 8.3.1 Seismic refraction
      - 8.3.1.1 General
        - 8.3.1.2 Acquisition equipment and parameters
        - 8.3.1.3 Deliverables
      - 8.3.2 Magnetometer and magnetic gradiometer
        - 8.3.2.1 General
          - 8.3.2.2 Acquisition equipment and acquisition parameters
          - 8.3.2.3 Deliverables
      - 8.3.3 Marine shear waves
      - 8.3.4 Marine surface waves
      - 8.3.5 Electrical resistivity imaging
      - 8.3.6 Electromagnetic imaging
- 9 Reporting of seafloor mapping and sub-seafloor mapping
  - 9.1 General
  - 9.2 Record of data acquisition operations

9.3	Record of data processing
9.4	Results report
10	Data integration, interpretation and investigation of geohazards
10.1	General
10.2	Horizons, isopachs and isochores
10.3	Mapping stratigraphic units and defining geochronology
10.4	Time-to-depth conversion
10.5	Borehole geophysical logging
10.6	Investigation of geohazards
10.7	Integrated studies
Annex A	(informative) Additional information and guidance
A.1	Scope
A.2	Normative references
A.3	Terms and definitions
A.4	Symbols and abbreviated terms
A.5	Objectives, planning, and quality control
A.5.1	General
A.5.1.1	Objectives and project specifications
A.5.1.2	Georeferencing and GIS
A.5.1.3	Ground model
A.5.2	Desk study
A.5.2.1	General
A.5.2.2	Use of exploration 2D and 3D seismic data in a desk study
A.5.2.3	Desk study for pre-drilling well-site investigations
A.5.3	Scoping and planning
A.5.3.1	General
A.5.3.2	Scoping of seafloor mapping and sub-seafloor mapping
A.5.3.2.1	General
A.5.3.2.2	Reconnaissance seafloor mapping
A.5.3.2.3	Engineering seafloor mapping
A.5.3.2.4	Detailed engineering seafloor mapping
A.5.3.2.5	Reconnaissance sub-seafloor mapping
A.5.3.2.6	Engineering sub-seafloor mapping
A.5.3.2.7	Detailed engineering sub-seafloor mapping
A.5.3.2.8	Pre-drilling well-site investigation seafloor and sub-seafloor mapping
A.5.4	Operations planning and data quality management
A.5.4.1	Quality plan
A.5.4.2	Effects of attenuation
A.5.4.3	Data quality management
A.6	Positioning
A.6.1	General
A.6.2	Coordinate reference systems
A.6.3	Surface positioning requirements
A.6.4	Vessel heading
A.6.5	Sub-sea positioning — Ultra-short baseline system
A.6.6	Inertial navigation system
A.6.7	Auxilliary sensor: doppler velocity log
A.6.8	Auxilliary sensor: altimeter
A.6.9	Auxilliary sensor: pressure-depth sensor
A.7	Seafloor mapping
A.7.1	General
A.7.2	Instrumentation and acquisition parameters
A.7.2.1	Multi-beam echo sounder
A.7.2.2	Side scan sonar
A.7.2.3	Auxiliary sensor: velocity of sound in seawater
A.7.3	Data acquisition methods
A.7.4	Seafloor mapping deliverables
A.8	Sub-seafloor mapping
A.8.1	General
A.8.1.1	Resolution and signal penetration
A.8.1.2	Equipment selection for sub-seafloor mapping methods
A.8.1.3	Assessment of data quality

- A.8.1.4 Deliverables
- A.8.2 Acquisition equipment and parameters for seismic data
  - A.8.2.1 Equipment performance
  - A.8.2.2 Acquisition and processing parameters
  - A.8.2.3 High resolution seismic reflection
    - A.8.2.3.1 Checks of equipment performance
    - A.8.2.3.2 Data processing
    - A.8.2.3.3 Deliverables
  - A.8.2.4 Ultra-high resolution seismic reflection
  - A.8.2.5 Ultra-ultra-high resolution seismic reflection
  - A.8.2.6 Sub-bottom profiling
- A.8.3 Non-seismic reflection methods
  - A.8.3.1 Seismic refraction
  - A.8.3.2 Magnetometer/Magnetic gradiometer
  - A.8.3.3 Marine shear waves
  - A.8.3.4 Marine surface waves
  - A.8.3.5 Electrical resistivity imaging
  - A.8.3.6 Electromagnetic imaging
- A.9 Reporting of seafloor and sub-seafloor mapping
  - A.9.1 General
  - A.9.2 Record of data acquisition operations
  - A.9.3 Record of data processing
  - A.9.4 Results report
- A.10 Data integration, interpretation and investigation of geohazards
  - A.10.1 General
  - A.10.2 Horizons, isopachs and isochores
  - A.10.3 Mapping stratigraphic soil units and defining geochronology
  - A.10.4 Time-to-depth conversion
  - A.10.5 Borehole geophysical logging
  - A.10.6 Investigation of geohazards
  - A.10.7 Integrated studies

Page count: 81