

# DIN EN ISO 19905-1:2024-04 (E)

Oil and gas industries including lower carbon energy - Site-specific assessment of mobile offshore units - Part 1: Jack-ups: elevated at a site (ISO 19905-1:2023); English version EN ISO 19905-1:2023

---

<b>Contents</b>		<b>Page</b>
Foreword.....		viii
Introduction.....		xi
<b>1</b>	<b>Scope.....</b>	<b>1</b>
<b>2</b>	<b>Normative references.....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Symbols and abbreviated terms .....</b>	<b>15</b>
<b>4.1</b>	<b>Symbols.....</b>	<b>15</b>
<b>4.1.1</b>	<b>General.....</b>	<b>15</b>
<b>4.1.2</b>	<b>Symbols used in A.6.....</b>	<b>17</b>
<b>4.1.3</b>	<b>Symbols used in A.7.....</b>	<b>19</b>
<b>4.1.4</b>	<b>Symbols used in A.8.....</b>	<b>21</b>
<b>4.1.5</b>	<b>Symbols used in A.9 and Annex E.....</b>	<b>22</b>
<b>4.1.6</b>	<b>Symbols used in A.10 .....</b>	<b>25</b>
<b>4.1.7</b>	<b>Symbols used in A.11 .....</b>	<b>26</b>
<b>4.1.8</b>	<b>Symbols used in A.12 .....</b>	<b>27</b>
<b>4.2</b>	<b>Abbreviated terms.....</b>	<b>31</b>
<b>5</b>	<b>Overall considerations .....</b>	<b>32</b>
<b>5.1</b>	<b>General.....</b>	<b>32</b>
<b>5.1.2</b>	<b>Competency.....</b>	<b>33</b>
<b>5.1.3</b>	<b>Planning.....</b>	<b>33</b>
<b>5.1.4</b>	<b>Assessment situations and associated criteria .....</b>	<b>33</b>
<b>5.1.5</b>	<b>Reporting .....</b>	<b>33</b>
<b>5.1.6</b>	<b>Regulations.....</b>	<b>33</b>
<b>5.1.7</b>	<b>Classification of unit.....</b>	<b>34</b>
<b>5.2</b>	<b>Assessment approach.....</b>	<b>34</b>
<b>5.3</b>	<b>Selection of assessment situations .....</b>	<b>36</b>
<b>5.4</b>	<b>Determination of assessment situations .....</b>	<b>37</b>
<b>5.4.1</b>	<b>General.....</b>	<b>37</b>
<b>5.4.2</b>	<b>Reaction point and foundation fixity .....</b>	<b>37</b>
<b>5.4.3</b>	<b>Extreme storm event approach angle.....</b>	<b>37</b>
<b>5.4.4</b>	<b>Weights and centre of gravity.....</b>	<b>37</b>
<b>5.4.5</b>	<b>Hull elevation .....</b>	<b>37</b>
<b>5.4.6</b>	<b>Leg length reserve.....</b>	<b>38</b>
<b>5.4.7</b>	<b>Adjacent structures .....</b>	<b>38</b>
<b>5.4.8</b>	<b>Other .....</b>	<b>38</b>
<b>5.5</b>	<b>Exposure levels .....</b>	<b>38</b>
<b>5.5.1</b>	<b>Determination of exposure level.....</b>	<b>38</b>
<b>5.5.2</b>	<b>Exposure level L1 .....</b>	<b>38</b>
<b>5.5.3</b>	<b>Exposure level L2 .....</b>	<b>38</b>
<b>5.5.4</b>	<b>Exposure level L3 .....</b>	<b>39</b>
<b>5.5.5</b>	<b>Exposure level for earthquake .....</b>	<b>39</b>
<b>5.6</b>	<b>Analytical tools .....</b>	<b>39</b>

6	Data to assemble for each site .....	39
6.1	Applicability .....	39
6.2	Jack-up data.....	39
6.3	Site and operational data .....	40
6.4	Metocean data .....	40
6.5	Geophysical and geotechnical data .....	41
6.6	Earthquake data.....	42
6.7	Ice data .....	42
7	Actions .....	42
7.1	Applicability .....	42
7.2	General .....	42
7.3	Metocean actions .....	43
7.3.1	General .....	43
7.3.2	Hydrodynamic model.....	43
7.3.3	Wave and current actions.....	43
7.3.4	Wind actions.....	43
7.4	Functional actions .....	44
7.5	Displacement dependent effects.....	44
7.6	Dynamic effects .....	44
7.7	Earthquakes.....	44
7.8	Ice actions.....	44
7.9	Other actions .....	44
8	Structural modelling .....	44
8.1	Applicability .....	44
8.2	Overall considerations .....	45
8.2.1	General .....	45
8.2.2	Modelling philosophy.....	45
8.2.3	Levels of FE modelling .....	45
8.3	Modelling the leg.....	46
8.3.1	General .....	46
8.3.2	Detailed leg.....	46
8.3.3	Equivalent leg (stick model).....	46
8.3.4	Combination of detailed and equivalent leg.....	46
8.3.5	Stiffness adjustment .....	46
8.3.6	Leg inclination .....	46
8.4	Modelling the hull.....	46
8.4.1	General .....	46
8.4.2	Detailed hull model.....	46
8.4.3	Equivalent hull model.....	46
8.5	Modelling the leg-to-hull connection .....	47
8.5.1	General .....	47
8.5.2	Guide systems .....	47
8.5.3	Elevating system .....	47
8.5.4	Fixation system .....	47
8.5.5	Shock pad — floating jacking systems .....	47
8.5.6	Jackcase and associated bracing.....	47
8.6	Modelling the spudcan and foundation .....	47
8.6.1	Spudcan structure .....	47
8.6.2	Seabed reaction point .....	47
8.6.3	Foundation modelling.....	48
8.7	Mass modelling.....	48
8.8	Application of actions .....	49
8.8.1	Assessment actions .....	49
8.8.2	Functional actions due to fixed load and variable load.....	50
8.8.3	Hull sagging .....	51

8.8.4	Metoccean actions .....	51
8.8.5	Inertial actions .....	51
8.8.6	Large displacement effects.....	51
8.8.7	Conductor actions.....	51
8.8.8	Earthquake actions.....	51
8.8.9	Ice actions .....	51
9	Foundations .....	52
9.1	Applicability.....	52
9.2	General.....	52
9.3	Geotechnical analysis of independent leg foundations.....	52
9.3.1	Foundation modelling and assessment.....	52
9.3.2	Leg penetration during preloading .....	53
9.3.3	Yield interaction.....	54
9.3.4	Foundation stiffnesses .....	54
9.3.5	Vertical-horizontal foundation capacity envelopes .....	54
9.3.6	Acceptance checks .....	55
9.4	Other considerations .....	56
9.4.1	Skirted spudcans .....	56
9.4.2	Hard sloping strata.....	57
9.4.3	Footprint considerations .....	57
9.4.4	Leaning instability .....	57
9.4.5	Leg extraction difficulties .....	57
9.4.6	Cyclic mobility, liquefaction and liquefaction-induced lateral flow.....	57
9.4.7	Scour .....	58
9.4.8	Spudcan interaction with adjacent infrastructure .....	58
9.4.9	Geohazards .....	58
9.4.10	Carbonate material.....	58
10	Structural response.....	58
10.1	Applicability.....	58
10.2	General considerations.....	59
10.3	Types of analyses and associated methods .....	59
10.4	Common parameters .....	60
10.4.1	General.....	60
10.4.2	Natural periods and related considerations .....	60
10.4.3	Damping .....	61
10.4.4	Foundations .....	61
10.4.5	Storm excitation .....	61
10.5	Storm analysis.....	61
10.5.1	General.....	61
10.5.2	Two-stage deterministic storm analysis .....	62
10.5.3	Stochastic storm analysis.....	63
10.5.4	Initial leg inclination.....	64
10.5.5	Limit state checks .....	64
10.6	Fatigue analysis .....	64
10.7	Earthquake analysis.....	64
10.8	Ice.....	66
10.8.1	General.....	66
10.8.2	ULS.....	66
10.8.3	ALS.....	66
10.8.4	Assessments in the area types.....	67
10.8.5	Additional factors for arctic and cold regions .....	67
10.9	Accidental situations .....	67
10.10	Alternative analysis methods .....	67
10.10.1	Ultimate strength analysis.....	67
10.10.2	Methodology .....	67

<b>11</b>	<b>Long-term applications.....</b>	<b>68</b>
<b>11.1</b>	<b>Applicability.....</b>	<b>68</b>
<b>11.2</b>	<b>Assessment data.....</b>	<b>68</b>
<b>11.3</b>	<b>Special requirements.....</b>	<b>68</b>
<b>11.3.1</b>	<b>Fatigue assessment.....</b>	<b>68</b>
<b>11.3.2</b>	<b>Weight control.....</b>	<b>68</b>
<b>11.3.3</b>	<b>Corrosion protection.....</b>	<b>69</b>
<b>11.3.4</b>	<b>Marine growth.....</b>	<b>69</b>
<b>11.3.5</b>	<b>Foundations.....</b>	<b>69</b>
<b>11.4</b>	<b>Survey requirements.....</b>	<b>69</b>
<b>12</b>	<b>Structural strength.....</b>	<b>69</b>
<b>12.1</b>	<b>Applicability.....</b>	<b>69</b>
<b>12.1.1</b>	<b>General.....</b>	<b>69</b>
<b>12.1.2</b>	<b>Truss type legs.....</b>	<b>70</b>
<b>12.1.3</b>	<b>Other leg types.....</b>	<b>70</b>
<b>12.1.4</b>	<b>Fixation system and/or elevating system.....</b>	<b>70</b>
<b>12.1.5</b>	<b>Spudcan strength including connection to the leg.....</b>	<b>70</b>
<b>12.1.6</b>	<b>Overview of the assessment procedure.....</b>	<b>71</b>
<b>12.2</b>	<b>Classification of member cross-sections.....</b>	<b>71</b>
<b>12.2.1</b>	<b>Member types.....</b>	<b>71</b>
<b>12.2.2</b>	<b>Material yield strength.....</b>	<b>71</b>
<b>12.2.3</b>	<b>Classification definitions.....</b>	<b>71</b>
<b>12.3</b>	<b>Section properties of non-circular prismatic members.....</b>	<b>72</b>
<b>12.3.1</b>	<b>General.....</b>	<b>72</b>
<b>12.3.2</b>	<b>Plastic and compact sections.....</b>	<b>72</b>
<b>12.3.3</b>	<b>Semi-compact sections.....</b>	<b>72</b>
<b>12.3.4</b>	<b>Slender sections.....</b>	<b>72</b>
<b>12.3.5</b>	<b>Cross-section properties for the assessment.....</b>	<b>72</b>
<b>12.4</b>	<b>Effects of axial force on bending moment.....</b>	<b>73</b>
<b>12.5</b>	<b>Strength of tubular members.....</b>	<b>73</b>
<b>12.6</b>	<b>Strength of non-circular prismatic members.....</b>	<b>73</b>
<b>12.7</b>	<b>Assessment of joints.....</b>	<b>73</b>
<b>13</b>	<b>Acceptance criteria.....</b>	<b>73</b>
<b>13.1</b>	<b>Applicability.....</b>	<b>73</b>
<b>13.1.1</b>	<b>General.....</b>	<b>73</b>
<b>13.1.2</b>	<b>Ultimate limit states.....</b>	<b>74</b>
<b>13.1.3</b>	<b>Serviceability and accidental limit states.....</b>	<b>74</b>
<b>13.1.4</b>	<b>Fatigue limit states.....</b>	<b>74</b>
<b>13.2</b>	<b>General formulation of the assessment check.....</b>	<b>74</b>
<b>13.3</b>	<b>Leg strength assessment.....</b>	<b>75</b>
<b>13.4</b>	<b>Holding system strength assessment.....</b>	<b>76</b>
<b>13.5</b>	<b>Spudcan strength assessment.....</b>	<b>76</b>
<b>13.6</b>	<b>Hull elevation assessment.....</b>	<b>76</b>
<b>13.7</b>	<b>Leg length reserve assessment.....</b>	<b>76</b>
<b>13.8</b>	<b>Overturning stability assessment.....</b>	<b>77</b>
<b>13.9</b>	<b>Foundation integrity assessment.....</b>	<b>78</b>
<b>13.9.1</b>	<b>Foundation capacity check.....</b>	<b>78</b>
<b>13.10</b>	<b>Displacement check.....</b>	<b>79</b>
<b>13.11</b>	<b>Interaction with adjacent infrastructure.....</b>	<b>79</b>
<b>13.12</b>	<b>Temperatures.....</b>	<b>79</b>
	<b>Annex A (informative) Additional information and guidance.....</b>	<b>80</b>
	<b>Annex B (normative) Summary of partial action and partial resistance factors.....</b>	<b>283</b>

<b>Annex C (informative) Additional information on structural modelling and response analysis.....</b>	<b>285</b>
<b>Annex D (informative) Foundations — Recommendations for the acquisition of site-specific geotechnical data .....</b>	<b>295</b>
<b>Annex E (informative) Foundations — Additional information and alternative approaches ....</b>	<b>301</b>
<b>Annex F (informative) Guidance on Clause A.12 — Structural strength.....</b>	<b>328</b>
<b>Annex G (informative) Contents list for typical site-specific assessment report .....</b>	<b>342</b>
<b>Annex H (informative) Regional information .....</b>	<b>349</b>
<b>Bibliography .....</b>	<b>358</b>