

# DIN EN ISO 19901-3:2024-04 (E)

**Oil and gas industries including lower carbon energy - Specific requirements for offshore structures - Part 3: Topsides structure (ISO 19901-3:2024); English version  
EN ISO 19901-3:2024**

## Contents

	Page
<b>Foreword</b>	<b>vii</b>
<b>Introduction</b>	<b>x</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>2</b>
<b>3 Terms and definitions</b>	<b>3</b>
<b>4 Symbols and abbreviated terms</b>	<b>5</b>
4.1 Symbols	5
4.2 Abbreviated terms	6
<b>5 Overall requirements</b>	<b>7</b>
5.1 Conceptual design	7
5.2 Codes and standards	7
5.2.1 Limit states and allowable stress philosophies	7
5.2.2 Use of national building standards	8
5.3 Deck elevation	8
5.4 Exposure level	8
5.5 Operational requirements	9
5.5.1 Functional requirements	9
5.5.2 Spillage and containment	9
5.6 Design physical environmental conditions	9
5.7 Critical structure	9
5.8 Assessment of existing topsides structure	10
5.9 Reuse of topsides structure	10
5.10 Repairs, modifications and refurbishment	10
<b>6 Design requirements</b>	<b>11</b>
6.1 General	11
6.2 Design/assessment situations	11
6.3 Material selection	11
6.4 Structural interfaces	11
6.5 Design for serviceability	11
6.5.1 Serviceability limits	11
6.5.2 Vibrations	12
6.5.3 Deflections	13
6.6 Design for strength	14
6.7 Design for fatigue	14
6.8 Robustness	14
6.8.1 General	14
6.8.2 Ductility	14
6.9 Confirmation of execution of design requirements	15
6.10 Corrosion control	15
6.11 Design for fabrication and inspection	16
6.12 Design for loadout, transportation and installation	16
6.13 Design for structural integrity management	17
6.14 Design for decommissioning, removal and disposal	17
6.14.1 General	17
6.14.2 Structural releases	17
6.14.3 Lifting appurtenances	17
6.14.4 Heavy lift and set-down operations	17

<b>7</b>	<b>Actions and analysis methods</b>	<b>18</b>
7.1	General.....	18
7.2	In-service actions.....	19
7.3	Action factors.....	20
7.3.1	Design actions for operational design/assessment situations in still water.....	20
7.3.2	Design actions for operational design/assessment situations with operating environmental actions.....	20
7.3.3	Design actions for extreme design/assessment situations.....	21
7.4	Vortex-induced vibrations.....	21
7.5	Indirect actions and resulting forces (action effects).....	21
7.6	Metocean and ice actions .....	22
7.6.1	Wave, current and ice actions.....	22
7.6.2	Wind actions .....	23
7.6.3	Cold regions effects.....	24
7.7	Seismic actions .....	24
7.7.1	General .....	24
7.7.2	Minimum lateral acceleration.....	24
7.7.3	Equipment and appurtenances.....	24
7.8	Actions during fabrication, loadout, transportation, and installation.....	25
7.9	Actions arising from accidental events .....	25
7.9.1	General .....	25
7.9.2	Structural design for fire hazard.....	27
7.9.3	Structural design for explosion hazard.....	28
7.9.4	Explosion and fire interaction.....	32
7.9.5	Cryogenic spill .....	33
7.9.6	Actions due to vessel collision.....	33
7.9.7	Actions due to dropped and swinging objects and projectiles.....	33
7.9.8	Actions due to loss of buoyancy .....	33
7.9.9	Actions due to topsides acceleration .....	34
7.10	Other actions .....	34
7.10.1	Drilling .....	34
7.10.2	Conductors.....	35
7.10.3	Risers.....	36
7.10.4	Caissons.....	36
7.10.5	Maintenance, mechanical handling and lifting aids .....	36
7.10.6	Bridge supports.....	36
<b>8</b>	<b>Strength and resistance of structural components</b> .....	<b>37</b>
8.1	Correspondence factor $K_c$ .....	37
8.2	Design of cylindrical tubular sections.....	37
8.3	Design of non-cylindrical sections.....	37
8.3.1	Rolled and welded non-circular prismatic members.....	37
8.3.2	Plate girder .....	38
8.3.3	Box girder .....	38
8.3.4	Stiffened plate components and stressed skin structures .....	38
8.4	Connections.....	39
8.4.1	General .....	39
8.4.2	Restraint and shrinkage .....	39
8.4.3	Bolted connections .....	39
8.5	Castings and forgings .....	43
8.6	Design for structural stability .....	43
<b>9</b>	<b>Limit state verification</b> .....	<b>44</b>
9.1	Limit state verification approach .....	44
9.2	Limit state verification for fire and explosion events .....	45
9.3	Approaches for limit state verification for fire and explosion events .....	45
9.4	Risk and risk targets .....	46
9.5	Limit state verification for fire and explosion events by semi-probabilistic approach .....	48
9.5.1	DL limit state verification.....	48
9.5.2	NC limit state verification .....	48
9.5.3	Representative values of accidental actions .....	49
<b>10</b>	<b>Structural systems</b> .....	<b>49</b>
10.1	Topsides design.....	49
10.1.1	General .....	49

10.1.2	Topsides on concrete substructures.....	49
10.1.3	Topsides on floating structures.....	50
10.1.4	Equipment supports.....	50
10.2	Topsides structure design models.....	50
10.2.1	General.....	50
10.2.2	Substructure model for topsides design.....	51
10.2.3	Topsides model for topsides design.....	51
10.2.4	Modelling for design of equipment and piping supports.....	52
10.3	Substructure interface .....	52
10.3.1	Responsibility .....	52
10.3.2	Strength design .....	52
10.3.3	Fatigue design .....	52
10.4	Flare towers, booms, vents and similar structure .....	52
10.5	Helicopter landing facilities (helidecks).....	53
10.5.1	General .....	53
10.5.2	Construction.....	54
10.5.3	Helideck design verification.....	54
10.5.4	Reassessment of existing helidecks .....	58
10.6	Crane support structure and crane boom rest.....	59
10.6.1	General .....	59
10.6.2	Design requirements .....	59
10.6.3	Static design.....	60
10.6.4	Fatigue design .....	62
10.6.5	Seismic/Earthquake design .....	63
10.6.6	Dynamic design .....	63
10.6.7	Fabrication .....	64
10.6.8	Crane boom rest design .....	64
10.7	Derrick equipment set .....	64
10.8	Bridges .....	65
10.9	Bridge bearings.....	65
10.10	Anti-vibration mountings for modules and major equipment skids .....	66
10.11	System interface assumptions .....	66
10.12	Fire protection systems .....	66
10.13	Penetrations .....	67
10.14	Difficult-to-inspect areas .....	67
10.15	Drainage .....	67
10.16	Strength reduction due to heat .....	67
10.17	Walkways, laydown areas and equipment maintenance .....	67
10.18	Muster areas and lifeboat stations .....	68
<b>11</b>	<b>Materials.....</b>	<b>68</b>
11.1	General.....	68
11.2	Carbon steel .....	69
11.3	Stainless steel .....	74
11.3.1	General .....	74
11.3.2	Types of stainless steel .....	74
11.3.3	Material properties .....	75
11.4	Aluminium alloys .....	75
11.4.1	General .....	75
11.4.2	Types of aluminium .....	75
11.4.3	Material properties .....	75
11.4.4	Thermite sparking .....	76
11.5	Fibre-reinforced polymers (FRP) .....	76
11.6	Timber .....	76
<b>12</b>	<b>Fabrication, quality control, quality assurance and documentation .....</b>	<b>77</b>
12.1	Assembly .....	77
12.1.1	General .....	77
12.1.2	Grating .....	77
12.1.3	Landing and stairways .....	77

12.1.4	Temporary attachments .....	77
12.2	Welding.....	77
12.3	Fabrication inspection.....	78
12.4	Quality control, quality assurance and documentation .....	78
12.5	Corrosion protection.....	78
12.5.1	Coatings .....	78
12.5.2	Under deck areas.....	78
12.5.3	Dissimilar materials .....	78
12.6	In-service inspection, monitoring and maintenance of corrosion control .....	79
<b>13</b>	<b>Loadout, transportation and installation .....</b>	<b>79</b>
<b>14</b>	<b>In-service inspection and structural integrity management .....</b>	<b>79</b>
14.1	General.....	79
14.2	Requirements applying to topsides structures.....	79
14.2.1	Corrosion protection systems.....	79
14.2.2	Critical structures.....	79
14.2.3	Control of hot work (e.g. welding and cutting).....	79
14.2.4	Accidental events and incidents .....	80
14.2.5	Change control .....	80
<b>Annex A</b> (informative)	<b>Additional information and guidance .....</b>	<b>81</b>
<b>Annex B</b> (informative)	<b>Example calculation of correspondence factor .....</b>	<b>141</b>
<b>Bibliography .....</b>		<b>147</b>