

# ISO 13680:2024-05 (E)

Oil and gas industries including lower carbon energy - Corrosion-resistant alloy seamless products for use as casing, tubing, coupling stock and accessory material - Technical delivery conditions

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, abbreviated terms and symbols .....</b>	<b>4</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>4</b>
<b>3.2</b>	<b>Abbreviated terms .....</b>	<b>6</b>
<b>3.3</b>	<b>Symbols .....</b>	<b>7</b>
<b>4</b>	<b>General .....</b>	<b>8</b>
<b>4.1</b>	<b>Dual normative references .....</b>	<b>8</b>
<b>4.2</b>	<b>Units of measurement .....</b>	<b>8</b>
<b>5</b>	<b>Information supplied by the purchaser .....</b>	<b>8</b>
<b>6</b>	<b>Manufacturing process .....</b>	<b>10</b>
<b>6.1</b>	<b>Melting practices .....</b>	<b>10</b>
<b>6.2</b>	<b>Product manufacturing process .....</b>	<b>10</b>
<b>6.3</b>	<b>Pipe end sizing .....</b>	<b>11</b>
<b>6.4</b>	<b>Straightening .....</b>	<b>11</b>
<b>6.5</b>	<b>Processes requiring validation .....</b>	<b>11</b>
<b>6.6</b>	<b>Traceability .....</b>	<b>12</b>
<b>6.7</b>	<b>Manufacturing procedure qualification test .....</b>	<b>12</b>
<b>6.8</b>	<b>Process for update of alloys and/or grades .....</b>	<b>12</b>
<b>7</b>	<b>Material requirements .....</b>	<b>12</b>
<b>7.1</b>	<b>Chemical composition .....</b>	<b>12</b>
<b>7.2</b>	<b>Tensile properties .....</b>	<b>13</b>
<b>7.3</b>	<b>Hardness properties .....</b>	<b>13</b>
<b>7.4</b>	<b>Charpy V-notch test properties -- General requirements .....</b>	<b>13</b>
<b>7.4.1</b>	<b>Evaluation of test results .....</b>	<b>13</b>
<b>7.4.2</b>	<b>Critical thickness .....</b>	<b>13</b>
<b>7.4.3</b>	<b>Specimen size, orientation and hierarchy .....</b>	<b>13</b>
<b>7.4.4</b>	<b>Alternative size impact test specimens .....</b>	<b>14</b>
<b>7.4.5</b>	<b>Sub-size test specimens .....</b>	<b>14</b>
<b>7.4.6</b>	<b>Test temperature .....</b>	<b>14</b>
<b>7.5</b>	<b>Charpy V-notch -- Absorbed energy requirements for coupling stock and accessory material -- All grades .....</b>	<b>14</b>
<b>7.5.1</b>	<b>General .....</b>	<b>14</b>
<b>7.5.2</b>	<b>Requirements for all grades .....</b>	<b>14</b>
<b>7.6</b>	<b>Charpy V-notch -- Absorbed energy requirements for pipe -- All grades .....</b>	<b>15</b>
<b>7.7</b>	<b>Flattening requirements .....</b>	<b>16</b>
<b>7.8</b>	<b>Charpy V-notch test properties at low temperature for group 2 .....</b>	<b>16</b>
<b>7.8.1</b>	<b>General .....</b>	<b>16</b>
<b>7.8.2</b>	<b>Evaluation of test results .....</b>	<b>16</b>
<b>7.8.3</b>	<b>Selection of test specimens .....</b>	<b>17</b>
<b>7.8.4</b>	<b>Test temperature .....</b>	<b>17</b>

7.8.5	Absorbed energy requirements .....	17
7.9	Corrosion properties .....	17
7.9.1	General .....	17
7.9.2	Pitting corrosion properties for group 2 .....	17
7.10	Microstructure properties .....	17
7.10.1	Group 1 .....	17
7.10.2	Group 2 .....	17
7.10.3	Groups 3 and 4 .....	18
7.11	Surface condition .....	18
7.12	Defects .....	18
7.12.1	Pipe .....	18
7.12.2	Coupling stock and accessory material .....	19
7.12.3	Process control plan .....	19
8	Dimensions, masses and tolerances .....	19
8.1	Outside diameter, wall thickness and mass .....	19
8.2	Length .....	19
8.3	Tolerances .....	19
8.3.1	Tolerance on outside diameter, wall thickness and mass .....	19
8.3.2	Inside diameter, d .....	20
8.3.3	Straightness .....	20
8.3.4	Drift requirements .....	20
8.4	Product ends .....	20
9	Inspection and testing .....	20
9.1	Test equipment .....	20
9.2	Type and frequency of tests .....	20
9.3	Testing of chemical composition .....	20
9.3.1	Chemical analysis .....	20
9.3.2	Test method .....	21
9.3.3	Chromium depletion test -- Groups 2, 3 and 4 .....	21
9.4	Testing of mechanical characteristics .....	21
9.4.1	Test lot .....	21
9.4.2	Selection and preparation of samples and test pieces .....	21
9.5	Tensile test .....	21
9.5.1	Orientation and size of test pieces .....	21
9.5.2	Test method .....	21
9.5.3	Invalidation of test .....	22
9.5.4	Retest .....	22
9.6	Hardness test .....	22
9.6.1	Test pieces .....	22
9.6.2	Test method .....	22
9.6.3	Invalidation of tests .....	23
9.6.4	Periodic checks of hardness-testing machines .....	23
9.6.5	Verification of hardness-testing machines and indenters .....	24
9.6.6	Retests .....	25
9.7	Impact or flattening test .....	25
9.7.1	Test pieces .....	25
9.7.2	Frequency of testing .....	25
9.7.3	Impact test method .....	26
9.7.4	Flattening test method .....	26
9.7.5	Impact test retest .....	26
9.7.6	Flattening test retest .....	27
9.7.7	Invalidation of tests .....	27
9.8	Impact test at low temperature for group 2 .....	27
9.9	Pitting corrosion test for group 2 .....	27
9.10	Microstructural examination .....	28
9.10.1	Test pieces .....	28
9.10.2	Test method .....	28
9.10.3	Retest .....	29
9.11	Dimensional testing .....	29

9.11.1	General .....	29
9.11.2	Outside diameter .....	29
9.11.3	Wall thickness at end of products .....	29
9.11.4	Wall thickness of product body .....	30
9.12	Drift test .....	30
9.12.1	Non-upset and external upset pipe .....	30
9.12.2	Internal upset pipe .....	30
9.12.3	Drift mandrel coating .....	30
9.13	Length .....	30
9.14	Straightness .....	30
9.15	Mass determination .....	30
9.16	Visual inspection .....	30
9.16.1	General .....	30
9.16.2	Pipe body, coupling stock and accessory material .....	31
9.16.3	Pipe ends .....	31
9.16.4	Disposition .....	31
9.17	Non-destructive examination .....	31
9.17.1	General .....	31
9.17.2	NDE personnel .....	32
9.17.3	Products .....	32
9.17.4	Pup joints .....	32
9.17.5	Untested ends .....	32
9.17.6	Upset ends .....	33
9.17.7	Reference standards .....	33
9.17.8	NDE system capability records .....	33
9.17.9	All product group 1 .....	34
9.17.10	Full-body NDE of product -- Groups 2, 3 and 4 .....	34
9.17.11	Pipe, coupling stock and accessory material requiring further evaluation .....	34
9.17.12	Evaluation of indications (prove-up) .....	35
9.17.13	Disposition of pipe containing defects .....	35
9.17.14	Disposition of coupling stock and accessory material containing defects .....	36
9.18	Positive material identification .....	37
10	Surface treatment .....	37
10.1	Group 1 .....	37
10.2	Groups 2, 3 and 4 .....	37
11	Marking .....	38
11.1	General .....	38
11.2	Colour-code identification .....	38
11.3	Marking content and sequence .....	38
11.4	Marking for couplings, pup joints and accessories after threading .....	39
12	Surface protection -- Group 1 .....	39
13	Documents .....	40
13.1	Electronic media .....	40
13.2	Retention of records .....	40
13.3	Test certificates .....	40
14	Handling, packaging and storage .....	41
14.1	General .....	41
14.2	Handling .....	41
14.3	Packaging .....	41
14.3.1	General .....	41
14.3.2	Identification .....	41
14.4	Storage .....	42
Annex A (normative) Tables in SI units .....		43
Annex B (normative) Figures in SI (USC) units .....		66

<b>Annex C (normative) Tables in USC units .....</b>	<b>71</b>
<b>Annex D (normative) Purchaser inspection .....</b>	<b>94</b>
<b>Annex E (normative) Cleanliness requirements .....</b>	<b>95</b>
<b>Annex F (normative) Coupling blanks and accessory material from bar .....</b>	<b>97</b>
<b>Annex G (normative) Productspecificationlevel2(PSL-2) .....</b>	<b>111</b>
<b>Annex H (normative)Standardizedmanufacturingprocedurequalificationtest .....</b>	<b>113</b>
<b>Annex I (informative) Photographic examples of microstructures, groups 2, 3 and 4 .....</b>	<b>117</b>
<b>Bibliography .....</b>	<b>121</b>